

# **Projeto:**

## **Samanta's Portfolio**

Hello, Welcome to  
Samanta's portfolio!



**Instituto do Emprego e Formação Profissional**  
**Projeto de Tecnologia e Programação de Sistemas**  
**Samanta Uchôa Bordallo**

# Prefácio

Este documento delineia o desenvolvimento de "Samanta's Portfolio", um projeto digital que teve seu início na aula de Projeto de Tecnologia e Programação de Sistemas, onde o desafio é a criação de um projeto baseando-se nos conhecimentos aprendidos no módulo anterior (Programação ASP.Net Core MVC). Aqui, descrevo a versão e histórico deste documento e resumo as mudanças em cada uma delas.

Este prefácio serve como uma introdução concisa à esta documentação, destacando seu propósito principal: demonstrar minhas habilidades em ASP.NET Core e C#, e de compartilhar minha jornada pessoal e profissional. A seguir, pode-se ver os requisitos do usuário, o modelo do sistema e outros aspectos relevantes.

## Histórico de Versões:

- **Versão 1.0 (26/10/2023):** Criação do documento, ideia e código inicial.
- **Versão 2.0 (27/10/2023):** Adição dos Requisitos Funcionais e Não-Funcionais.
- **Versão 2.1 (27/10/2023):** Decisão de adicionar “Personal Blog” no projeto.
- **Versão 2.2 (30/10/2023):** Implementação do “Personal Blog” com cards, novos botões de contatos no canto superior direito da página.
- **Versão 3.0 (31/10/2023):** Implementação dos cards em “Recipes” e “Hobbies”
- **Versão 3.1 (03/11/2023):** Implementação do Login para editar, excluir e adicionar projetos. Updates para a seção “Adventures”.
- **Versão 3.2 (06/11/2023):** Implementação de perfil Admin e User, e permissão de editar, excluir e adicionar novo projeto apenas para perfil de Admin.
- **Versão 3.3 (07/11/2023):** Uso do mx-auto para centralizar títulos e cards em todo o projeto.
- **Versão 4.0 (08/11/2023):** Finalização do relatório para entrega.

# Índice

• Prefácio.....	2
• Índice.....	3
• Introdução.....	4
• Glossário.....	5
• Definição de Requisitos do Usuário.....	6
• Modelos do Sistema.....	7
• Conclusão.....	9
• Apêndices.....	14

# Introdução

Neste documento, apresento a proposta para "Samanta's Portfolio" - um projeto pessoal que será desenvolvido com o objetivo de demonstrar minhas habilidades em ASP.NET Core e C#, e de compartilhar minha jornada pessoal e profissional. Este portfólio digital, mais do que uma mera coleção de projetos, será um reflexo da minha paixão pela programação e da minha dedicação à constante evolução na área.

A estrutura deste portfólio está sendo planejada para garantir uma experiência de navegação intuitiva e agradável. Com uma tela inicial desenhada para apresentar um título acolhedor e uma foto representativa, o portfólio se dividirá em várias seções principais: "Projects", "About Me" entre outras que possam parecer importantes visando o objetivo principal. Na seção "Projects", será possível explorar em detalhes os trabalhos que realizarei, incluindo funcionalidades para adicionar, editar e excluir projetos. Na seção "About Me", pretendo oferecer uma narrativa pessoal, onde descreverei minhas experiências, interesses e motivações.

Este documento visa destacar as funcionalidades planejadas, a arquitetura e os aspectos visuais que constituirão o "Samanta's Portfolio", alinhando-os com o meu objetivo de demonstrar competência técnica e a capacidade de desenvolver projetos sofisticados e significativos. "Samanta's Portfolio" está concebido para ser uma manifestação concreta da minha trajetória no campo da tecnologia, combinando habilidade técnica com um toque pessoal. Este projeto não visa apenas mostrar minhas habilidades, mas também criar um canal de conexão com potenciais empregadores, colegas de profissão e entusiastas da tecnologia.

## Glossário

1. **ASP.NET Core:** Um framework para construção de aplicações web e serviços em .NET, uma plataforma de desenvolvimento da Microsoft.
2. **C# (C Sharp):** Uma linguagem de programação moderna, orientada a objetos, desenvolvida pela Microsoft, usada para desenvolver uma variedade de aplicações.
3. **Portfólio Digital:** Uma coleção online de trabalhos e realizações, mostrando habilidades e experiências em um determinado campo.
4. **Funcionalidades:** Características específicas de um software ou aplicativo que permitem realizar determinadas tarefas ou operações.
5. **Competência Técnica:** Habilidade e conhecimento necessário para executar tarefas e resolver problemas em áreas específicas de tecnologia ou engenharia.
6. **Canal de Conexão:** Um meio de comunicação ou interação, especialmente usado para estabelecer contato com outras pessoas, como potenciais empregadores ou colegas.

# Definição de Requisitos do Usuário

## Requisitos Funcionais

**RF01 – Gestão de Projetos:** O sistema deve permitir que Samanta insira, atualize e delete informações sobre os projetos que ela realizou, incluindo detalhes como nome do projeto, descrição, linguagem utilizada e o link de acesso ao projeto.

**RF02 – Exibição de Informações Pessoais:** O sistema deve exibir uma seção "About Me", contendo uma narrativa pessoal de Samanta, detalhando suas experiências, interesses e motivações.

**RF03 – Interface Intuitiva para Usuários:** O portfólio deve oferecer uma experiência de navegação intuitiva e agradável, com um design responsivo adaptável a diferentes dispositivos.

**RF04 – Blog Pessoal:** O sistema deve permitir a Samanta postar artigos em um blog pessoal, na seção Personal Blog, onde ela pode compartilhar insights, experiências e atualizações.

**RF05 – Gestão de Conteúdo do Blog:** Samanta deve ser capaz de criar, editar e remover postagens do blog.

## Requisitos Não Funcionais

**RNF01 – Responsividade:** O site deve ser completamente responsivo, garantindo boa usabilidade.


**RNF02 – Desempenho Otimizado:** O site deve carregar rapidamente, com tempos de resposta baixos, mesmo com várias imagens e conteúdos interativos.


**RNF03 – Segurança:** Todas as informações pessoais e profissionais de Samanta devem ser armazenadas de forma segura para evitar vazamento de dados.

**RNF04 – Escalabilidade:** O sistema deve ser capaz de acomodar o crescimento do conteúdo ao longo do tempo, sem comprometer o desempenho ou a usabilidade.

# Modelos do Sistema

## Diagrama de Fluxo de Dados





	Id	Name	Finished	DataUltima...	Topic	Language	Link
▶	1	Samanta's p...	No	2023-11-06 ...	Portfolio	C#	sem link
	3	Car's Project	Yes	2023-10-27 ...	Project with...	C#	<a href="https://gith...">https://gith...</a>
	4	Emprestimo...	Yes	2023-10-27 ...	Projeto feit...	C#	<a href="https://gith...">https://gith...</a>
	5	teste1	No	2023-10-27 ...	111	111	111
	6	teste2	No	2023-10-27 ...	222	222	222
	7	teste3	No	2023-10-27 ...	33	33	33
	8	teste4	No	2023-10-27 ...	44	44	44
	9	teste5	No	2023-10-27 ...	55	55	55
	10	teste6	No	2023-11-03 ...	66	666	66
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL


# Conclusão

O projeto começou como uma maneira de fortalecer o que aprendi até então. Utilizei as tabelas e os conceitos que absorvi no módulo anterior, aplicando-os à construção de um portfólio digital. Aprendi que a prática é essencial nesse campo, e que, se eu não continuar trabalhando e evoluindo, posso esquecer grande parte do que aprendi. A tecnologia avança rapidamente, e a adaptação constante é necessária.

Minha visão inicial era criar um espaço que refletisse meu potencial técnico e, ao mesmo tempo, me permitisse compartilhar um pouco de quem sou. O "Samanta's Portfolio" possui seções dedicadas a projetos, informações sobre mim e um blog pessoal onde compartilho receitas, aventuras e hobbies. Cada seção se tornou uma parte de mim, e a jornada de desenvolvimento foi incrivelmente gratificante.

O conhecimento e a motivação fornecidos pelo nosso professor me inspiraram a continuar estudando e desenvolvendo projetos mesmo após as aulas. O projeto evoluiu além das minhas expectativas iniciais e continuo trabalhando nele, buscando aprimorá-lo e torná-lo mais atraente para quem o visita.

A seguir, compartilho imagens da versão "final", a qual está apta como avaliação do módulo, mas que ainda almejo transformá-la em algo melhor:

A screenshot of the "Project list" page from the portfolio. The header includes navigation links for Home, Projects, About Me, and Personal Blog, along with Register and Login buttons. The main content is a table titled "Project list" showing ten entries. The columns are: #, Name, Finished, Topic, Language, Update date, and Access link. Each row contains a "Link" button, an "Edit" button with a checkmark, and a "Delete" button. The entries are: 1. Samanta's portfolio (No, Portfolio, C#, 06/11/2023 12:18:30), 3. Car's Project (Yes, Project with asp.net core, C#, 27/10/2023 11:59:00), 4. Emprestimo de Jogos (Yes, Projeto feito no modulo do IEFP, C#, 27/10/2023 12:01:59), 5. teste1 (No, 111, 111, 27/10/2023 15:16:40), 6. teste2 (No, 222, 222, 27/10/2023 15:16:53), 7. teste3 (No, 33, 33, 27/10/2023 15:17:04), 8. teste4 (No, 44, 44, 27/10/2023 15:17:17), 9. teste5 (No, 55, 55, 27/10/2023 15:17:54), 10. teste6 (No, 666, 666, 03/11/2023 11:47:36).

#	Name	Finished	Topic	Language	Update date	Access link
1	Samanta's portfolio	No	Portfolio	C#	06/11/2023 12:18:30	<a href="#">Link</a> <a href="#">Edit</a> <a href="#">Delete</a>
3	Car's Project	Yes	Project with asp.net core	C#	27/10/2023 11:59:00	<a href="#">Link</a> <a href="#">Edit</a> <a href="#">Delete</a>
4	Emprestimo de Jogos	Yes	Projeto feito no modulo do IEFP	C#	27/10/2023 12:01:59	<a href="#">Link</a> <a href="#">Edit</a> <a href="#">Delete</a>
5	teste1	No	111	111	27/10/2023 15:16:40	<a href="#">Link</a> <a href="#">Edit</a> <a href="#">Delete</a>
6	teste2	No	222	222	27/10/2023 15:16:53	<a href="#">Link</a> <a href="#">Edit</a> <a href="#">Delete</a>
7	teste3	No	33	33	27/10/2023 15:17:04	<a href="#">Link</a> <a href="#">Edit</a> <a href="#">Delete</a>
8	teste4	No	44	44	27/10/2023 15:17:17	<a href="#">Link</a> <a href="#">Edit</a> <a href="#">Delete</a>
9	teste5	No	55	55	27/10/2023 15:17:54	<a href="#">Link</a> <a href="#">Edit</a> <a href="#">Delete</a>
10	teste6	No	666	666	03/11/2023 11:47:36	<a href="#">Link</a> <a href="#">Edit</a> <a href="#">Delete</a>

Samanta's Portfolio [Home](#) [Projects](#) [About Me](#) [Personal Blog](#)

Register Login [GitHub](#) [LinkedIn](#) [Email](#) [Instagram](#)

## Log in

Use a local account to log in.

Email

Password

Remember me?

[Log in](#)

[Forgot your password?](#)

[Register as a new user](#)

[Resend email confirmation](#)

© 2023 - Samanta's portfolio - Samanta Bordallo

Samanta's Portfolio [Home](#) [Projects](#) [About Me](#) [Personal Blog](#)

Register Login [GitHub](#) [LinkedIn](#) [Email](#) [Instagram](#)

## About Me

### How I am

Hello, I'm Samanta Bordallo, a 26-year-old with a passion for inquiry and learning. Originally graduating in Biological Sciences in Brazil, I furthered my studies with a postgraduate degree in Criminal Expertise & Forensic Sciences. In September 2022, I embarked on a new adventure, moving to Portugal with my husband, marking a new chapter in my personal and professional journey.

My foray into the programming world began in July 2019, during an interrupted master's program in Belém do Pará, where I had the chance to familiarize myself with the R language and R Studio, applying them in data-driven projects. This experience sowed the seeds of my growing interest in technology.

In December 2022, my path led me deeper into this universe when I began self-taught studies in Python, supplemented by a course on UDEMY. I delved deeper by starting a .NET programming course through IEFP, developing projects in C# and C++, and recently diving into development with ASP.NET Core.

Beyond programming, I am a tranquil person who loves cats, cherishes the coziness of cold weather, and finds joy in small pleasures like watching series alongside my husband, a programmer who often becomes my partner and mentor in coding challenges. My passion for nature is reflected in my love for plants and gardening, as well as in the delight of cooking with fresh herbs, enjoying ice cream, or pampering the cat that lives in front of my house.

© 2023 - Samanta's portfolio - Samanta Bordallo

## Personal Blog



**Samanta's recipes**  
Here I write some of my most precious recipes that I make to welcome my friends

[Go to Recipes](#)



**Samanta's Adventures**  
Here I talk about some of my adventures such as hiking, traveling and more.

[Go to Adventures](#)



**Samanta's hobbies**  
My hobbies range from origami to wanting to learn to play the violin.

[Go to Hobbies](#)

© 2023 - Samanta's portfolio - Samanta Bordallo

# Recipes

## Recipe of Pão de queijo



### Ingredients:

- 500 g Sour Starch
- 150 ml oil
- 150 ml milk
- 150 ml water
- 1 teaspoons salt
- 3 eggs
- 200 g grated mozzarella cheese
- 40 g grated Parmesan cheese

### Instructions:

- Preheat oven to 180°C degrees with a rack in the middle.
- Combine the milk, water and oil in a saucepan and bring to a boil over medium high heat.
- Place the sour and salt in a large bowl and, as soon as the milk mixture boils, pour it over the flour. Mix well with a spoon and wait for it to cool slightly.
- Add the eggs and mix by hand until it reaches a homogeneous consistency.
- Add the cheeses and mix until you get a homogeneous consistency.

© 2023 - Samanta's portfolio - Samanta Bordallo

# ✈️✈️ Samanta's Adventures ✈️✈️

## The Monastery of Batalha



### A morning at the Monastery

The Batalha Monastery, a marvel of Gothic architecture, is a symbol of Portugal's independence, forged during the crucial Battle of Aljubarrota in 1385. Led by D. João I and General Nuno Álvares Pereira, the Portuguese triumphed against the larger forces number of D. João I of Castile, guaranteeing its independence. Construction of the Monastery began in 1388 and lasted 185 years, a testament to Portuguese devotion and architectural grandeur.

Accompanied by Mr. Portas, an 85-year-old gentleman, originally from Portugal but now residing in Brazil, and a dear friend of my husband Victor, we embarked on an exploration of the Monastery. Guided by experts, we were taken on a fascinating journey through the history of the Battle and the creation of the Monastery.

The intricate details, sculptures, and stained glass of this monument left us in awe, evoking centuries of devotion and artistry. The stories shared by Mr. Portas, who displayed an enduring passion and extensive knowledge of the Monastery, enriched our experience.



 interrupted master's program in Belém do Pará, where I had the chance to familiarize myself with the R language and R Studio, applying them in data-driven projects. This experience sowed the seeds of my growing interest in technology.

In December 2022, my path led me deeper into this universe when I began self-taught studies in Python, supplemented by a course on UDEMY. I delved deeper by starting a .NET programming course through IEPF, developing projects in C# and C++, and recently diving into development with ASP.NET Core.



Samanta Bordallo - 26/10/2023

[Return to top](#) [Return to Personal Blog](#)

© 2023 - Samanta's portfolio - Samanta Bordallo

Samanta's Portfolio [Home](#) [Projects](#) [About Me](#) [Personal Blog](#) [Register](#) [Login](#)

# Samanta's Hobbies

[Origami Gallery](#)

[Air Dry Clay](#)

[Return to top](#) [Return to Personal Blog](#)

© 2023 - Samanta's portfolio - Samanta Bordallo

# Samanta's Hobbies

## Origami Gallery



© 2023 - Samanta's portfolio - Samanta Bordallo




# Apêndices


Prints das Versões:

**Versão 2.2:**


01 - Adição dos botões de contatos na parte superior direita:



02 - Tirei o sublinhado:



03 - Tirei os nomes e deixei apenas os símbolos:



04 - Editei os cards para ficarem do mesmo tamanho:



#### Samanta's recipes

Here I write some of my most precious recipes that I make to welcome my friends

[Go to Recipes](#)



#### Samanta's Adventures

Here I talk about some of my adventures such as hiking, traveling and more.

[Go to Adventures](#)

## Versão 3.0:

01 – Adicionei e editei os cards com receitas:



### Recive of Pão de queijo



**Ingredients:**

- 500 g Sour Starch
- 150 ml oil
- 150 ml milk
- 150 ml water
- 1 teaspoons salt
- 3 eggs
- 200 g grated mozzarella cheese
- 40 g grated Parmesan cheese

**Instructions:**

- Preheat oven to 350F degrees with a rack in the middle.
- Combine the milk, water and oil in a saucepan and bring to a boil over medium high heat.
- Place the sour and salt in a large bowl and, as soon as the milk mixture boils, pour it over the flour. Mix well with a spoon and wait for it to cool slightly.
- Add the eggs and mix by hand until it reaches a homogeneous

© 2023 - Samanta's portfolio - [Projects](#)

### Recive of Brownie



**Ingredients:**

- 120 g wheat flour
- 230 g sugar
- 60 g chocolate powder
- 80 g butter
- 4 eggs
- 120 g dark chocolate in pieces

**Instructions:**

- In a bowl, mix all the powdered ingredients.
- Put the eggs and butter at room temperature and mix with a spoon until you get a homogeneous consistency.
- Melt the chocolate in a bain-marie and then pour over the mixture.
- Pour into a greased pan and bake for 20 minutes over low heat.

© 2023 - Samanta's portfolio - [Projects](#)

### Recive of Guacamole



**Ingredients:**

- 2 tomatos
- 1/3 medium red onion
- 1/2 bunch of parsley
- 1 lager avocado
- 1/3 teaspoons salt
- lemon to taste
- 1 small pepper "Dedo de moça"

**Instructions:**

- Preheat oven to 350F degrees with a rack in the middle.
- Combine the milk, water and oil in a saucepan and bring to a boil over medium high heat.
- Place the sour and salt in a large bowl and, as soon as the milk mixture boils, pour it over the flour. Mix well with a spoon and wait for it to cool slightly.

© 2023 - Samanta's portfolio - [Projects](#)

## 02 – Adicionei material no “Samanta’s Hobbies”:

The screenshot shows a portfolio website with a dark header bar containing links to Home, Projects, About Me, and Personal Blog. The main title "Samanta's Hobbies" is centered above a grid of images. The first row of the grid contains four images: a hand holding a beaded guitar-shaped origami, a hand holding an orange and black origami bird, a large multi-layered origami fish, and a person holding a small beaded origami animal. Below this is a dark footer bar with the text "© 2023 - Samanta's portfolio - Projects".

Samanta's Hobbies

Origami gallery

© 2023 - Samanta's portfolio - Projects

## 03 – Editei o 3º card de Personal Blog:

The screenshot shows a personal blog website with three cards displayed horizontally. The first card, "Samanta's recipes", features a photo of bread rolls and text about writing recipes to welcome friends, with a "Go to Recipes" button. The second card, "Samanta's Adventures", features a photo of a person at a beach sunset and text about adventures like hiking and traveling, with a "Go to Adventures" button. The third card, "Samanta's hobbies", features a photo of a beaded guitar-shaped origami and text about hobbies ranging from origami to learning the violin, with a "Go to Hobbies" button. Below the cards is a dark footer bar with the text "© 2023 - Samanta's portfolio - Projects".

Samanta's recipes

Here I write some of my most precious recipes that I make to welcome my friends.

Go to Recipes

Samanta's Adventures

Here I talk about some of my adventures such as hiking, traveling and more.

Go to Adventures

Samanta's hobbies

My hobbies range from origami to wanting to learn to play the violin.

Go to Hobbies

© 2023 - Samanta's portfolio - Projects

## Versão 3.1 (03/11/2023):

### 01 – Implementação Login e Register:

Samanta's Portfolio    Home    Projects    About Me    Personal Blog    Register    Login   

# Hello, Welcome!

## Samanta's portfolio



© 2023 - Samanta's portfolio - Samanta Bordallo

### 02 – Updates para a seção Adventures:

Samanta's Portfolio    Home    Projects    About Me    Personal Blog    Register    Login   

## ✈️✈️ Samanta's Adventures ✈️✈️

### The Monastery of Batalha




A morning at the Monastery

Hello, I'm Samanta Bordallo, a 26-year-old with a passion for inquiry and learning. Originally graduating in Biological Sciences in Brazil, I furthered my studies with a postgraduate degree in Criminal Expertise & Forensic Sciences. In September 2022, I embarked on a new adventure, moving to Portugal with my husband, marking a new chapter in my personal and professional journey.

My foray into the programming world began in July 2019, during an interrupted master's program in Belém do Pará, where I had the chance to familiarize myself with the R language and R Studio, applying them in data-driven projects. This experience sowed the seeds of my growing interest in technology.

In December 2022, my path led me deeper into this universe when I began self-taught studies in Python, supplemented by a course on

© 2023 - Samanta's portfolio - Samanta Bordallo



Samanta Bordallo - 26/10/2023

© 2023 - Samanta's portfolio - Samanta Bordallo

**Versão 3.2 (06/11/2023):**

01 – Perfil de Administrador e Usuário

# Register

## Create a new account.

Email

Password


Confirm password

Admin


User

Register

02 – Transformação dos quadros de hobbies em links para acessar apenas quando apertar no link:




03 – alteração da página inicial:





## Versão 3.2 (06/11/2023):

### 01 – Centralização de títulos e cards:



The screenshot shows the 'About Me' section of the portfolio. At the top, there are icons for LinkedIn, GitHub, and Email. Below the header, the title 'About Me' is centered above a bio text area. The bio text is enclosed in a light gray box with a thin border. At the bottom of the bio box, the author's name and date ('Samanta Bordallo - 26/10/2023') are displayed, followed by a copyright notice ('© 2023 - Samanta's portfolio - Samanta Bordallo').

Hello, I'm Samanta Bordallo, a 26-year-old with a passion for inquiry and learning. Originally graduating in Biological Sciences in Brazil, I furthered my studies with a postgraduate degree in Criminal Expertise & Forensic Sciences. In September 2022, I embarked on a new adventure, moving to Portugal with my husband, marking a new chapter in my personal and professional journey.

My foray into the programming world began in July 2019, during an interrupted master's program in Belém do Pará, where I had the chance to familiarize myself with the R language and R Studio, applying them in data-driven projects. This experience sowed the seeds of my growing interest in technology.

In December 2022, my path led me deeper into this universe when I began self-taught studies in Python, supplemented by a course on UDEMY. I delved deeper by starting a .NET programming course through IEFP, developing projects in C# and C++, and recently diving into development with ASP.NET Core.

Beyond programming, I am a tranquil person who loves cats, cherishes the coziness of cold weather, and finds joy in small pleasures like watching series alongside my husband, a programmer who often becomes my partner and mentor in coding challenges. My passion for nature is reflected in my love for plants and gardening, as well as in the delight of cooking with fresh herbs, enjoying ice cream, or pampering the cat that lives in front of my house.

Professionally, I stand out for my continuous search for challenges that stimulate my growth. Whether refining my projects or assisting colleagues in solving complex problems, I've discovered that teaching is a powerful learning tool. I am always looking for ways to develop my skills and add value to my projects and team.

Throughout this journey, I have learned to value the intersection of different areas of knowledge, leveraging my unique background and diverse perspective to bring a creative and analytical eye to programming. I am excited to explore new opportunities where I can apply my passion and skills in a challenging and innovative environment.



The screenshot shows the 'Recipes' section of the portfolio. At the top, there are icons for LinkedIn, GitHub, and Email. Below the header, the title 'Recipes' is centered above a specific recipe card. The recipe card has a light gray header with the title 'Recipe of Pão de queijo'. The main content area contains a photograph of several cheese bread rolls in a basket, followed by a list of ingredients and instructions. The footer of the card includes the author's name and date ('Samanta Bordallo - 26/10/2023') and a copyright notice ('© 2023 - Samanta's portfolio - Samanta Bordallo').

**Ingredients:**

- 500 g Sour Starch
- 150 ml oil
- 150 ml milk
- 150 ml water
- 1 teaspoons salt
- 3 eggs
- 200 g grated mozzarella cheese
- 40 g grated Parmesan cheese

**Instructions:**

- Preheat oven to 180°C degrees with a rack in the middle.
- Combine the milk, water and oil in a saucepan and bring to a boil over medium high heat.
- Place the sour and salt in a large bowl and, as soon as the milk mixture boils, pour it over the flour. Mix well with a spoon and wait for it to cool slightly.
- Add the eggs and mix by hand until it reaches a homogeneous

**Código do projeto:**

```
@model IEnumerable<PersonalBlogModel>



# <i class="bi bi-airplane-fill"></i> <i class="bi bi-airplane-fill"></i> Samanta's Adventures <i class="bi bi-airplane-fill"></i><i class="bi bi-airplane-fill"></i>



## The Monastery of Batalha



![Monastery](~/Imagens/Adventures/Monastery/Monastery1.jpg)



##### A morning at the Monastery



> The Batalha Monastery, a marvel of Gothic architecture, is a symbol of Portugal's independence, forged during the crucial Battle of Aljubarrota in 1385. Led by D. João I and General Nuno Álvares Pereira, the Portuguese triumphed against the larger forces number of D. João I of Castile, guaranteeing its independence. Construction of the Monastery began in 1388 and lasted 185 years, a testament to Portuguese devotion and architectural grandeur.



Accompanied by Mr. Portas, an 85-year-old gentleman, originally from Portugal but now residing in Brazil, and a dear friend of my husband Victor, we embarked on an exploration of the Monastery. Guided by experts, we were taken on a fascinating journey through the history of the Battle and the creation of the Monastery.



The intricate details, sculptures, and stained glass of this monument left us in awe, evoking


```

centuries of devotion and artistry. The stories shared by ↵  
Mr. Portas, who displayed an enduring passion and ↵  
extensive knowledge of the Monastery, enriched our ↵  
experience.

```
        </p>
    </blockquote>
</div>
</div>
</div>
</div>
<div style="height: 15px;"></div>
<div class="row">
    <div class="col-md-3">
        
    </div>
    <div class="col-md-3">
        
    </div>
    <div class="col-md-3">
        
    </div>
    <div class="col-md-3">
        
    </div>
</div>

<div style="height: 15px;"></div>

<div class="row">
    <div class="col-md-3">
        
    </div>
    <div class="col-md-3">
        
    </div>
    <div class="col-md-3">
        
    </div>
    <div class="col-md-3">
```

```
...olioSamanta\Views\PersonalBlog\AdventureBlog.cshtml 3
    
    </div>
</div>

<div style="height: 15px;"></div>

<div class="card-footer text-muted text-center">
    Samanta Bordallo - 26/10/2023
</div>
</div>
</div>
</div>

<div class="container my-4">
    <div class="card mx-auto" style="max-width: 90%;">
        <div class="card-header text-center">
            <h2 class="display-6">Lagoinha do Leste</h2>
        </div>
        <div class="card-body">
            <div class="row">
                <div class="col-md-5">
                    <div style="height: 50px;"></div>
                    
                </div>
                <div class="col-md-7">
                    <div class="mt-2">
                        <div class="display-6 text-center">
                            <h5>Camping on the beach</h5>
                        </div>
                        <div class="row">
                            <blockquote class="blockquote mb-0">
                                <p>
                                    Hello, I'm Samanta Bordallo, a 26-year- ↵
                                    old with a passion for inquiry and learning. Originally ↵
                                    graduating in Biological Sciences in Brazil, I furthered ↵
                                    my studies with a postgraduate degree in Criminal ↵
                                    Expertise & Forensic Sciences. In September 2022, I ↵
                                    embarked on a new adventure, moving to Portugal with my ↵
                                    husband, marking a new chapter in my personal and ↵
                                    professional journey.
                                </p>
                                <p>
                                    My foray into the programming world ↵
                                    began in July 2019, during an interrupted master's ↵
                                    program in Belém do Pará, where I had the chance to ↵
                                    familiarize myself with the R language and R Studio, ↵
                                    applying them in data-driven projects. This experience ↵
                                    sowed the seeds of my growing interest in technology.
                                </p>
                                <p>

```

```
In December 2022, my path led me deeper ↵
into this universe when I began self-taught studies in ↵
Python, supplemented by a course on UDEMY. I delved ↵
deeper by starting a .NET programming course through ↵
IEFP, developing projects in C# and C++, and recently ↵
diving into development with ASP.NET Core.
    </p>
    </blockquote>
</div>
</div>
<div style="height: 15px;"></div>
<div class="row">
    <div class="col-md-3">
        
    </div>
    <div class="col-md-3">
        
    </div>
    <div class="col-md-3">
        
    </div>
    <div class="col-md-3">
        
    </div>
</div>

<div style="height: 15px;"></div>

<div class="card-footer text-muted text-center">
    Samanta Bordallo - 26/10/2023
</div>
</div>
</div>
</div>

<div class="d-flex gap-2 mt-5 justify-content-center text-center">
    <a class="btn btn-dark w-25" href="#">Return to top</a>
    <a class="btn btn-dark w-25" asp-controller="PersonalBlog" asp-
        action="Index">Return to Personal Blog</a>
</div>
```

```
<div style="height: 100px;"></div>
```

```
// <auto-generated />
using System;
using Microsoft.EntityFrameworkCore;
using Microsoft.EntityFrameworkCore.Infrastructure;
using Microsoft.EntityFrameworkCore.Metadata;
using Microsoft.EntityFrameworkCore.Storage.ValueConversion;
using PotifolioSamanta.Data;

#nullable disable

namespace PortfolioSamanta.Migrations
{
    [DbContext(typeof(ApplicationDbContext))]
    partial class ApplicationDbContextModelSnapshot : ModelSnapshot
    {
        protected override void BuildModel(ModelBuilder modelBuilder)
        {
#pragma warning disable 612, 618
            modelBuilder
                .HasAnnotation("ProductVersion", "7.0.13")
                .HasAnnotation("Relational:MaxIdentifierLength", 128);

           SqlServerModelBuilderExtensions.UseIdentityColumns
                (modelBuilder);
            ↗

            modelBuilder.Entity<
                Microsoft.AspNetCore.Identity.IdentityRole>, b =>
            {
                b.Property<string>("Id")
                    .HasColumnType("nvarchar(450)");

                b.Property<string>("ConcurrencyStamp")
                    .IsConcurrencyToken()
                    .HasColumnType("nvarchar(max)");

                b.Property<string>("Name")
                    .HasMaxLength(256)
                    .HasColumnType("nvarchar(256)");

                b.Property<string>("NormalizedName")
                    .HasMaxLength(256)
                    .HasColumnType("nvarchar(256)");

                b.HasKey("Id");

                b.HasIndex("NormalizedName")
                    .IsUnique()
                    .HasDatabaseName("RoleNameIndex")
                    .HasFilter("[NormalizedName] IS NOT NULL");
                ↗

                b.ToTable("AspNetRoles", (string)null);
            };
        }
    }
}
```

...nta\Migrations\ApplicationDbContextModelSnapshot.cs 2

```
modelBuilder.Entity<("Microsoft.AspNetCore.Identity.IdentityRoleClaim<string>") b =>
{
    b.Property<int>("Id")
        .ValueGeneratedOnAdd()
        .HasColumnType("int");

   SqlServerPropertyBuilderExtensions.UseIdentityColumn(b.Property<int>("Id"));

    b.Property<string>("ClaimType")
        .HasColumnType("nvarchar(max)");

    b.Property<string>("ClaimValue")
        .HasColumnType("nvarchar(max)");

    b.Property<string>("RoleId")
        .IsRequired()
        .HasColumnType("nvarchar(450)");

    b.HasKey("Id");

    b.HasIndex("RoleId");

    b.ToTable("AspNetRoleClaims", (string)null);
};

modelBuilder.Entity<("Microsoft.AspNetCore.Identity.IdentityUser") b =>
{
    b.Property<string>("Id")
        .HasColumnType("nvarchar(450)");

    b.Property<int>("AccessFailedCount")
        .HasColumnType("int");

    b.Property<string>("ConcurrencyStamp")
        .IsConcurrencyToken()
        .HasColumnType("nvarchar(max)");

    b.Property<string>("Email")
        .HasMaxLength(256)
        .HasColumnType("nvarchar(256)");

    b.Property<bool>("EmailConfirmed")
        .HasColumnType("bit");

    b.Property<bool>("LockoutEnabled")
        .HasColumnType("bit");

    b.Property<DateTimeOffset?>("LockoutEnd")
        .HasColumnType("datetimeoffset");
};
```

```
b.Property<string>("NormalizedEmail")
    .HasMaxLength(256)
    .HasColumnType("nvarchar(256)");

b.Property<string>("NormalizedUserName")
    .HasMaxLength(256)
    .HasColumnType("nvarchar(256)");

b.Property<string>("PasswordHash")
    .HasColumnType("nvarchar(max)");

b.Property<string>("PhoneNumber")
    .HasColumnType("nvarchar(max)");

b.Property<bool>("PhoneNumberConfirmed")
    .HasColumnType("bit");

b.Property<string>("SecurityStamp")
    .HasColumnType("nvarchar(max)");

b.Property<bool>("TwoFactorEnabled")
    .HasColumnType("bit");

b.Property<string>("UserName")
    .HasMaxLength(256)
    .HasColumnType("nvarchar(256)");

b.HasKey("Id");

b.HasIndex("NormalizedEmail")
    .HasDatabaseName("EmailIndex");

b.HasIndex("NormalizedUserName")
    .IsUnique()
    .HasDatabaseName("UserNameIndex")
    .HasFilter("[NormalizedUserName] IS NOT NULL");

b.ToTable("AspNetUsers", (string)null);
});

modelBuilder.Entity↗
("Microsoft.AspNetCore.Identity.IdentityUserClaim<string>", b↗
=>
{
    b.Property<int>("Id")
        .ValueGeneratedOnAdd()
        .HasColumnType("int");

    SqlServerPropertyBuilderExtensions.UseIdentityColumn↗
(b.Property<int>("Id"));

    b.Property<string>("ClaimType")
```

```
    .HasColumnType("nvarchar(max)");

    b.Property<string>("ClaimValue")
        .HasColumnType("nvarchar(max)");

    b.Property<string>("UserId")
        .IsRequired()
        .HasColumnType("nvarchar(450)");

    b.HasKey("Id");

    b.HasIndex("UserId");

    b.ToTable("AspNetUserClaims", (string)null);
}

modelBuilder.Entity
("Microsoft.AspNetCore.Identity.IdentityUserLogin<string>", b =>
{
    b.Property<string>("LoginProvider")
        .HasColumnType("nvarchar(450)");

    b.Property<string>("ProviderKey")
        .HasColumnType("nvarchar(450)");

    b.Property<string>("ProviderDisplayName")
        .HasColumnType("nvarchar(max)");

    b.Property<string>("UserId")
        .IsRequired()
        .HasColumnType("nvarchar(450)");

    b.HasKey("LoginProvider", "ProviderKey");

    b.HasIndex("UserId");

    b.ToTable("AspNetUserLogins", (string)null);
});

modelBuilder.Entity
("Microsoft.AspNetCore.Identity.IdentityUserRole<string>", b =>
{
    b.Property<string>("UserId")
        .HasColumnType("nvarchar(450)");

    b.Property<string>("RoleId")
        .HasColumnType("nvarchar(450)");

    b.HasKey("UserId", "RoleId");

    b.HasIndex("RoleId");
})
```

```
        b.ToTable("AspNetUserRoles", (string)null);
    });

modelBuilder.Entity↗
("Microsoft.AspNetCore.Identity.IdentityUserToken<string>", b↗
=>
{
    b.Property<string>("UserId")
        .HasColumnType("nvarchar(450)");

    b.Property<string>("LoginProvider")
        .HasColumnType("nvarchar(450)");

    b.Property<string>("Name")
        .HasColumnType("nvarchar(450)");

    b.Property<string>("Value")
        .HasColumnType("nvarchar(max)");

    b.HasKey("UserId", "LoginProvider", "Name");

    b.ToTable("AspNetUserTokens", (string)null);
});

modelBuilder.Entity("PotifolioSamanta.Models.AboutMeModel", b =>
{
    b.Property<int>("Id")
        .ValueGeneratedOnAdd()
        .HasColumnType("int");

    SqlServerPropertyBuilderExtensions.UseIdentityColumn↗
(b.Property<int>("Id"));

    b.HasKey("Id");

    b.ToTable("AboutMe");
});

modelBuilder.Entity("PotifolioSamanta.Models.ProjectsModel", b↗
=>
{
    b.Property<int>("Id")
        .ValueGeneratedOnAdd()
        .HasColumnType("int");

    SqlServerPropertyBuilderExtensions.UseIdentityColumn↗
(b.Property<int>("Id"));

    b.Property<DateTime>("DataUltimaAtualizacao")
        .HasColumnType("datetime2");

    b.Property<string>("Finished")
});
```

```
    .IsRequired()
    .HasColumnType("nvarchar(max)");

    b.Property<string>("Language")
        .IsRequired()
        .HasColumnType("nvarchar(max)");

    b.Property<string>("Link")
        .IsRequired()
        .HasColumnType("nvarchar(max)");

    b.Property<string>("Name")
        .IsRequired()
        .HasColumnType("nvarchar(max)");

    b.Property<string>("Topic")
        .IsRequired()
        .HasColumnType("nvarchar(max)");

    b.HasKey("Id");

    b.ToTable("Projects");
});

modelBuilder.Entity↗
("Microsoft.AspNetCore.Identity.IdentityRoleClaim<string>", b↗
=>
{
    bhasOne("Microsoft.AspNetCore.Identity.IdentityRole",↗
null)
        .WithMany()
        .HasForeignKey("RoleId")
        .OnDelete(DeleteBehavior.Cascade)
        .IsRequired();
});

modelBuilder.Entity↗
("Microsoft.AspNetCore.Identity.IdentityUserClaim<string>", b↗
=>
{
    bhasOne("Microsoft.AspNetCore.Identity.IdentityUser",↗
null)
        .WithMany()
        .HasForeignKey("UserId")
        .OnDelete(DeleteBehavior.Cascade)
        .IsRequired();
});

modelBuilder.Entity↗
("Microsoft.AspNetCore.Identity.IdentityUserLogin<string>", b↗
=>
{
    bhasOne("Microsoft.AspNetCore.Identity.IdentityUser",↗
```

```
        null)
            .WithMany()
            .HasForeignKey("UserId")
            .OnDelete(DeleteBehavior.Cascade)
            .IsRequired();
    });

modelBuilder.Entity
    ("Microsoft.AspNetCore.Identity.IdentityUserRole<string>", b =>
{
    b.HasOne("Microsoft.AspNetCore.Identity.IdentityRole", null)
        .WithMany()
        .HasForeignKey("RoleId")
        .OnDelete(DeleteBehavior.Cascade)
        .IsRequired();

    b.HasOne("Microsoft.AspNetCore.Identity.IdentityUser", null)
        .WithMany()
        .HasForeignKey("UserId")
        .OnDelete(DeleteBehavior.Cascade)
        .IsRequired();
});

modelBuilder.Entity
    ("Microsoft.AspNetCore.Identity.IdentityUserToken<string>", b =>
{
    b.HasOne("Microsoft.AspNetCore.Identity.IdentityUser", null)
        .WithMany()
        .HasForeignKey("UserId")
        .OnDelete(DeleteBehavior.Cascade)
        .IsRequired();
});

#pragma warning restore 612, 618
}
}
```

```
...manta\PotifolioSamanta\Data\ApplicationDBContext.cs


---


using Microsoft.AspNetCore.Identity.EntityFrameworkCore;
using Microsoft.EntityFrameworkCore;
using PotifolioSamanta.Models;

namespace PotifolioSamanta.Data
{
    public class ApplicationDbContext : IdentityDbContext
    {
        public ApplicationDbContext(DbContextOptions<ApplicationDbContext> options) : base(options) { }

        public DbSet<ProjectsModel> Projects { get; set; }
        public DbSet<AboutMeModel> AboutMe { get; set; }

        // protected override void OnModelCreating(ModelBuilder modelBuilder)
        // {
        //     modelBuilder.Entity<AboutMeModel>().HasNoKey();
        // }
    }
}
```

```
{  
    "Logging": {  
        "LogLevel": {  
            "Default": "Information",  
            "Microsoft.AspNetCore": "Warning"  
        }  
    },  
    "ConnectionStrings": {  
        "DefaultConnection": "server=DELL-G15-RYZEN\  
        \SQLEXPRESS;Database=DBPortfolioSamanta;trusted_connection=true;Tr  
        ustServerCertificate=True;Encrypt=false"  
    },  
    "AllowedHosts": "*"  
}
```

```
@model ProjectsModel
{@
    ViewData["title"] = "Delete Project";
}

<div class="container">
    <div class="text-center">
        <h1 class="display-4 mx-auto">Delete Project</h1>
    </div>
    <form method="post" asp-controller="Projects" asp-action="DeleteProject">
        <input type="hidden" asp-for="Id" />
        <h2>Do you want to delete this project?</h2>
        <div class="mb-3">
            <label for="Name" class="form-label">Name</label>
            <input type="text" class="form-control" asp-for="Name" id="Name" placeholder="What is the name of the project?" disabled>
            <span class="text-danger" asp-validation-for="Name"> </span>
        </div>
        <div class="mb-3">
            <label for="Finished" class="form-label">Finished</label>
            <input type="text" class="form-control" asp-for="Finished" id="Finished" placeholder="Is the project finished?" disabled>
            <span class="text-danger" asp-validation-for="Finished"> </span>
        </div>
        <div class="mb-3">
            <label for="Topic" class="form-label">Topic</label>
            <input type="text" class="form-control" asp-for="Topic" id="Topic" placeholder="What is the topic of the project?" disabled>
            <span class="text-danger" asp-validation-for="Topic"> </span>
        </div>
        <div class="mb-3">
            <label for="Language" class="form-label">Language</label>
            <input type="text" class="form-control" asp-for="Language" id="Language" placeholder="What was the language used?" disabled>
            <span class="text-danger" asp-validation-for="Language"> </span>
        </div>
        <div class="d-flex gap-2 mt-5">
            <button type="submit" class="btn btn-primary w-50">Delete</button>
            <a class="btn btn-primary w-50" asp-controller="Projects" asp-action="Index">Return</a>
        </div>
        <div style="height: 100px;"></div>
    </form>
```

</div>

```
@model ProjectsModel
{@
    ViewData["title"] = "Edit Project";
}

<div class="container">
    <div class="text-center">
        <h1 class="display-4 mx-auto">Edit Project</h1>
    </div>
    <form method="post" asp-controller="Projects" asp-action="EditProject">
        <input type="hidden" asp-for="Id" />
        <div class="mb-3">
            <label for="Name" class="form-label">Name</label>
            <input type="text" class="form-control" asp-for="Name" id="Name" placeholder="What is the name of the project?">
            <span class="text-danger" asp-validation-for="Name"> </span>
        </div>
        <div class="mb-3">
            <label class="form-label">Finished</label>
            <div>
                <input type="radio" asp-for="Finished" id="Finished_Yes" value="Yes" />
                <label for="Finished_Yes">Yes</label>
            </div>
            <div>
                <input type="radio" asp-for="Finished" id="Finished_No" value="No" />
                <label for="Finished_No">No</label>
            </div>
            <span class="text-danger" asp-validation-for="Finished"></span>
        </div>
        <div class="mb-3">
            <label for="Topic" class="form-label">Topic</label>
            <input type="text" class="form-control" asp-for="Topic" id="Topic" placeholder="What is the topic of the project?">
            <span class="text-danger" asp-validation-for="Topic"> </span>
        </div>
        <div class="mb-3">
            <label for="Language" class="form-label">Language</label>
            <input type="text" class="form-control" asp-for="Language" id="Language" placeholder="What was the language used?">
            <span class="text-danger" asp-validation-for="Language"> </span>
        </div>
        <div class="mb-3">
            <label for="Link" class="form-label">Link</label>
            <input type="Link" class="form-control" asp-for="Link" id="Link" placeholder="What is the link?">
            <span class="text-danger" asp-validation-for="Link"> </span>
        </div>
    </form>

```

```
<div class="d-flex gap-2 mt-5">
    <button type="submit" class="btn btn-primary w-50">Submit</button>
    <a class="btn btn-primary w-50" asp-controller="Projects" asp-action="Index">Return</a>
</div>
<div style="height: 100px;"></div>
</form>

</div>
```

```
@model IEnumerable<PersonalBlogModel>



<div class="d-flex justify-content-between align-items-center">
        <h1 class="display-4 align-items-center mx-auto"><i class="bi bi-palette"></i> <i class="bi bi-palette"></i> Samanta's Hobbies <i class="bi bi-palette"></i><i class="bi bi-palette"></i></h1>
    </div>
</div>



<div class="card h-100 d-flex mx-auto" style="max-width: 90%;">
        <div class="card-header text-center">
            <h2 class="display-6">
                <a id="expand-link-origami" href="#" style="text-decoration: none; color: gray; font-family: 'Lobster', cursive;">
                    Origami Gallery
                </a>
            </h2>
        </div>
        <div class="card-body" id="content-body-origami" style="display: none;">
            <div class="row">
                <div class="col-md-3 d-flex flex-fill">
                    
                </div>
                <div class="col-md-3 d-flex flex-fill">
                    
                </div>
                <div class="col-md-3 d-flex flex-fill">
                    
                </div>
                <div class="col-md-3 d-flex flex-fill">
                    
                </div>
            </div>
            <div style="height: 15px;"></div>
            <div class="row">
                <div class="col-md-3 d-flex flex-fill">
                    
                </div>
                <div class="col-md-3 d-flex flex-fill">
                    
                </div>
                <div class="col-md-3 d-flex flex-fill">
                    
                </div>
            </div>
        </div>
    </div>


```

```
</div>
<div class="col-md-3 d-flex flex-fill">
    <img src "~/Imagens/Origamis/tsuruclinica.jpg" alt="" style="width: 100%;"
        class="img-fluid" alt="Tsuru Clinica Origami" style="width: 100%;"/>
</div>
</div>
<div style="height: 15px;"></div>
<div class="row">
    <div class="col-md-3 d-flex flex-fill">
        <img src "~/Imagens/PaoDeQueijo.jpg" class="img-fluid" alt="Pão de Queijo 1" style="width: 100%;"
            alt="Pão de Queijo 1" style="width: 100%;"/>
    </div>
    <div class="col-md-3 d-flex flex-fill">
        <img src "~/Imagens/PaoDeQueijo.jpg" class="img-fluid" alt="Pão de Queijo 2" style="width: 100%;"
            alt="Pão de Queijo 2" style="width: 100%;"/>
    </div>
    <div class="col-md-3 d-flex flex-fill">
        <img src "~/Imagens/PaoDeQueijo.jpg" class="img-fluid" alt="Pão de Queijo 3" style="width: 100%;"
            alt="Pão de Queijo 3" style="width: 100%;"/>
    </div>
    <div class="col-md-3 d-flex flex-fill">
        <img src "~/Imagens/PaoDeQueijo.jpg" class="img-fluid" alt="Pão de Queijo 4" style="width: 100%;"
            alt="Pão de Queijo 4" style="width: 100%;"/>
    </div>
</div>
</div>
</div>

<div class="container my-4">
    <div class="card h-100 d-flex mx-auto" style="max-width: 90%;"
        <div class="card-header text-center">
            <h2 class="display-6">
                <a id="expand-link-clay" href="#" style="text-decoration: none; color: gray; font-family: 'Lobster', cursive;">
                    Air Dry Clay
                </a>
            </h2>
        </div>
        <div class="card-body" id="content-body-clay" style="display: none;">
            <div class="row">
                <div class="col-md-3 d-flex flex-fill">
                    <img src "~/Imagens/Hobbies/Biscuit/biscuit1.jpg" class="img-fluid" alt="Pão de Queijo 1" style="width: 100%;"
                        alt="Biscoito 1" style="width: 100%;"/>
                </div>
                <div class="col-md-3 d-flex flex-fill">
                    <img src "~/Imagens/Hobbies/Biscuit/biscuit2.jpg" class="img-fluid" alt="Pão de Queijo 2" style="width: 100%;"
                        alt="Biscoito 2" style="width: 100%;"/>
                </div>
                <div class="col-md-3 d-flex flex-fill">

```

...ifolioSamanta\Views\PersonalBlog\HobbiesBlog.cshtml 3

```

</div>
<div class="col-md-3 d-flex flex-fill">
    
</div>
</div>
<div style="height: 15px;"></div>
<div class="row">
    <div class="col-md-3 d-flex flex-fill">
        
    </div>
    </div>
    <div style="height: 15px;"></div>
</div>
</div>
</div>

<div class="d-flex gap-2 mt-5 justify-content-center text-center">
    <a class="btn btn-dark w-25" href="#top">Return to top</a>
    <a class="btn btn-dark w-25" asp-controller="PersonalBlog" asp-
        action="Index">Return to Personal Blog</a>
</div>

<div style="height: 100px;"></div>

<script>
    document.getElementById('expand-link-origami').addEventListener('click', ↵
        function (event) {
            event.preventDefault();
            const contentBody = document.getElementById('content-body-origami');
            if (contentBody.style.display === 'none') {
                contentBody.style.display = 'block';
            } else {
                contentBody.style.display = 'none';
            }
        }
    )
</script>
```

```
    } else {
        contentBody.style.display = 'none';
    }
});

document.getElementById('expand-link-clay').addEventListener('click', ↵
    function (event) {
        event.preventDefault();
        const contentBody = document.getElementById('content-body-clay');
        if (contentBody.style.display === 'none') {
            contentBody.style.display = 'block';
        } else {
            contentBody.style.display = 'none';
        }
    });
</script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/lightbox2/2.11.3/js/ ↵
    lightbox.min.js"></script>
```

```
using Microsoft.AspNetCore.Mvc;
using PotifolioSamanta.Models;
using System.Diagnostics;
using System;

namespace PotifolioSamanta.Controllers
{
    public class HomeController : Controller
    {
        private readonly ILogger<HomeController> _logger;

        public HomeController(ILogger<HomeController> logger)
        {
            _logger = logger;
        }

        public IActionResult Index()
        {
            return View();
        }

        public IActionResult Privacy()
        {
            return View();
        }

        [ResponseCache(Duration = 0, Location = ResponseCacheLocation.None, NoStore = true)]
        public IActionResult Error()
        {
            return View(new ErrorViewModel { RequestId =
                Activity.Current?.Id ?? HttpContext.TraceIdentifier });
        }
    }
}
```

```
@model IEnumerable<AboutMeModel>

<style>
</style>



<div class="d-flex justify-content-between align-items-center">
        <h1 class="display-4 mx-auto"><i class="bi bi-person-vcard"></i> <i class="bi bi-person-vcard"></i> About Me <i class="bi bi-person-vcard"></i> <i class="bi bi-person-vcard"></i></h1>
    </div>
</div>


<div class="card">
        <div class="card-header text-center">
            How I am
        </div>
        <div class="card-body text-center">
            <blockquote class="blockquote mb-0">
                <p>
                    Hello, I'm Samanta Bordallo, a 26-year-old with a passion for inquiry and learning. Originally graduating in Biological Sciences in Brazil, I furthered my studies with a postgraduate degree in Criminal Expertise & Forensic Sciences. In September 2022, I embarked on a new adventure, moving to Portugal with my husband, marking a new chapter in my personal and professional journey.
                </p>
                <p>
                    My foray into the programming world began in July 2019, during an interrupted master's program in Belém do Pará, where I had the chance to familiarize myself with the R language and R Studio, applying them in data-driven projects. This experience sowed the seeds of my growing interest in technology.
                </p>
                <p>
                    In December 2022, my path led me deeper into this universe when I began self-taught studies in Python, supplemented by a course on UDEMY. I delved deeper by starting a .NET programming course through IEFP, developing projects in C# and C++, and recently diving into development with ASP.NET Core.
                </p>
                <p>
                    Beyond programming, I am a tranquil person who loves cats, cherishes the coziness of cold weather, and finds joy in small pleasures like watching series alongside my husband, a programmer who often becomes my partner and mentor in coding challenges. My passion for nature is reflected in my love for plants and gardening, as well as
                </p>
            </blockquote>
        </div>
    </div>


```

---

in the delight of cooking with fresh herbs, enjoying ice cream, or pampering the cat that lives in front of my house.

</p>

<p>

Professionally, I stand out for my continuous search for challenges that stimulate my growth. Whether refining my projects or assisting colleagues in solving complex problems, I've discovered that teaching is a powerful learning tool. I am always looking for ways to develop my skills and add value to my projects and team.

</p>

<p>

Throughout this journey, I have learned to value the intersection of different areas of knowledge, leveraging my unique background and diverse perspective to bring a creative and analytical eye to programming. I am excited to explore new opportunities where I can apply my passion and skills in a challenging and innovative environment.

</p>

</blockquote>

</div>

<div class="card-footer text-muted text-center">

Samanta Bordallo - 26/10/2023

</div>

</div>

</div>

<div style="height: 100px;"></div>

```
@model ProjectsModel
 @{
     ViewData["Title"] = "Home Page";
 }

<!DOCTYPE html>
<html>
<head>
    <link rel="stylesheet" href="~/css/Minty.css" />
    <title>Home Page</title>
</head>
<body>
    <div class="text-center d-flex flex-row justify-content-center align-items-center" style="background-color: #aed9e0;">
        <div class="mr-4">
            <h1 class="display-4">Hello, Welcome to</h1>
            <h2 class="display-3">Samanta's portfolio!</h2>
        </div>
        
    </div>
</body>
</html>
```

```
@model IEnumerable<PersonalBlogModel>



# <i class="bi bi-person-vcards"></i> Personal Blog <i class="bi bi-person-vcards"></i> <i class="bi bi-person-vcards"></i>



![Pão de Queijo](~/Imagens/PaoDeQueijo.jpg)

##### Samanta's recipes



Here I write some of my most precious recipes that I make to welcome my friends



Go to Recipes



![Beach](~/Imagens/AdventuraSamanta.png)

##### Samanta's Adventures



Here I talk about some of my adventures such as hiking, traveling and more.



Go to Adventures


```

```
<div class="col-md-4">
    <div class="card d-flex flex-fill mx-auto" style="width: 18rem; height: 100%;">
        
        <div class="card-body d-flex flex-column">
            <h5 class="card-title text-center">Samanta's hobbies</h5>
            <p class="card-text text-center">My hobbies range from origami to wanting to learn to play the violin.</p>
            <div class="text-center mt-auto">
                <a asp-controller="PersonalBlog" asp-action="HobbiesBlog" class="btn btn-primary">Go to Hobbies</a>
            </div>
        </div>
    </div>
</div>

<div style="height: 100px;"></div>

<div class="container">
    <div class="row justify-content-center">
        <div class="col-md-4">
            <div class="card d-flex flex-fill mx-auto" style="width: 18rem; margin: 0 auto; height: 100%;">
                
                <div class="card-body d-flex flex-column">
                    <h5 class="card-title text-center">Samanta's recipes</h5>
                    <p class="card-text text-center">Here I write some of my most precious recipes that I make to welcome my friends</p>
                    <div class="text-center mt-auto">
                        <a asp-controller="PersonalBlog" asp-action="RecipesBlog" class="btn btn-primary">Go to Recipes</a>
                    </div>
                </div>
            </div>
        </div>
        <div class="col-md-4">
            <div class="card d-flex flex-fill mx-auto" style="width: 18rem; height: 100%;">
                
                <div class="card-body d-flex flex-column">
                    <h5 class="card-title text-center">Samanta's Adventures</h5>
                    <p class="card-text text-center">Here I talk about some </p>
```

```
    of my adventures such as hiking, traveling and more.</p>
    <div class="text-center mt-auto">
        <a asp-controller="PersonalBlog" asp-
        action="AdventureBlog" class="btn btn-primary">Go to      ↵
        Adventures</a>
    </div>
</div>
<div class="col-md-4">
    <div class="card d-flex flex-fill mx-auto" style="width: 18rem;      ↵
        height: 100%;">
        
        <div class="card-body d-flex flex-column">
            <h5 class="card-title text-center">Samanta's hobbies</      ↵
            h5>
            <p class="card-text text-center">My hobbies range from      ↵
            origami to wanting to learn to play the violin.</p>
            <div class="text-center mt-auto">
                <a asp-controller="PersonalBlog" asp-
                action="HobbiesBlog" class="btn btn-primary">Go to      ↵
                Hobbies</a>
            </div>
        </div>
    </div>
</div>
<div style="height: 100px;"></div>
```

```
@model IEnumerable<ProjectsModel>



# Project list

 New Project



| # | Name | Finished | Topic | Language | Update date | Access link | <th></th> |
|---|------|----------|-------|----------|-------------|-------------|-----------|
|---|------|----------|-------|----------|-------------|-------------|-----------|


```

```
        fill"></i> Delete</a>
      </td>
    </tr>
  }
}
</tbody>
</table>
</div>
<div style="height: 100px;"></div>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>@ViewData["Title"] - Samanta's portfolio</title>
    <link rel="stylesheet" href="~/lib/bootstrap/dist/css/
        bootstrap.min.css" />
    <link rel="stylesheet" href="~/css/Minty.css" asp-append-
        version="true" />
    <link rel="stylesheet" href="~/PortfolioSamanta.styles.css" asp-append-
        version="true" />
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
        icons@1.11.1/font/bootstrap-icons.css">
    <link href="https://cdn.datatables.net/v/dt/dt-1.13.6/
        datatables.min.css" rel="stylesheet">
</head>
<body>
    <header>
        <link rel="stylesheet" href="css/Minty.css">

        <nav class="navbar navbar-expand-sm navbar-toggleable-sm navbar-
            light bg-dark border-bottom box-shadow mb-3">
            <div class="container-fluid">
                <a class="navbar-brand text-light" asp-area="" asp-
                    controller="Home" asp-action="Index">Samanta's Portfolio</
                    a>
                <button class="navbar-toggler" type="button" data-bs-
                    toggle="collapse" data-bs-target=".navbar-collapse" aria-
                    controls="navbarSupportedContent"
                    aria-expanded="false" aria-label="Toggle
                    navigation">
                    <span class="navbar-toggler-icon"></span>
                </button>
                <div class="navbar-collapse collapse d-sm-inline-flex
                    justify-content-between">
                    <ul class="navbar-nav flex-grow-1">
                        <li class="nav-item">
                            <a class="nav-link text-light" asp-area="" asp-
                                controller="Home" asp-action="Index"><i class="bi bi-
                                house-fill"></i> Home</a>
                        </li>
                        <li class="nav-item">
                            <a class="nav-link text-light" asp-area="" asp-
                                controller="Projects" asp-action="Index"><i class="bi bi-
                                journal-richtext"></i> Projects</a>
                        </li>
                        <li class="nav-item">
                            <a class="nav-link text-light" asp-area="" asp-
                                controller="AboutMe" asp-action="Index"><i class="bi bi-
                                file-person"></i> About Me</a>
                        </li>
                        <li class="nav-item">
```

...amanta\PotifolioSamanta\Views\Shared\\_Layout.cshtml 2

```
<a class="nav-link text-light" asp-area="" asp- ↵
controller="PersonalBlog" asp-action="Index"><i class="bi bi-person-vcard"></i> Personal Blog</a>
</li>
</ul>

<partial name="_LoginPartial.cshtml" />

</div>
</div>

<div class="contact-buttons d-flex">
</a>
<a class="btn btn-link text-light" href="https://github.com/↗
samanta-bordallo" target="_blank">
<span><i class="bi bi-github"></i></span>
</a>
<a class="btn btn-link text-light" href="https://↗
www.linkedin.com/in/samanta-bordallo-86805a117/" ↗
target="_blank">
<span><i class="bi bi-linkedin"></i></span>
</a>
<a class="btn btn-link text-light"
href="mailto:bordallo.samanta@gmail.com">
<span><i class="bi bi-envelope"></i></span>
</a>
<a class="btn btn-link text-light" href="https://↗
api.whatsapp.com/send?phone=913890678" target="_blank">
<span><i class="bi bi-whatsapp"></i></span>
</a>
</div>

</nav>
</header>
<div class="container">
<main role="main" class="pb-3">
    @RenderBody()
</main>
</div>

<footer class="border-top footer text-muted bg-dark bottom-0 position- ↵
fixed">
<div class="container text-light d-flex justify-content-center ↵
align-items-center">
    &copy; 2023 - Samanta's portfolio - Samanta Bordallo</>
</div>
</footer>

<script src="~/lib/jquery/dist/jquery.min.js"></script>
<script src="~/lib/bootstrap/dist/js/bootstrap.bundle.min.js"></script>
```

```
<script src="https://cdn.datatables.net/v/dt/dt-1.13.6/
    datatables.min.js"></script>
<script src="~/js/site.js" asp-append-version="true"></script>
@await RenderSectionAsync("Scripts", required: false)
</body>
</html>
```

```
@using Microsoft.AspNetCore.Identity

@inject SignInManager<IdentityUser> SignInManager
@inject UserManager<IdentityUser> UserManager




@if (SignInManager.IsSignedIn(User))
{
    <li class="nav-item">
        <a id="manage" class="nav-link text-light" asp-area="Identity" asp-page="/Account/Manage/Index" title="Manage">Hello @UserManager.GetUserName(User)!</a>
    </li>
    <li class="nav-item">
        <form id="logoutForm" class="form-inline" asp-area="Identity" asp-page="/Account/Logout" asp-route-returnUrl="@Url.Action("Index", "Home", new { area = "" })">
            <button id="logout" type="submit" class="nav-link btn btn-link text-light">Logout</button>
        </form>
    </li>
}
else
{
    <li class="nav-item">
        <a class="nav-link text-light" id="register" asp-area="Identity" asp-page="/Account/Register">Register</a>
    </li>
    <li class="nav-item">
        <a class="nav-link text-light" id="login" asp-area="Identity" asp-page="/Account/Login">Login</a>
    </li>
}
</ul>
```

```
@model ProjectsModel
{@
    ViewData["title"] = "New Project";
}

<div class="container">
    <div class="text-center">
        <h1 class="display-4 mx-auto">New Project</h1>
    </div>
    <form method="post" asp-controller="Projects" asp-action="NewProject">

        <div class="mb-3">
            <label for="Name" class="form-label">Name</label>
            <input type="text" class="form-control" asp-for="Name" id="Name" placeholder="What is the name of the project?">
            <span class="text-danger" asp-validation-for="Name"> </span>
        <div class="mb-3">
            <label class="form-label">Finished</label>
            <div>
                <input type="radio" asp-for="Finished" id="Finished_Yes" value="Yes" />
                <label for="Finished_Yes">Yes</label>
            </div>
            <div>
                <input type="radio" asp-for="Finished" id="Finished_No" value="No" />
                <label for="Finished_No">No</label>
            </div>
            <span class="text-danger" asp-validation-for="Finished"></span>
        </div>

        <div class="mb-3">
            <label for="Topic" class="form-label">Topic</label>
            <input type="text" class="form-control" asp-for="Topic" id="Topic" placeholder="What is the topic of the project?">
            <span class="text-danger" asp-validation-for="Topic"> </span>
        </div>
        <div class="mb-3">
            <label for="Language" class="form-label">Language</label>
            <input type="text" class="form-control" asp-for="Language" id="Language" placeholder="What was the language used?">
            <span class="text-danger" asp-validation-for="Language"> </span>
        </div>
        <div class="mb-3">
            <label for="Link" class="form-label">Link</label>
            <input type="Link" class="form-control" asp-for="Link" id="Link" placeholder="What is the link?">
            <span class="text-danger" asp-validation-for="Link"> </span>
        </div>
```

```
<div class="d-flex gap-2 mt-5">
    <button type="submit" class="btn btn-primary w-50">Submit</button>
    <a class="btn btn-primary w-50" asp-controller="Projects" asp-action="Index">Return</a>
</div>
<div style="height: 100px;"></div>
</form>

</div>
```

```
using Microsoft.AspNetCore.Mvc;
using PotifolioSamanta.Models;

namespace PortfolioSamanta.Controllers
{
    public class PersonalBlogController : Controller
    {
        public IActionResult Index()
        {
            return View();
        }

        [HttpGet]
        public IActionResult RecipesBlog()
        {
            return View();
        }

        [HttpGet]
        public IActionResult AdventureBlog()
        {
            return View();
        }

        [HttpGet]
        public IActionResult HobbiesBlog()
        {
            return View();
        }

    }
}
```



```
using PotifolioSamanta.Models;
using Microsoft.AspNetCore.Mvc;
using PotifolioSamanta.Data;
using Microsoft.AspNetCore.Authorization;

namespace PortfolioSamanta.Controllers
{

    public class ProjectsController : Controller
    {
        readonly private ApplicationDbContext _db;

        public ProjectsController(ApplicationDbContext db)
        {
            _db = db;
        }

        public IActionResult Index()
        {
            IEnumerable<ProjectsModel> projects = _db.Projects;

            return View(projects);
        }

        [HttpGet]
        public IActionResult LinkToProject(int? id)
        {
            if (id == null)
            {
                return NotFound();
            }
            ProjectsModel Projects = _db.Projects.FirstOrDefault(x => x.Id == id);
            if (Projects == null)
            {
                return NotFound(id);
            }

            return View(Projects);
        }

        [HttpPost]
        public IActionResult LinkToProject(ProjectsModel Projects)
        {
            if (Projects == null)
            {
                return NotFound();
            }
```

```
        _db.Projects.Remove(Projects);
        _db.SaveChanges();
        return RedirectToAction("Index");
    }

    [Authorize(Roles = "Admin")]

    [HttpGet]
    public IActionResult NewProject()
    {
        return View();
    }

    [HttpPost]
    public IActionResult NewProject(ProjectsModel Projects)
    {
        if (ModelState.IsValid)
        {
            _db.Projects.Add(Projects);
            _db.SaveChanges();
            return RedirectToAction("Index");
        }
        return View(Projects);
    }

    [Authorize(Roles = "Admin")]
    [HttpGet]
    public IActionResult EditProject(int? id)
    {
        if (id == null)
        {
            return NotFound();
        }
        ProjectsModel Projects = _db.Projects.FirstOrDefault(x => x.Id == id);
        if (Projects == null)
        {
            return NotFound(id);
        }

        return View(Projects);
    }
    [Authorize(Roles = "Admin")]
    public IActionResult EditProject(ProjectsModel Projects)
    {
        if (ModelState.IsValid)
        {
            _db.Projects.Update(Projects);
            _db.SaveChanges();
            return RedirectToAction("Index");
        }
        return View(Projects);
    }
```

```
    }

    [Authorize(Roles = "Admin")]
    [HttpGet]
    public IActionResult DeleteProject(int? id)
    {
        if (id == null)
        {
            return NotFound();
        }
        ProjectsModel Projects = _db.Projects.FirstOrDefault(x => x.Id == id);
        if (Projects == null)
        {
            return NotFound(id);
        }

        return View(Projects);
    }

    [HttpPost]
    public IActionResult DeleteProject(ProjectsModel Projects)
    {
        if (Projects == null)
        {
            return NotFound();
        }

        _db.Projects.Remove(Projects);
        _db.SaveChanges();
        return RedirectToAction("Index");
    }
}
```

```
using System.ComponentModel.DataAnnotations;

namespace PotifolioSamanta.Models
{
    public class ProjectsModel
    {
        public int Id { get; set; }
        [Required(ErrorMessage = "Enter the project name!")]
        public string? Name { get; set; }
        [Required(ErrorMessage = "Is the project finished?!")]
        public string? Finished { get; set; }
        [Required(ErrorMessage = "What is the topic of the project?")]
        public string? Topic { get; set; }
        [Required(ErrorMessage = "Fill in the link!What language is used?")]
        public string? Language { get; set; }
        [Required(ErrorMessage = "Fill in the link!")]
        public string? Link { get; set; }
        public DateTime DataUltimaAtualizacao { get; set; } = DateTime.Now;
    }
}
```

```
@model IEnumerable<PersonalBlogModel>



<div class="d-flex justify-content-between align-items-center">
        <h1 class="display-4 align-items-center mx-auto"><i class="bi bi-journal-bookmark-fill"></i> <i class="bi bi-journal-bookmark-fill"></i> Recipes <i class="bi bi-journal-bookmark-fill"></i><i class="bi bi-journal-bookmark-fill"></i>
    </div>
</div>



<div class="card mx-auto" style="max-width: 90%; ">
        <div class="card-header text-center ">
            <h2 class="display-6">Recipe of Pão de queijo</h2>
        </div>
        <div class="card-body">
            <div class="row">
                <div class="col-md-5">
                    
                </div>
                <div class="col-md-7">
                    <div class="mt-2">
                        <h5>Ingredients:</h5>
                        <div class="row">
                            <div class="col-md-6">
                                <ul class="ingredient-list" style="font-size: 20px;">
                                    <li>500 g Sour Starch</li>
                                    <li>150 ml oil</li>
                                    <li>150 ml milk</li>
                                    <li>150 ml water</li>
                                    <li>1 teaspoons salt </li>
                                </ul>
                            </div>
                            <div class="col-md-6">
                                <ul class="ingredient-list" style="font-size: 20px;">
                                    <li>3 eggs</li>
                                    <li>200 g grated mozzarella cheese</li>
                                    <li>40 g grated Parmesan cheese</li>
                                </ul>
                            </div>
                        </div>
                        <h5>Instructions:</h5>
                        <ul class="instruction-list" style="font-size: 20px; text-align: justify;">
                            <li>Preheat oven to 180°C degrees with a rack in the middle.</li>
                            <li>Combine the milk, water and oil in a </li>
                        </ul>
                    </div>
                </div>
            </div>
        </div>
    </div>


```

...ifolioSamanta\Views\PersonalBlog\RecipesBlog.cshtml 2

```
saucepan and bring to a boil over medium high heat.</li>
    <li>Place the sour and salt in a large bowl and, ↵
        as soon as the milk mixture boils, pour it over the ↵
        flour. Mix well with a spoon and wait for it to cool ↵
        slightly.</li>
        <li>Add the eggs and mix by hand until it ↵
        reaches a homogeneous consistency.</li>
        <li>Add the cheeses and mix until you get a ↵
        homogeneous consistency.</li>
        <li>Finish by making balls and sticking them in ↵
        the pan to bake.</li>
    </ul>
</div>
</div>
<div class="card-footer text-muted text-center">
    Samanta Bordallo - 26/10/2023
</div>
</div>
</div>
</div>
```

```
<div style="height: 15px;"></div>

<div class="container my-4">
    <div class="card mx-auto" style="max-width: 90%;">
        <div class="card-header text-center">
            <h2 class="display-6">Recipe of Brownie</h2>
        </div>
        <div class="card-body">
            <div class="row">
                <div class="col-md-5">
                    <img src "~/Imagens/brownie.jpg" class="img-fluid" alt="Brownie">
                </div>
                <div class="col-md-7">
                    <div class="mt-2">
                        <h5>Ingredients:</h5>
                        <div class="row">
                            <div class="col-md-6">
                                <ul class="ingredient-list" style="font-size: 20px;">
                                    <li>120 g wheat flour</li>
                                    <li>230 g sugar</li>
                                    <li>60 g chocolate powder</li>
                                </ul>
                            </div>
                            <div class="col-md-6">
                                <ul class="ingredient-list" style="font-size: 20px;">
                                    <li>80 g butter</li>
                                    <li>4 eggs</li>
                                    <li>120 g dark chocolate in pieces</li>
                                </ul>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```

```
        </ul>
    </div>
</div>
<h5>Instructions:</h5>
<ul class="instruction-list" style="font-size: 20px; font-weight: bold; text-align: justify;">
    <li>In a bowl, mix all the powdered ingredients.</li>
    <li>Put the eggs and butter at room temperature and mix with a spoon until you get a homogeneous consistency.</li>
    <li>Melt the chocolate in a bain-marie and then pour over the mixture.</li>
    <li>Pour into a greased pan and bake for 20 minutes over low heat.</li>
</ul>
</div>
</div>
<div class="card-footer text-muted text-center">
    Samanta Bordallo - 26/10/2023
</div>
</div>
</div>
</div>
</div>

<div style="height: 15px;"></div>

<div class="container my-4">
    <div class="card mx-auto" style="max-width: 90%; border-radius: 10px; background-color: #f0f0f0; padding: 10px; margin-bottom: 10px;">
        <div class="card-header text-center">
            <h2 class="display-6" style="margin: 0;">Recipe of Guacamole</h2>
        </div>
        <div class="card-body">
            <div class="row">
                <div class="col-md-5">
                    
                </div>
                <div class="col-md-7">
                    <div class="mt-2">
                        <h5>Ingredients:</h5>
                        <div class="row">
                            <div class="col-md-6">
                                <ul class="ingredient-list" style="list-style-type: none; padding-left: 0; font-size: 16px; font-weight: bold; margin: 0; border-bottom: 1px solid #ccc; padding-bottom: 5px;">
                                    <li>2 tomatos</li>
                                    <li>1/3 medium red onion</li>
                                    <li>1/2 bunch of parsley</li>
                                    <li>1 large avocado</li>
                                </ul>
                            </div>
                            <div class="col-md-6">
                                <ul class="ingredient-list" style="list-style-type: none; padding-left: 0; font-size: 16px; font-weight: bold; margin: 0; border-bottom: 1px solid #ccc; padding-bottom: 5px;">
                                    <li>1/2 cup of lime juice</li>
                                    <li>1/2 cup of cilantro leaves</li>
                                    <li>1/2 cup of salted tortilla chips</li>
                                </ul>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```

...ifolioSamanta\Views\PersonalBlog\RecipesBlog.cshtml

---

```
    <ul class="ingredient-list" style="font-size: 20px;">
        <li>1/3 teaspoons salt </li>
        <li>lemon to taste</li>
        <li>1 small pepper "Dedo de moça"</li>
    </ul>
</div>
</div>
<h5>Instructions:</h5>
<ul class="instruction-list" style="font-size: 20px; text-align: justify;">
    <li>Preheat oven to 350F degrees with a rack in the middle.</li>
    <li>Combine the milk, water and oil in a saucepan and bring to a boil over medium high heat.</li>
    <li>Place the sour and salt in a large bowl and, as soon as the milk mixture boils, pour it over the flour. Mix well with a spoon and wait for it to cool slightly.</li>
</ul>
</div>
</div>
<div class="card-footer text-muted text-center">
    Samanta Bordallo - 26/10/2023
</div>
</div>
</div>
</div>
<div class="d-flex gap-2 mt-5 justify-content-center text-center">
    <a class="btn btn-dark w-25" href="#top">Return to top</a>
    <a class="btn btn-dark w-25" asp-controller="PersonalBlog" asp-action="Index">Return to Personal Blog</a>
</div>

<div style="height: 100px;"></div>
```