

SKILL 3 K. GAYATHRI SRIVALLI – 2520080010

The first screenshot shows the MySQL Workbench interface with a SQL script in the editor. The script includes database cleanup, creation of a new database, and creation of two tables: 'class' and 'class_info'. The 'class' table has columns 'id' (INT) and 'name' (VARCHAR(30)). The 'class_info' table has columns 'id' (INT) and 'address' (VARCHAR(30)).

The second screenshot shows the same MySQL Workbench interface with the script extended to include data insertion and a cross join query. The 'class' table is populated with three rows: (1, 'abhi'), (2, 'adam'), and (4, 'alex'). The 'class_info' table is populated with three rows: (1, 'DELHI'), (2, 'MUMBAI'), and (3, 'CHENNAI'). The script concludes with a cross join query between the two tables, limited to 1000 rows.

SQL Script (Query 1):

```

1  -- 0. CLEANUP & DATABASE CREATION
2  DROP DATABASE IF EXISTS gayathri_2520080010;
3  CREATE DATABASE gayathri_2520080010;
4  USE gayathri_2520080010;
5
6  -- 1. CREATE TABLES FOR CLASS AND CLASS_INFO
7  CREATE TABLE class (
8      id INT,
9      name VARCHAR(30)
10 );
11
12 CREATE TABLE class_info (
13     id INT,
14     address VARCHAR(30)
15 );
16
17 -- 2. INITIAL DATA INSERTION
18 INSERT INTO class VALUES
19     (1, 'abhi'),
20     (2, 'adam'),
21     (4, 'alex');
22
23 INSERT INTO class_info VALUES
24     (1, 'DELHI'),
25     (2, 'MUMBAI'),
26     (3, 'CHENNAI');
27
28 -- 3. JOIN EXERCISES (PART 1)
29 -- Cross Join
30 SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000

```

Action Output:

#	Time	Action	Message	Duration / Fetch
80	21:32:24	DROP DATABASE IF EXISTS gayathri_2520080010	1 row(s) affected	0.047 sec
81	21:32:24	CREATE DATABASE gayathri_2520080010	1 row(s) affected	0.016 sec
82	21:32:24	USE gayathri_2520080010	0 row(s) affected	0.000 sec
83	21:32:29	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.063 sec
84	21:32:36	CREATE TABLE class_info (id INT, address VARCHAR(30))	0 row(s) affected	0.062 sec
85	21:32:40	INSERT INTO class VALUES (1, 'abhi'), (2, 'adam'), (4, 'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
86	21:32:45	INSERT INTO class_info VALUES (1, 'DELHI'), (2, 'MUMBAI'), (3, 'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
87	21:32:50	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookdonation_db
- bookflow_db
- bookflow_db
- capacity_connect
- capacity_connect_db
- data_d
- digitallibrary
- sakila
- students_db
- sys
- world

Query 1 SQL File 1* SQL File 5* SQL File 6* SQL File 7* SQL File 10* SQL File 11* SQL File 12* SQL File 13*

Limit to 1000 rows

```

31 FROM class
32 CROSS JOIN class_info;
33
34 -- Inner Join
35 * SELECT
36 FROM class
37 INNER JOIN class_info
38 ON class.id = class_info.id;
39
40 -- Inner Join with specific columns
41 * SELECT class.name,
42 class_info.address
43 FROM class
44 INNER JOIN class_info

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Administration Schemas

Information

No object selected

Object Info Session

Action Output

#	Time	Action	Message	Duration / Fetch
80	21:32:24	DROP DATABASE IF EXISTS gayathri_2520080010	1 row(s) affected	0.047 sec
81	21:32:24	CREATE DATABASE gayathri_2520080010	1 row(s) affected	0.016 sec
82	21:32:24	USE gayathri_2520080010	0 row(s) affected	0.000 sec
83	21:32:29	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.063 sec
84	21:32:36	CREATE TABLE class_info (id INT, address VARCHAR(30))	0 row(s) affected	0.062 sec
85	21:32:40	INSERT INTO class VALUES (1, 'abhi'), (2, 'adam'), (4, 'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
86	21:32:45	INSERT INTO class_info VALUES (1, 'DELHI'), (2, 'MUMBAI'), (3, 'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
87	21:32:50	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookdonation_db
- bookflow_db
- bookflow_db
- capacity_connect
- capacity_connect_db
- data_d
- digitallibrary
- sakila
- students_db
- sys
- world

Query 1 SQL File 1* SQL File 5* SQL File 6* SQL File 7* SQL File 10* SQL File 11* SQL File 12* SQL File 13*

Limit to 1000 rows

```

55
56 * INSERT INTO class_info VALUES
57 (7, 'NOIDA'),
58 (8, 'PANIPAT');
59
60 -- 5. JOIN EXERCISES (PART 2)
61 -- Left Outer Join
62 * SELECT
63 FROM class
64 LEFT OUTER JOIN class_info
65 ON class.id = class_info.id;
66
67 -- Left Join (Unmatched records in left table)
68 * SELECT

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Administration Schemas

Information

No object selected

Object Info Session

Action Output

#	Time	Action	Message	Duration / Fetch
80	21:32:24	DROP DATABASE IF EXISTS gayathri_2520080010	1 row(s) affected	0.047 sec
81	21:32:24	CREATE DATABASE gayathri_2520080010	1 row(s) affected	0.016 sec
82	21:32:24	USE gayathri_2520080010	0 row(s) affected	0.000 sec
83	21:32:29	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.063 sec
84	21:32:36	CREATE TABLE class_info (id INT, address VARCHAR(30))	0 row(s) affected	0.062 sec
85	21:32:40	INSERT INTO class VALUES (1, 'abhi'), (2, 'adam'), (4, 'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
86	21:32:45	INSERT INTO class_info VALUES (1, 'DELHI'), (2, 'MUMBAI'), (3, 'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
87	21:32:50	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookdonation_db
- bookflow_db
- bookflow_db
- capacity_connect
- capacity_connect_db
- data_d
- digitallibrary
- sakila
- students_db
- sys
- world

Query 1 SQL File 1* SQL File 5* SQL File 6* SQL File 7* SQL File 10* SQL File 11* SQL File 12* SQL File 13*

Limit to 1000 rows

```

70 LEFT JOIN class_info
71 ON class.id = class_info.id
72 WHERE class_info.id IS NULL;
73
74 -- Right Outer Join
75 • SELECT *
76 FROM class
77 RIGHT OUTER JOIN class_info
78 ON class.id = class_info.id;
79
80 -- Right Join (Unmatched records in right table)
81 • SELECT *
82 FROM class
83 RIGHT JOIN class_info

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Administration Schemas

Information

No object selected

Object Info Session

Action Output

#	Time	Action	Message	Duration / Fetch
80	21:32:24	DROP DATABASE IF EXISTS gayathri_2520080010	1 row(s) affected	0.047 sec
81	21:32:24	CREATE DATABASE gayathri_2520080010	1 row(s) affected	0.016 sec
82	21:32:24	USE gayathri_2520080010	0 row(s) affected	0.000 sec
83	21:32:29	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.063 sec
84	21:32:36	CREATE TABLE class_info (id INT, address VARCHAR(30))	0 row(s) affected	0.062 sec
85	21:32:40	INSERT INTO class VALUES (1, 'abhi'), (2, 'adam'), (4, 'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
86	21:32:45	INSERT INTO class_info VALUES (1, 'DELHI'), (2, 'MUMBAI'), (3, 'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
87	21:32:50	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookdonation_db
- bookflow_db
- bookflow_db
- capacity_connect
- capacity_connect_db
- data_d
- digitallibrary
- sakila
- students_db
- sys
- world

Query 1 SQL File 1* SQL File 5* SQL File 6* SQL File 7* SQL File 10* SQL File 11* SQL File 12* SQL File 13*

Limit to 1000 rows

```

85 WHERE class.id IS NULL;
86
87 -- Full Outer Join via UNION
88 • SELECT *
89 FROM class
90 LEFT JOIN class_info
91 ON class.id = class_info.id
92 UNION
93 SELECT *
94 FROM class
95 RIGHT JOIN class_info
96 ON class.id = class_info.id;
97
98 -- Full Outer Join (Exclusive / Symmetric Difference)

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Administration Schemas

Information

No object selected

Object Info Session

Action Output

#	Time	Action	Message	Duration / Fetch
80	21:32:24	DROP DATABASE IF EXISTS gayathri_2520080010	1 row(s) affected	0.047 sec
81	21:32:24	CREATE DATABASE gayathri_2520080010	1 row(s) affected	0.016 sec
82	21:32:24	USE gayathri_2520080010	0 row(s) affected	0.000 sec
83	21:32:29	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.063 sec
84	21:32:36	CREATE TABLE class_info (id INT, address VARCHAR(30))	0 row(s) affected	0.062 sec
85	21:32:40	INSERT INTO class VALUES (1, 'abhi'), (2, 'adam'), (4, 'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
86	21:32:45	INSERT INTO class_info VALUES (1, 'DELHI'), (2, 'MUMBAI'), (3, 'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
87	21:32:50	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookdonation_db
- bookflow_db
- bookflow_db
- capacity_connect
- capacity_connect_db
- data_d
- digitallibrary
- sakila
- students_db
- sys
- world

Query 1 SQL File 1* SQL File 5* SQL File 6* SQL File 7* SQL File 10* SQL File 11* SQL File 12* SQL File 13* x

Limit to 1000 rows

```

97
98 -- Full Outer Join (Exclusive / Symmetric Difference)
99 • SELECT *
100 FROM class
101 LEFT JOIN class_info
102 ON class.id = class_info.id
103 WHERE class_info.id IS NULL
104 UNION
105 SELECT *
106 FROM class
107 RIGHT JOIN class_info
108 ON class.id = class_info.id
109 WHERE class.id IS NULL;
110

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Administration Schemas

Information

No object selected

Object Info Session

Action Output

#	Time	Action	Message	Duration / Fetch
80	21:32:24	DROP DATABASE IF EXISTS gayathri_2520080010	1 row(s) affected	0.047 sec
81	21:32:24	CREATE DATABASE gayathri_2520080010	1 row(s) affected	0.016 sec
82	21:32:24	USE gayathri_2520080010	0 row(s) affected	0.000 sec
83	21:32:29	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.063 sec
84	21:32:36	CREATE TABLE class_info (id INT, address VARCHAR(30))	0 row(s) affected	0.062 sec
85	21:32:40	INSERT INTO class VALUES (1, 'abhi'), (2, 'adam'), (4, 'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
86	21:32:45	INSERT INTO class_info VALUES (1, 'DELHI'), (2, 'MUMBAI'), (3, 'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
87	21:32:50	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookdonation_db
- bookflow_db
- bookflow_db
- capacity_connect
- capacity_connect_db
- data_d
- digitallibrary
- sakila
- students_db
- sys
- world

Query 1 SQL File 1* SQL File 5* SQL File 6* SQL File 7* SQL File 10* SQL File 11* SQL File 12* SQL File 13* x

Limit to 1000 rows

```

109 WHERE class.id IS NULL;
110
111 -- 6. SET OPERATIONS TABLES
112 • CREATE TABLE first_table (
113     id INT,
114     name VARCHAR(30)
115 );
116
117 • CREATE TABLE second_table (
118     id INT,
119     name VARCHAR(30)
120 );
121
122 • INSERT INTO first_table VALUES

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Administration Schemas

Information

No object selected

Object Info Session

Action Output

#	Time	Action	Message	Duration / Fetch
80	21:32:24	DROP DATABASE IF EXISTS gayathri_2520080010	1 row(s) affected	0.047 sec
81	21:32:24	CREATE DATABASE gayathri_2520080010	1 row(s) affected	0.016 sec
82	21:32:24	USE gayathri_2520080010	0 row(s) affected	0.000 sec
83	21:32:29	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.063 sec
84	21:32:36	CREATE TABLE class_info (id INT, address VARCHAR(30))	0 row(s) affected	0.062 sec
85	21:32:40	INSERT INTO class VALUES (1, 'abhi'), (2, 'adam'), (4, 'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
86	21:32:45	INSERT INTO class_info VALUES (1, 'DELHI'), (2, 'MUMBAI'), (3, 'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
87	21:32:50	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookdonation_db
- bookflow_db
- bookflow_db
- capacity_connect
- capacity_connect_db
- data_d
- digitallibrary
- sakila
- students_db
- sys
- world

Query 1

```
124 (2, 'adam');
125
126 • INSERT INTO second_table VALUES
127 (2, 'adam'),
128 (3, 'chester');
129
130 -- 7. SET OPERATIONS QUERIES
131 • SELECT * FROM first_table
132 UNION
133 SELECT * FROM second_table;
134
135 • SELECT name FROM first_table
136 UNION
137 SELECT name FROM second table;
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Administration Schemas

Information

No object selected

Object Info Session

Action Output

#	Time	Action	Message	Duration / Fetch
80	21:32:24	DROP DATABASE IF EXISTS gayathri_2520080010	1 row(s) affected	0.047 sec
81	21:32:24	CREATE DATABASE gayathri_2520080010	1 row(s) affected	0.016 sec
82	21:32:24	USE gayathri_2520080010	0 row(s) affected	0.000 sec
83	21:32:29	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.063 sec
84	21:32:36	CREATE TABLE class_info (id INT, address VARCHAR(30))	0 row(s) affected	0.062 sec
85	21:32:40	INSERT INTO class VALUES (1, 'abhi'), (2, 'adam'), (4, 'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
86	21:32:45	INSERT INTO class_info VALUES (1, 'DELHI'), (2, 'MUMBAI'), (3, 'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
87	21:32:50	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookdonation_db
- bookflow_db
- bookflow_db
- capacity_connect
- capacity_connect_db
- data_d
- digitallibrary
- sakila
- students_db
- sys
- world

Query 1

```
139 • SELECT * FROM first_table
140 UNION ALL
141 SELECT * FROM second_table;
142
143 • SELECT COUNT(*)
144 FROM (
145     SELECT * FROM first_table
146     UNION ALL
147     SELECT * FROM second_table
148 ) As;
149
150 -- Intersect simulation via INNER JOIN
151 • SELECT DISTINCT f.*
152 FROM first table f
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Administration Schemas

Information

No object selected

Object Info Session

Action Output

#	Time	Action	Message	Duration / Fetch
80	21:32:24	DROP DATABASE IF EXISTS gayathri_2520080010	1 row(s) affected	0.047 sec
81	21:32:24	CREATE DATABASE gayathri_2520080010	1 row(s) affected	0.016 sec
82	21:32:24	USE gayathri_2520080010	0 row(s) affected	0.000 sec
83	21:32:29	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.063 sec
84	21:32:36	CREATE TABLE class_info (id INT, address VARCHAR(30))	0 row(s) affected	0.062 sec
85	21:32:40	INSERT INTO class VALUES (1, 'abhi'), (2, 'adam'), (4, 'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
86	21:32:45	INSERT INTO class_info VALUES (1, 'DELHI'), (2, 'MUMBAI'), (3, 'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
87	21:32:50	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookdonation_db
- bookflow_db
- bookflow_db
- capacity_connect
- capacity_connect_db
- data_d
- digitallibrary
- sakila
- students_db
- sys
- world

Query 1 SQL File 1* SQL File 5* SQL File 6* SQL File 7* SQL File 10* SQL File 11* SQL File 12* SQL File 13* x

Limit to 1000 rows

```

154 ON f.id = s.id
155 AND f.name = s.name;
156
157 • SELECT DISTINCT f.name
158 FROM first_table f
159 INNER JOIN second_table s
160 ON f.name = s.name;
161
162 -- Minus/Except simulation via NOT EXISTS
163 • SELECT f.*
164 FROM first_table f
165 WHERE NOT EXISTS (
166 SELECT 1
167 FROM second_table s

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Administration Schemas

Information

No object selected

Object Info Session

Action Output

#	Time	Action	Message	Duration / Fetch
80	21:32:24	DROP DATABASE IF EXISTS gayathri_2520080010	1 row(s) affected	0.047 sec
81	21:32:24	CREATE DATABASE gayathri_2520080010	1 row(s) affected	0.016 sec
82	21:32:24	USE gayathri_2520080010	0 row(s) affected	0.000 sec
83	21:32:29	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.063 sec
84	21:32:36	CREATE TABLE class_info (id INT, address VARCHAR(30))	0 row(s) affected	0.062 sec
85	21:32:40	INSERT INTO class VALUES (1, 'abhi'), (2, 'adam'), (4, 'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
86	21:32:45	INSERT INTO class_info VALUES (1, 'DELHI'), (2, 'MUMBAI'), (3, 'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
87	21:32:50	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookdonation_db
- bookflow_db
- bookflow_db
- capacity_connect
- capacity_connect_db
- data_d
- digitallibrary
- sakila
- students_db
- sys
- world

Query 1 SQL File 1* SQL File 5* SQL File 6* SQL File 7* SQL File 10* SQL File 11* SQL File 12* SQL File 13* x

Limit to 1000 rows

```

169 AND s.name = f.name
170 );
171
172 • SELECT DISTINCT f.name
173 FROM first_table f
174 WHERE NOT EXISTS (
175 SELECT 1
176 FROM second_table s
177 WHERE s.name = f.name
178 );
179
180 -- 8. CONDITIONAL LOGIC / CASE STATEMENTS
181 • SELECT c.id, c.name, ci.address
182 FROM class c

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Administration Schemas

Information

No object selected

Object Info Session

Action Output

#	Time	Action	Message	Duration / Fetch
80	21:32:24	DROP DATABASE IF EXISTS gayathri_2520080010	1 row(s) affected	0.047 sec
81	21:32:24	CREATE DATABASE gayathri_2520080010	1 row(s) affected	0.016 sec
82	21:32:24	USE gayathri_2520080010	0 row(s) affected	0.000 sec
83	21:32:29	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.063 sec
84	21:32:36	CREATE TABLE class_info (id INT, address VARCHAR(30))	0 row(s) affected	0.062 sec
85	21:32:40	INSERT INTO class VALUES (1, 'abhi'), (2, 'adam'), (4, 'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
86	21:32:45	INSERT INTO class_info VALUES (1, 'DELHI'), (2, 'MUMBAI'), (3, 'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
87	21:32:50	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

- bookdonation_db
- bookflow_db
- bookflow_db
- capacity_connect
- capacity_connect_db
- data_d
- digitallibrary
- sakila
- students_db
- sys
- world

Query 1 SQL File 1* SQL File 5* SQL File 6* SQL File 7* SQL File 10* SQL File 11* SQL File 12* SQL File 13* x

Limit to 1000 rows

```
182 FROM class c
183 INNER JOIN class_info ci
184 ON c.id = ci.id;
185
186 SELECT c.id,
187        c.name,
188        CASE
189            WHEN ci.address IS NULL THEN 'Address Missing'
190            ELSE 'Address Available'
191        END AS Status
192 FROM class c
193 LEFT JOIN class_info ci
194 ON c.id = ci.id;
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Administration Schemas

Information

No object selected

Object Info Session

Output

Action Output

#	Time	Action	Message	Duration / Fetch
80	21:32:24	DROP DATABASE IF EXISTS gayathri_2520080010	1 row(s) affected	0.047 sec
81	21:32:24	CREATE DATABASE gayathri_2520080010	1 row(s) affected	0.016 sec
82	21:32:24	USE gayathri_2520080010	0 row(s) affected	0.000 sec
83	21:32:29	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.063 sec
84	21:32:36	CREATE TABLE class_info (id INT, address VARCHAR(30))	0 row(s) affected	0.062 sec
85	21:32:40	INSERT INTO class VALUES (1, 'abhi'), (2, 'adam'), (4, 'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
86	21:32:45	INSERT INTO class_info VALUES (1, 'DELHI'), (2, 'MUMBAI'), (3, 'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
87	21:32:50	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec