# assignment\_6.2a\_cifar10

January 9, 2022

### 0.0.1 Assignment 6.2a

Using section 5.2 in Deep Learning with Python as a guide, create a ConvNet model that classifies images CIFAR10 small images classification dataset

- Do not use dropout or data-augmentation in this part.
- Save the model, predictions, metrics, and validation plots in the dsc650/assignments/assignment06/results directory.

```
[1]: import json
from pathlib import Path
import os

current_dir = Path(os.getcwd()).absolute()
results_dir = current_dir.joinpath('results')

print(current_dir)
print(results_dir)
```

- C:\Users\saman\git\_repos\dsc650\dsc650\assignments\assignment06
  C:\Users\saman\git\_repos\dsc650\dsc650\assignments\assignment06\results
- [2]: # loading the required libraries and packages
  import sys
  import keras
  from keras.models import Sequential
  from keras.layers import Dense
  from keras.utils import to\_categorical
  import matplotlib.pyplot as plt

  from keras.datasets import cifar10

  from keras.layers import Flatten

  from keras.layers.convolutional import Conv2D
  from keras.layers.convolutional import MaxPooling2D

  from keras.utils import np\_utils
  from keras import optimizers

Using TensorFlow backend.

#### 0.1 Data

Here we are using the CIFAR10 small images dataset to classify the images.

This is a dataset of 50,000 32X32 color training images and 10,000 test images labeled over 10 categories. Each class is represented as a unique number

### 0.1.1 Data Preparation

```
[38]: # Data preparation is required before training the model
      def load_dataset():
              # loading the CIFAR10 dataset and create the training and test arrays
              (X_train, y_train), (X_test, y_test) = cifar10.load_data()
              # Lines 1 and 2 reshapes the inputs
              X_train = X_train.reshape((X_train.shape[0], 32, 32, 3)).
       →astype('float32')
              X_test = X_test.reshape((X_test.shape[0], 32, 32, 3)).astype('float32')
              # Lines 3 and 4
              # Normalization of the input values (image pixels) from 0 and 255 to 0.1
              X train = X train / 255
              X_{\text{test}} = X_{\text{test}} / 255
              # Lines 5 and 6
              # one-hot encoding of the target variables
              y_train = np_utils.to_categorical(y_train)
              y_test = np_utils.to_categorical(y_test)
              num_classes = y_test.shape[1]
              return X_train, X_test, y_train, y_test
```

```
[39]: def cnn_model():
    # function to create the CNN model
    # Create model
    model = Sequential() #model type is sequetial
    # Stacking convolutional layers with small 3 X 3 filters
    # It is followed by a max pooling layer.
    # Each of the above blocks are repeated where the number of filters in
    →each block is increased.
    # Also the depth of the network such as 32,64 are also increased
    # Rectified Linear Activation ReLu is most widely used. It makes the
    →network sparse and efficient
```

```
model.add(Conv2D(32, (3, 3), input_shape=(32, 32, 3),
→activation='relu'))
       # model.add(Conv2D(32, (3, 3), activation='relu'))
       # Adding the pooling layer
      model.add(MaxPooling2D())
      model.add(Conv2D(64, (3, 3), activation='relu'))
       # model.add(Conv2D(64, (3, 3), activation='relu'))
       # Adding the pooling layer
      model.add(MaxPooling2D())
      model.add(Conv2D(128, (3, 3), activation='relu'))
       # model.add(Conv2D(128, (3, 3), activation='relu'))
       # Adding the pooling layer
      model.add(MaxPooling2D())
       # Flatten layer converts the 2D matrix data to a vector
      model.add(Flatten())
       # Fully connected dense layer with 128 neurons
      model.add(Dense(128, activation='relu'))
       # output layer which has 10 neurons for the 10 classes
      model.add(Dense(10, activation='softmax'))
      return model
```

```
[]: # Plotting the results
     def summary_plot(history):
             acc = history.history['accuracy']
             val_acc = history.history['val_accuracy']
             loss = history.history['loss']
             val loss = history.history['val loss']
             epochs = range(1, len(acc) + 1)
             plt.plot(epochs, acc, 'bo', label='Training acc')
             plt.plot(epochs, val_acc, 'b', label='Validation acc')
             plt.title('Training and validation accuracy')
             plt.legend()
             plt.figure()
             plt.plot(epochs, loss, 'bo', label='Training loss')
             plt.plot(epochs, val_loss, 'b', label='Validation loss')
             plt.title('Training and validation loss')
             plt.legend()
```

```
plt.show()
[40]: # plot diagnostic learning curves
      def summarize_diagnostics(history):
              plt.subplot(211)
              plt.title('Cross Entropy Loss')
              plt.plot(history.history['loss'], color='blue', label='train')
              plt.plot(history.history['val_loss'], color='orange', label='test')
              # plot accuracy
              plt.subplot(212)
              plt.title('Classification Accuracy')
              plt.plot(history.history['accuracy'], color='blue', label='train')
              plt.plot(history.history['val_accuracy'], color='orange', label='test')
              # save plot to file
              plt.savefig(f'{results_dir}\\1_plot.png')
              plt.show()
              plt.close()
[37]: print(X_train)
      # model = cnn model()
      \# model.compile(loss='categorical_crossentropy', optimizer='rmsprop', \sqcup
       →metrics=['accuracy'])
     [[[[0.23137255 0.24313726 0.24705882]
        [0.16862746 0.18039216 0.1764706 ]
        [0.19607843 0.1882353 0.16862746]
        [0.61960787 0.5176471 0.42352942]
        [0.59607846 0.49019608 0.4
        [0.5803922 0.4862745 0.40392157]]
       [[0.0627451 0.07843138 0.07843138]
        ΓΟ.
                    0.
                               0.
                                          1
        [0.07058824 0.03137255 0.
                                          1
        [0.48235294 0.34509805 0.21568628]
        [0.46666667 0.3254902 0.19607843]
        [0.47843137 0.34117648 0.22352941]]
       [[0.09803922 0.09411765 0.08235294]
        [0.0627451 0.02745098 0.
        [0.19215687 0.10588235 0.03137255]
        [0.4627451 0.32941177 0.19607843]
        [0.47058824 0.32941177 0.19607843]
        [0.42745098 0.28627452 0.16470589]]
```

```
[[0.8156863   0.6666667   0.3764706 ]
  [0.7882353 0.6
                         0.13333334]
  [0.7764706 0.6313726 0.10196079]
  [0.627451
             0.52156866 0.27450982]
  [0.21960784 0.12156863 0.02745098]
  [0.20784314 0.13333334 0.07843138]]
 [[0.7058824  0.54509807  0.3764706 ]
  [0.6784314  0.48235294  0.16470589]
  [0.7294118  0.5647059  0.11764706]
  [0.72156864 0.5803922 0.36862746]
  [0.38039216 0.24313726 0.13333334]
  [0.3254902 0.20784314 0.133333334]]
 [[0.69411767 0.5647059 0.45490196]
  [0.65882355 0.5058824 0.36862746]
  [0.7019608 0.5568628 0.34117648]
  [0.84705883 0.72156864 0.54901963]
  [0.5921569 0.4627451 0.32941177]
  [0.48235294 0.36078432 0.28235295]]]
[[[0.6039216  0.69411767  0.73333335]
  [0.49411765 0.5372549 0.53333336]
  [0.4117647 0.40784314 0.37254903]
  [0.35686275 0.37254903 0.2784314 ]
  [0.34117648 0.3529412 0.2784314 ]
  [0.30980393 0.31764707 0.27450982]]
 [[0.54901963 0.627451
                       0.6627451 ]
  [0.5686275 0.6
                         0.6039216 ]
  [0.49019608 0.49019608 0.4627451 ]
  [0.3764706 0.3882353 0.30588236]
  [0.3019608 0.3137255 0.24313726]
  [0.2784314 0.28627452 0.23921569]]
 [[0.54901963 0.60784316 0.6431373 ]
  [0.54509807 0.57254905 0.58431375]
  [0.4509804 0.4509804 0.4392157]
  [0.30980393 0.32156864 0.2509804 ]
  [0.26666668 0.27450982 0.21568628]
```

## [[0.6862745 0.654902 0.6509804] [0.6117647 0.6039216 0.627451 ] [0.6039216 0.627451 0.6666667] [0.16470589 0.13333334 0.14117648] [0.23921569 0.20784314 0.22352941] [0.3647059 0.3254902 0.35686275]] [[0.64705884 0.6039216 0.5019608] [0.6117647 0.59607846 0.50980395] [0.62352943 0.6313726 0.5568628 ] [0.40392157 0.3647059 0.3764706] [0.48235294 0.44705883 0.47058824] [0.5137255 0.4745098 0.5137255 ]] [[0.6392157 0.5803922 0.47058824] [0.61960787 0.5803922 0.47843137] [0.6392157 0.6117647 0.52156866] [0.56078434 0.52156866 0.54509807] [0.56078434 0.5254902 0.5568628] [0.56078434 0.52156866 0.5647059 ]]] [[[1. 1. 1. [0.99215686 0.99215686 0.99215686] [0.99215686 0.99215686 0.99215686] [0.99215686 0.99215686 0.99215686] [0.99215686 0.99215686 0.99215686] [0.99215686 0.99215686 0.99215686]] ΓΓ1. 1. 1 [1. 1. 1. ] ſ1. 1. 1. 1 [1. 1. 1. ] [1. 1. 1. ] [1. ]] [[1. 1. 1. [0.99607843 0.99607843 0.99607843]

[0.99607843 0.99607843 0.99607843]

[0.2627451 0.27058825 0.21568628]]

```
[0.99607843 0.99607843 0.99607843]
  [0.99607843 0.99607843 0.99607843]
  [0.99607843 0.99607843 0.99607843]]
 [[0.44313726 0.47058824 0.4392157 ]
  [0.43529412 0.4627451 0.43529412]
  [0.4117647 0.4392157 0.41568628]
  [0.28235295 0.31764707 0.3137255 ]
  [0.28235295 0.3137255 0.30980393]
  [0.28235295 0.3137255 0.30980393]]
 [[0.43529412 0.4627451 0.43137255]
  [0.40784314 0.43529412 0.40784314]
  [0.3882353  0.41568628  0.38431373]
  [0.26666668 0.29411766 0.28627452]
  [0.27450982 0.29803923 0.29411766]
  [0.30588236 0.32941177 0.32156864]]
 [[0.41568628 0.44313726 0.4117647 ]
  [0.3882353  0.41568628  0.38431373]
  [0.37254903 0.4 0.36862746]
 [0.30588236 0.33333334 0.3254902 ]
  [0.30980393 0.33333334 0.3254902 ]
  [0.3137255 0.3372549 0.32941177]]]
[[[0.13725491 0.69803923 0.92156863]
  [0.15686275 0.6901961 0.9372549 ]
  [0.16470589 0.6901961 0.94509804]
  [0.3882353 0.69411767 0.85882354]
  [0.30980393 0.5764706 0.77254903]
  [0.34901962 0.5803922 0.7411765 ]]
 [[0.22352941 0.7137255 0.91764706]
  [0.17254902 0.72156864 0.98039216]
  [0.19607843 0.7176471 0.9411765 ]
```

[0.6117647 0.7137255 0.78431374]

```
[0.5529412  0.69411767  0.80784315]
  [0.45490196 0.58431375 0.6862745 ]]
 [[0.38431373 0.77254903 0.92941177]
  [0.2509804 0.7411765 0.9882353]
  [0.27058825 0.7529412 0.9607843 ]
  [0.7372549 0.7647059 0.80784315]
  [0.4666667 0.5294118 0.5764706]
  [0.23921569 0.30980393 0.3529412 ]]
[[0.28627452 0.30980393 0.3019608 ]
  [0.20784314 0.24705882 0.26666668]
  [0.21176471 0.26666668 0.3137255 ]
  [0.06666667 0.15686275 0.2509804 ]
 [0.08235294 0.14117648 0.2
  [0.12941177 0.1882353 0.19215687]]
 [[0.23921569 0.26666668 0.29411766]
 [0.21568628 0.27450982 0.3372549 ]
 [0.22352941 0.30980393 0.40392157]
 [0.09411765 0.1882353 0.28235295]
  [0.06666667 0.13725491 0.20784314]
 [0.02745098 0.09019608 0.1254902 ]]
 [[0.17254902 0.21960784 0.28627452]
  [0.18039216 0.25882354 0.34509805]
  [0.19215687 0.3019608 0.4117647 ]
 [0.10588235 0.20392157 0.3019608 ]
  [0.08235294 0.16862746 0.25882354]
  [0.04705882 0.12156863 0.19607843]]]
[[[0.7411765 0.827451 0.9411765]
  [0.7294118  0.8156863  0.9254902 ]
 [0.7254902 0.8117647 0.92156863]
 [0.6862745 0.7647059 0.8784314]
  [0.6745098 0.7607843 0.87058824]
 [0.6627451 0.7607843 0.8627451]]
[[0.7607843 0.8235294 0.9372549]
 [0.7490196  0.8117647  0.9254902 ]
```

```
[0.74509805 0.80784315 0.92156863]
  [0.6784314 0.7529412 0.8627451]
  [0.67058825 0.7490196 0.85490197]
  [0.654902 0.74509805 0.84705883]]
 [[0.8156863  0.85882354  0.95686275]
  [0.8039216  0.84705883  0.9411765 ]
  8.01
       0.84313726 0.9372549 ]
  [0.6862745 0.7490196 0.8509804]
  [0.6745098  0.74509805  0.84705883]
  [0.6627451 0.7490196 0.84313726]]
 [[0.8117647 0.78039217 0.70980394]
  [0.79607844 0.7647059 0.6862745 ]
  [0.79607844 0.76862746 0.6784314 ]
 [0.5294118  0.5176471  0.49803922]
  [0.63529414 0.61960787 0.5882353 ]
  [0.65882355 0.6392157 0.5921569 ]]
 [[0.7764706  0.74509805  0.6666667 ]
  [0.7411765 0.70980394 0.62352943]
  [0.7058824 0.6745098 0.5764706]
  [0.69803923 0.67058825 0.627451 ]
  [0.6862745  0.6627451  0.6117647 ]
  [0.6862745  0.6627451  0.6039216 ]]
 [[0.7764706 0.7411765 0.6784314]
  [0.7411765 0.70980394 0.63529414]
  [0.69803923 0.6666667 0.58431375]
  [0.7647059 0.72156864 0.6627451 ]
  [0.76862746 0.7411765 0.67058825]
  [0.7647059 0.74509805 0.67058825]]]
[[[0.8980392 0.8980392 0.9372549]
  [0.9254902 0.92941177 0.96862745]
  [0.91764706 0.9254902 0.96862745]
  [0.8509804 0.85882354 0.9137255 ]
  [0.8666667 0.8745098 0.91764706]
```

[0.87058824 0.8745098 0.9137255 ]]

```
[[0.87058824 0.8666667 0.8980392 ]
 [0.9372549 0.9372549 0.9764706]
 [0.9137255 0.91764706 0.9647059 ]
 [0.8745098 0.8745098 0.9254902 ]
 [0.8901961 0.89411765 0.93333334]
 [0.8235294 0.827451
                      0.8627451 ]]
[[0.8352941  0.80784315  0.827451 ]
 [0.91764706 0.9098039 0.9372549 ]
 [0.90588236 0.9137255 0.95686275]
 [0.8627451 0.8627451 0.9098039]
 [0.8627451 0.85882354 0.9098039 ]
 [0.7921569 0.79607844 0.84313726]]
[[0.5882353  0.56078434  0.5294118 ]
 [0.54901963 0.5294118 0.49803922]
 [0.5176471 0.49803922 0.47058824]
 [0.8784314 0.87058824 0.85490197]
 [0.9019608  0.89411765  0.88235295]
 [0.94509804 0.94509804 0.93333334]]
[[0.5372549 0.5176471 0.49411765]
 [0.50980395 0.49803922 0.47058824]
 [0.49019608 0.4745098 0.4509804 ]
 [0.70980394 0.7058824 0.69803923]
 [0.7921569 0.7882353 0.7764706]
 [0.83137256 0.827451 0.8117647 ]]
[[0.47843137 0.46666667 0.44705883]
 [0.4627451 0.45490196 0.43137255]
 [0.47058824 0.45490196 0.43529412]
 [0.7019608  0.69411767  0.6784314 ]
 [0.6431373 0.6431373 0.63529414]
 [0.6392157  0.6392157  0.6313726 ]]]]
      # loading the CIFAR10 dataset and create the training and test arrays
      (X_train, y_train), (X_test, y_test) = cifar10.load_data()
      # Lines 1 and 2 reshapes the inputs
```

[36]:

```
X_train = X_train.reshape((X_train.shape[0], 32, 32, 3)).
       →astype('float32')
              X_test = X_test.reshape((X_test.shape[0], 32, 32, 3)).astype('float32')
              # Lines 3 and 4
              # Normalization of the input values (image pixels) from 0 and 255 to 0.1
              X_train = X_train / 255
              X_{test} = X_{test} / 255
              # Lines 5 and 6
              # one-hot encoding of the target variables
              y_train = np_utils.to_categorical(y_train)
              y_test = np_utils.to_categorical(y_test)
              num_classes = y_test.shape[1]
[33]: history = model.fit(X_train, y_train, validation_data=(X_test, y_test),__
       ⇒epochs=5, batch_size=150, verbose=0)
             NameError
                                                        Traceback (most recent call_
      ار last
             <ipython-input-33-ac3bcd717409> in <module>
         ---> 1 history = model.fit(X_train, y_train, validation_data=(X_test,_
      →y_test), epochs=5, batch_size=150, verbose=0)
             NameError: name 'X_train' is not defined
 []: plt.subplot(211)
      plt.title('Cross Entropy Loss')
      plt.plot(history.history['loss'], color='blue', label='train')
      plt.plot(history.history['val_loss'], color='orange', label='test')
      # plot accuracy
      plt.subplot(212)
      plt.title('Classification Accuracy')
     plt.plot(history.history['accuracy'], color='blue', label='train')
      plt.plot(history.history['val_accuracy'], color='orange', label='test')
      # save plot to file
      plt.savefig(f'{results_dir}\\1_plot.png')
      plt.show()
      plt.close()
```

```
[]: scores = model.evaluate(X_test, y_test, verbose=0)
     print("CNN Accuracy: %.3f%%" % (scores[1]*100.0))
[41]: def run_model():
             print('Load dataset')
             load_dataset()
             print('dataset loaded')
             print(f'Training set: {X_train.shape}')
             print(f'Test Set: {X_test.shape}')
             print(f'Number of categories : {num_classes}')
             print('Build model')
             model = cnn_model()
             print('Model is defined')
             print('Summary of the model.')
             model.summary()
             print('Compile Model')
             →metrics=['accuracy'])
             print('Model compiled')
             print('Model fitting Considering 5 epochs and a batch size of 150')
             history = model.fit(X_train, y_train, validation_data=(X_test, y_test),__
      →epochs=100, batch_size=150, verbose=0)
             print('Saving the model')
             model.save(f'{results_dir}\\assignment_6.2a_cifar10.h5')
             print('Evaluating the model on the test data')
             scores = model.evaluate(X_test, y_test, verbose=0)
             print("CNN Accuracy: %.3f%%" % (scores[1]*100.0))
             print('Output summary')
             # summary_plot(history)
             summarize_diagnostics(history)
[42]: run_model()
     Load dataset
     dataset loaded
     Training set: (50000, 32, 32, 3)
     Test Set: (10000, 32, 32, 3)
     Number of categories: 10
```

Build model

Model is defined

Summary of the model. Model: "sequential\_8"

Layer (type)	Output Shape	Param #
conv2d_34 (Conv2D)	(None, 30, 30, 32)	896
max_pooling2d_22 (MaxPooling	(None, 15, 15, 32)	0
conv2d_35 (Conv2D)	(None, 13, 13, 64)	18496
max_pooling2d_23 (MaxPooling	(None, 6, 6, 64)	0
conv2d_36 (Conv2D)	(None, 4, 4, 128)	73856
max_pooling2d_24 (MaxPooling	(None, 2, 2, 128)	0
flatten_4 (Flatten)	(None, 512)	0
dense_5 (Dense)	(None, 128)	65664
dense_6 (Dense)	(None, 10)	1290

Total params: 160,202 Trainable params: 160,202 Non-trainable params: 0

-----

Compile Model Model compiled

Model fitting Considering 5 epochs and a batch size of 150

Saving the model

Evaluating the model on the test data

CNN Accuracy: 69.660%

Output summary

