```
··· /tmp/ipykernel 522656/1254506153.py:30: DeprecationWarning: `ensemble size` has been deprecated, please use `ensemble kwargs = {'ensemble size': 1}`. Inserting `ensemble size` into `e
     automl = autosklearn.classification.AutoSklearnClassifier(
   Models Trained:
     {8: {'model id': 8, 'rank': 1, 'cost': 0.141666666666672, 'ensemble weight': 1.0, 'data preprocessor': <autosklearn.pipeline.components.data preprocessing.DataPreprocessorChoice ob
       gamma=0.028106748647672205, max iter=-1.0, random state=42, shrinking=False,
       tol=2.0706197108771777e-05)}}
   Best Model Selected:
    (1.0, SimpleClassificationPipeline({'balancing:strategy': 'none', 'classifier: choice ': 'libsvm svc', 'data preprocessor: choice ': 'feature type', 'feature preprocessor: choic
   dataset properties={
     'task': 2,
      'sparse': False,
      'multilabel': False,
      'multiclass': True,
      'target type': 'classification',
      'signed': False}))
   Best Model Validation Accuracy: 0.8440
       # Comparison the different models tried using auto-sklearn, by default it uses 10-fold cross-validation and it always returns the best model, so we can use the cy results attribut
       automl.cv results
                                                                                                                                                                                  Python
      'classifier:libsvm svc:tol': 2.0706197108771777e-05,
       'data preprocessor:feature type:numerical transformer:imputation:strategy': 'mean',
       'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'standardize',
       'feature preprocessor:select rates classification:alpha': 0.1,
       'feature preprocessor:select rates classification:score func': 'chi2',
       'classifier:libsvm svc:coef0': -0.2949567859897677,
       'classifier:libsvm svc:degree': 5,
       'feature preprocessor:select rates classification:mode': 'fpr'}.
```

```
··· le size` into `ensemble kwarqs` for now. `ensemble size` will be removed in auto-sklearn 0.16.
   ocessorChoice object at 0x704def2de430>, 'balancing': Balancing(random state=42), 'feature preprocessor': <autosklearn.pipeline.components.feature preprocessing.FeaturePreprocessorChoi
   rocessor: choice ': 'no preprocessing', 'classifier:libsvm svc:C': 12923.91167672086, 'classifier:libsvm svc:gamma': 0.028106748647672205, 'classifier:libsvm svc:kernel': 'rbf', 'cla
       # Comparison the different models tried using auto-sklearn, by default it uses 10-fold cross-validation and it always returns the best model, so we can use the cv results attribut
       automl.cv results
                                                                                                                                                                                  Python
       'classifier:libsvm svc:tol': 2.0706197108771777e-05,
       'data preprocessor:feature type:numerical transformer:imputation:strategy': 'mean',
       'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'standardize',
       'feature preprocessor:select rates classification:alpha': 0.1,
       'feature preprocessor:select rates classification:score func': 'chi2',
       'classifier:libsvm svc:coef0': -0.2949567859897677,
       'classifier:libsvm svc:degree': 5,
       'feature preprocessor:select rates classification:mode': 'fpr'},
```

```
home > samara > Videos > Ma.ipvnb > Ma.ipvnb
🗞 Generate + Code + Markdown | 🔊 Run All 🤊 Restart 🚃 Clear All Outputs | 👼 Jupyter Variables :≣ Outline ...
                                                                                                                                                                                                                                                                                                      ml2 (Python 3.9.21)
             :o-sklearn, by default it uses 10-fold cross-validation and it always returns the best model, so we can use the cv results attribute to get the results of all the models tried.
                                                                                                                                                                                                                                                                                                                   Python
        {'mean test score': array([0.8280303 , 0.85075758, 0.81287879, 0.83333333, 0.
                                    , 0.85833333, 0.
                                                                          , 0.79545455, 0.80075758,
                     0.79924242, 0.11590909, 0.09166667, 0.
                                                                                                 , 0.
                                                         , 0.85454545, 0.71363636, 0.
                     0. . 0.
                     0.59469697, 0.83333333, 0.82575758, 0.74772727, 0.
                                  , 0.75984848, 0.11515152, 0.75833333, 0.23787879,
                     0.81363636, 0.60909091, 0.
                                                                          , 0.57424242, 0.
                     0.73409091, 0.65
                                                         , 0.80530303, 0.
                                                                                                   , 0.25757576,
                     0.75075758, 0.81439394, 0.
           'rank test scores': array([ 6,  3, 10,  4, 30, 30,  1, 30, 14, 12, 13, 27, 29, 30, 30, 30, 30,
                      2, 20, 30, 23, 4, 7, 18, 30, 30, 15, 28, 16, 26, 9, 22, 30, 24,
                      30, 19, 21, 11, 30, 25, 17, 8, 30]),
           'mean fit time': array([ 8.18759108, 1.55507779, 5.11011696, 1.03375292, 0.48828149,
                      30.01371574, 2.83306098, 30.03315616, 10.30915952, 6.33920336,
                      17.97438192, 4.9084003, 4.93587041, 30.03603435, 0.69945931,
                       0.61325264. 0.53518534. 2.89388227. 6.30948186. 0.48651862.
                       6.80961847, 1.32497263, 1.45870852, 6.05873299, 0.62265253,
                       0.73089409, 6.9988606, 2.90096402, 0.98299575, 4.2878778,
                       1.29791522, 5.85565686, 0.56723976, 1.6808598, 30.01220512,
                       1.50122285, 1.44646716, 1.15950322, 1.21775389, 6.72330332,
                       0.9642756 , 2.30736089, 4.00867581]),
           'params': [{'balancing:strategy': 'none',
              'classifier:__choice__': 'random_forest',
              'data preprocessor: choice ': 'feature type',
              'feature preprocessor: choice ': 'no preprocessing',
              'classifier:random forest:bootstrap': 'True',
              'classifier:random forest:criterion': 'gini',
              'classifier:random forest:max depth': 'None',
              'classifier:random forest:max features': 0.5,
              'classifier:random forest:max leaf nodes': 'None',
              'classifier:random forest:min impurity decrease': 0.0,
              'classifier:random forest:min samples leaf': 1,
              'classifier:random forest:min samples split': 2,
              'classifier:random forest:min weight fraction leaf': 0.0,
              'data preprocessor:feature type:numerical transformer:imputation:strategy': 'mean',
              'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'standardize'},
            {'balancing:strategy': 'none',
              'classifier: choice ': 'libsvm svc',
              'data preprocessor: __choice__': 'feature_type',
              'feature preprocessor: choice ': 'feature agglomeration',
              'classifier:libsvm svc:C': 8776.614453785322,
              'classifier:libsvm svc:gamma': 2.6166845238639262,
              'classifier:libsvm svc:kernel': 'polv'.
```

```
home > samara > Videos > ■ M3.ipynb > M+ Tasks > M+ M3: Model Selection & Hyperparameter Optimization - 10M
🍫 Generate + Code + Markdown | Description Restart 🚍 Clear All Outputs | 👼 Jupyter Variables :≣ Outline ⋯
                                                                                                                                                                               ml2 (Python 3.9.21)
        'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'standardize'},
       {'balancing:strategy': 'none',
        'classifier: choice ': 'libsvm svc',
        'data preprocessor: choice ': 'feature type',
        'feature preprocessor: choice ': 'feature agglomeration',
        'classifier:libsvm svc:C': 8776.614453785322.
        'classifier:libsvm svc:gamma': 2.6166845238639262,
        'classifier:libsvm svc:kernel': 'poly',
        'classifier:libsvm svc:max iter': -1.
        'classifier:libsvm svc:shrinking': 'False',
        'classifier:libsvm svc:tol': 4.6482002538704e-05.
        'data preprocessor:feature type:numerical transformer:imputation:strategy': 'median',
        'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'none'.
        'feature preprocessor:feature agglomeration:affinity': 'manhattan',
        'feature preprocessor:feature agglomeration:linkage': 'average',
        'feature preprocessor:feature agglomeration:n clusters': 329,
        'feature preprocessor:feature agglomeration:pooling func': 'max',
        'classifier:libsvm svc:coef0': -0.33548507886436374,
        'classifier:libsvm svc:degree': 2},
       {'balancing:strategy': 'weighting',
        'classifier:__choice__': 'libsvm svc',
        'data preprocessor: choice ': 'feature type',
        'feature preprocessor: choice ': 'no preprocessing',
        'classifier:libsvm svc:C': 21.59109048521139,
        'classifier:libsvm svc:gamma': 5.060493057005212.
        'classifier:libsvm svc:kernel': 'rbf',
        'classifier:libsvm svc:max iter': -1,
        'classifier:libsvm svc:shrinking': 'False',
        'classifier:libsvm svc:tol': 0.00012027336497045934,
        'data preprocessor:feature type:numerical transformer:imputation:strat<u>eqy': 'most frequent',</u>
        'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'normalize'},
       {'balancing:strategy': 'weighting',
        'classifier: choice ': 'k nearest neighbors',
        'data preprocessor: choice ': 'feature type',
        'feature preprocessor: choice ': 'pca',
        'classifier:k nearest neighbors:n neighbors': 4,
        'classifier:k nearest neighbors:p': 2,
        'classifier:k nearest neighbors:weights': 'distance',
        'data preprocessor:feature type:numerical transformer:imputation:strategy': 'mean',
        'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'normalize',
        'feature preprocessor:pca:keep variance': 0.8047274080856589.
        'feature preprocessor:pca:whiten': 'False'},
       {'balancing:strategy': 'none',
        'classifier: choice ': 'passive aggressive',
        'data preprocessor: choice ': 'feature type',
        'feature preprocessor: choice ': 'polynomial',
        'classifier:passive aggressive:C': 0.0007163174331946707,
```

'classifier:nassive andressive:average': 'False'

```
home > samara > Videos > ■ M3.ipynb > M+ Tasks > M+ M3: Model Selection & Hyperparameter Optimization - 10M
🍫 Generate + Code + Markdown | Description Restart 👼 Clear All Outputs | 👼 Jupyter Variables : ≣ Outline ...
                                                                                                                                                                               ml2 (Python 3.9.21)
         'classifier: choice ': 'passive aggressive',
        'data preprocessor: choice ': 'feature type'.
        'feature preprocessor: choice ': 'polynomial',
        'classifier:passive aggressive:C': 0.0007163174331946707,
        'classifier:passive aggressive:average': 'False',
        'classifier:passive aggressive:fit intercept': 'True',
        'classifier:passive aggressive:loss': 'hinge',
        'classifier:passive aggressive:tol': 1.0000041320668022e-05,
        'data preprocessor:feature type:numerical transformer:imputation:strategy': 'median'.
        'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'minmax',
        'feature preprocessor:polynomial:degree': 2,
        'feature preprocessor:polynomial:include bias': 'True'.
        'feature preprocessor:polynomial:interaction only': 'True'},
       {'balancing:strategy': 'weighting'.
        'classifier: choice ': 'gradient boosting',
        'data preprocessor: choice ': 'feature type',
        'feature preprocessor: choice ': 'no preprocessing',
        'classifier:gradient boosting:early stop': 'train',
        'classifier:gradient boosting:l2 regularization': 2.506856350040198e-06,
        'classifier:gradient boosting:learning rate': 0.04634380160611007,
        'classifier:gradient boosting:loss': 'auto',
        'classifier:gradient boosting:max bins': 255,
        'classifier:gradient boosting:max depth': 'None',
        'classifier:gradient boosting:max leaf nodes': 11,
        'classifier:gradient boosting:min samples leaf': 41,
        'classifier:gradient boosting:scoring': 'loss'.
        'classifier:gradient boosting:tol': 1e-07,
        'data preprocessor:feature type:numerical transformer:imputation:strategy': 'mean',
        'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'robust scaler',
        'classifier:gradient boosting:n iter no change': 17.
        'data preprocessor:feature type:numerical transformer:rescaling:robust scaler:q max': 0.7310641872341862,
        'data preprocessor:feature type:numerical transformer:rescaling:robust scaler:q min': 0.2836388190241387},
       {'balancing:strategy': 'none',
        'classifier: choice ': 'libsvm svc',
        'data_preprocessor:__choice__': 'feature_type',
        'feature preprocessor: choice ': 'no preprocessing',
        'classifier:libsvm svc:C': 12923.91167672086.
        'classifier:libsvm svc:gamma': 0.028106748647672205,
        'classifier:libsvm svc:kernel': 'rbf',
        'classifier:libsvm svc:max iter': -1,
        'classifier:libsvm svc:shrinking': 'False',
        'classifier:libsvm svc:tol': 2.0706197108771777e-05.
        'data preprocessor:feature type:numerical transformer:imputation:strategy': 'median',
        'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'minmax'},
       {'balancing:strategy': 'weighting',
        'classifier: choice ': 'lda',
        'data preprocessor: choice ': 'feature type',
```

```
home > samara > Videos > ■ M3.ipynb > M+ Tasks > M+ M3: Model Selection & Hyperparameter Optimization - 10M
🍫 Generate + Code + Markdown | Description Restart 👼 Clear All Outputs | 👼 Jupyter Variables : ≣ Outline ...
                                                                                                                                                                                ml2 (Python 3.9.21)
        'data preprocessor: choice ': 'feature type',
        'feature preprocessor: choice ': 'no preprocessing',
        'classifier:libsvm svc:C': 12923.91167672086,
        'classifier:libsvm svc:gamma': 0.028106748647672205,
        'classifier:libsvm svc:kernel': 'rbf'.
        'classifier:libsvm svc:max iter': -1,
        'classifier:libsvm svc:shrinking': 'False',
        'classifier:libsvm svc:tol': 2.0706197108771777e-05.
        'data preprocessor:feature type:numerical transformer:imputation:strategy': 'median',
        'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'minmax'},
       {'balancing:strategy': 'weighting',
        'classifier: choice ': 'lda'.
        'data preprocessor: choice ': 'feature type',
        'feature preprocessor: choice ': 'kitchen sinks',
        'classifier:lda:shrinkage': 'auto',
        'classifier:lda:tol': 0.00018030860519654287,
        'data preprocessor:feature type:numerical transformer:imputation:strategy': 'mean',
        <u>'data preprocessor:featu</u>re type:numerical transformer:rescaling: choice ': 'robust scaler',
        'feature preprocessor:kitchen sinks:gamma': 0.0005845623820571637.
        'feature preprocessor:kitchen sinks:n components': 8606,
        'data preprocessor:feature type:numerical transformer:rescaling:robust scaler:q max': 0.8898452660666816,
        'data preprocessor:feature type:numerical transformer:rescaling:robust scaler:q min': 0.1704082739702074},
       {'balancing:strategy': 'none',
        'classifier:__choice__': 'gradient boosting',
        'data preprocessor: choice ': 'feature type',
        'feature preprocessor: choice ': 'select percentile classification',
        'classifier:gradient boosting:early stop': 'valid',
        'classifier:gradient boosting:l2 regularization': 1.7049772538367706e-08,
        'classifier:gradient boosting:learning rate': 0.0825755415435688,
        'classifier:gradient boosting:loss': 'auto',
        'classifier:gradient boosting:max bins': 255,
        'classifier:gradient boosting:max depth': 'None',
        'classifier:gradient boosting:max leaf nodes': 51.
        'classifier:gradient boosting:min samples leaf': 121,
        'classifier:gradient boosting:scoring': 'loss',
        'classifier:gradient boosting:tol': 1e-07.
        'data preprocessor:feature type:numerical transformer:imputation:strategy': 'most frequent',
        'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'robust scaler',
        'feature preprocessor:select percentile classification:percentile': 27.329670949267125,
        'feature preprocessor:select percentile classification:score func': 'mutual info'.
        'classifier:gradient boosting:n iter no change': 10,
        'classifier:gradient boosting:validation fraction': 0.15078023719798528,
        'data preprocessor:feature type:numerical transformer:rescaling:robust scaler:g max': 0.8101878073561093,
        'data preprocessor:feature type:numerical transformer:rescaling:robust scaler:g min': 0.23656284692369586},
       {'balancing:strategy': 'weighting',
        'classifier: choice ': 'mlp',
         'data preprocessor: choice ': 'feature type',
```

```
home > samara > Videos > ■ M3.ipynb > M+ Tasks > M+ M3: Model Selection & Hyperparameter Optimization - 10M
🗞 Generate + Code + Markdown | 🔊 Run All 🤊 Restart 🚃 Clear All Outputs |  Jupyter Variables :  Outline ...
                                                                                                                                                                                ml2 (Python 3.9.21)
        'classifier:gradient boosting:scoring': 'loss',
        'classifier:gradient boosting:tol': 1e-07.
        'data preprocessor:feature type:numerical transformer:imputation:strategy': 'most frequent',
        'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'robust scaler'.
        'feature preprocessor:select percentile classification:percentile': 27.329670949267125,
        'feature preprocessor:select percentile classification:score func': 'mutual info'.
        'classifier:gradient boosting:n iter no change': 10,
        'classifier:gradient boosting:validation fraction': 0.15078023719798528,
        'data preprocessor:feature type:numerical transformer:rescaling:robust scaler:g max': 0.8101878073561093,
        'data preprocessor:feature type:numerical transformer:rescaling:robust scaler:q min': 0.23656284692369586},
       {'balancing:strategy': 'weighting',
        'classifier: choice ': 'mlp',
        'data_preprocessor:__choice__': 'feature type',
        'feature preprocessor: choice ': 'feature agglomeration',
        'classifier:mlp:activation': 'tanh',
        'classifier:mlp:alpha': 0.00021148999718383549,
        'classifier:mlp:batch size': 'auto',
        'classifier:mlp:beta 1': 0.9.
        'classifier:mlp:beta 2': 0.999,
        'classifier:mlp:early stopping': 'train',
        'classifier:mlp:epsilon': 1e-08,
        'classifier:mlp:hidden layer depth': 3,
        'classifier:mlp:learning rate init': 0.0007452270241186694,
        'classifier:mlp:n iter no change': 32,
        'classifier:mlp:num nodes per layer': 113,
        'classifier:mlp:shuffle': 'True',
        'classifier:mlp:solver': 'adam'.
        'classifier:mlp:tol': 0.0001,
        'data preprocessor:feature type:numerical transformer:imputation:strategy': 'most frequent',
        'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'standardize'.
        'feature preprocessor:feature agglomeration:affinity': 'euclidean',
        'feature preprocessor:feature agglomeration:linkage': 'complete',
        'feature preprocessor:feature agglomeration:n clusters': 247,
        'feature preprocessor:feature agglomeration:pooling func': 'max'}.
       {'balancing:strategy': 'none',
        'classifier: choice ': 'mlp',
        'data preprocessor: choice ': 'feature type',
        'feature preprocessor: choice ': 'liblinear svc preprocessor',
        'classifier:mlp:activation': 'tanh',
        'classifier:mlp:alpha': 3.198483470889531e-06,
        'classifier:mlp:batch size': 'auto'.
        'classifier:mlp:beta 1': 0.9,
        'classifier:mlp:beta 2': 0.999,
        'classifier:mlp:early stopping': 'train',
        'classifier:mlp:epsilon': 1e-08,
        'classifier:mlp:hidden laver depth': 2.
        'classifier:mlp:learning rate init': 0.006604847357173181,
```

```
home > samara > Videos > Ma.ipynb > Ma.ipynb > Ma. Tasks > Ma. Model Selection & Hyperparameter Optimization - 10M
🍫 Generate + Code + Markdown | Description Restart 👼 Clear All Outputs | 👼 Jupyter Variables : ≣ Outline ...
                                                                                                                                                                                ml2 (Python 3.9.21)
         reacure_preprocessor.reacure_agg.comeracton.poorting_runc . max ,,
       {'balancing:strategy': 'none',
        'classifier: choice ': 'mlp',
         'data preprocessor: choice ': 'feature type',
         'feature preprocessor: choice ': 'liblinear svc preprocessor',
         'classifier:mlp:activation': 'tanh',
         'classifier:mlp:alpha': 3.198483470889531e-06,
         'classifier:mlp:batch size': 'auto',
        'classifier:mlp:beta 1': 0.9,
         'classifier:mlp:beta 2': 0.999,
         'classifier:mlp:early stopping': 'train',
         'classifier:mlp:epsilon': 1e-08,
         'classifier:mlp:hidden layer depth': 2.
         'classifier:mlp:learning rate init': 0.006604847357173181,
         'classifier:mlp:n iter no change': 32.
         'classifier:mlp:num nodes per layer': 24,
         'classifier:mlp:shuffle': 'True'.
         'classifier:mlp:solver': 'adam',
         'classifier:mlp:tol': 0.0001,
         'data preprocessor:feature type:numerical transformer:imputation:strategy': 'median',
         'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'standardize',
         'feature preprocessor:liblinear svc preprocessor:C': 0.6755226057791226,
         'feature preprocessor:liblinear svc preprocessor:dual': 'False',
         'feature preprocessor:liblinear svc preprocessor:fit intercept': 'True'.
        'feature preprocessor:liblinear svc preprocessor:intercept scaling': 1.
         'feature preprocessor:liblinear svc preprocessor:loss': 'squared hinge',
        'feature preprocessor:liblinear svc preprocessor:multi class': 'ovr',
        'feature preprocessor:liblinear svc preprocessor:penalty': 'l1',
        'feature preprocessor:liblinear svc preprocessor:tol': 0.00014091021190100242}.
       {'balancing:strategy': 'weighting',
        'classifier: choice ': 'libsvm svc',
         'data preprocessor: choice ': 'feature type',
        'feature preprocessor: choice ': 'no preprocessing',
         'classifier:libsvm svc:C': 575.2840839820392,
         'classifier:libsvm svc:gamma': 0.28251015893293174,
         'classifier:libsvm svc:kernel': 'rbf',
         'classifier:libsvm svc:max iter': -1,
         'classifier:libsvm svc:shrinking': 'False',
         'classifier:libsvm svc:tol': 6.314728575433805e-05,
         'data preprocessor:feature type:numerical transformer:imputation:strategy': 'median',
         <u>'data preprocessor:fe</u>ature type:numerical transformer:rescaling: choice ': 'none'},
       {'balancing:strategy': 'none',
         'classifier: choice ': 'lda',
         'data preprocessor: choice ': 'feature type',
         'feature preprocessor: choice ': 'kitchen sinks',
         'classifier:lda:shrinkage': 'auto',
         'classifier:lda:tol': 0.018821286956948503,
         data preprocessor:feature type:numerical transformer:imputation:strategy': 'most frequent',
```

```
home > samara > Videos > ■ M3.ipynb > M+ Tasks > M+ M3: Model Selection & Hyperparameter Optimization - 10M
🍫 Generate + Code + Markdown | Description Restart 🚍 Clear All Outputs | 👼 Jupyter Variables :≣ Outline ⋯
                                                                                                                                                                               ml2 (Python 3.9.21)
         'data preprocessor:feature type:numerical transformer:imputation:strategy': 'mean'.
        'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'none',
        'feature preprocessor:feature agglomeration:affinity': 'euclidean',
        'feature preprocessor:feature agglomeration:linkage': 'ward',
        'feature preprocessor:feature agglomeration:n clusters': 202,
        'feature preprocessor:feature agglomeration:pooling func': 'mean'},
       {'balancing:strategy': 'weighting',
        'classifier: choice ': 'sqd',
        'data preprocessor: choice ': 'feature type',
        'feature preprocessor: choice ': 'polynomial',
        'classifier:sqd:alpha': 0.0018367485569817758,
        'classifier:sgd:average': 'True',
        'classifier:sqd:fit intercept': 'True',
        'classifier:sqd:learning rate': 'constant',
        'classifier:sgd:loss': 'modified_huber',
        'classifier:sqd:penalty': 'l1',
        'classifier:sqd:tol': 5.2594585460405347e-05.
        'data preprocessor:feature type:numerical transformer:imputation:strategy': 'most frequent',
        'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'normalize',
        'feature preprocessor:polynomial:degree': 3,
        'feature preprocessor:polynomial:include bias': 'True',
        'feature preprocessor:polynomial:interaction only': 'True',
        'classifier:sqd:epsilon': 0.06935467259367672,
        'classifier:sqd:eta0': 3.0158489869733344e-07},
       {'balancing:strategy': 'none',
        'classifier: choice ': 'random forest',
        'data preprocessor: choice ': 'feature type',
        'feature preprocessor: choice ': 'polynomial',
        'classifier:random forest:bootstrap': 'True'.
        'classifier:random forest:criterion': 'gini',
        'classifier:random forest:max depth': 'None'.
        'classifier:random forest:max features': 0.9414141010985839,
        'classifier:random forest:max leaf nodes': 'None',
        'classifier:random forest:min impurity decrease': 0.0,
        'classifier:random forest:min samples leaf': 5,
        'classifier:random forest:min samples split': 2,
        'classifier:random forest:min weight fraction leaf': 0.0,
        'data preprocessor:feature type:numerical transformer:imputation:strategy': 'most frequent',
        'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'minmax',
        'feature preprocessor:polynomial:degree': 2,
        'feature preprocessor:polynomial:include bias': 'True',
        'feature preprocessor:polynomial:interaction only': 'False'},
       {'balancing:strategy': 'weighting',
        'classifier: choice ': 'gradient boosting',
        'data preprocessor: choice ': 'feature type',
        'feature preprocessor: choice ': 'polynomial',
        'classifier:gradient boosting:early stop': 'off',
```

```
home > samara > Videos > ■ M3.ipynb > M+ Tasks > M+ M3: Model Selection & Hyperparameter Optimization - 10M
🍫 Generate + Code + Markdown | Description Restart 👼 Clear All Outputs | 👼 Jupyter Variables : ≣ Outline ...
                                                                                                                                                                               ml2 (Python 3.9.21)
         'feature preprocessor: choice ': 'select rates classification',
        'classifier:libsvm svc:C': 566.6840052213279.
        'classifier:libsvm svc:gamma': 0.0019647850141763412.
        'classifier:libsvm svc:kernel': 'rbf',
        'classifier:libsvm svc:max iter': -1,
        'classifier:libsvm svc:shrinking': 'True',
        'classifier:libsvm svc:tol': 0.0012292213570589683,
        'data preprocessor:feature type:numerical transformer:imputation:strategy': 'median',
        'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'robust scaler',
        'feature preprocessor:select rates classification:alpha': 0.38609551513581725.
        'feature preprocessor:select rates classification:score func': 'f classif',
        'data preprocessor:feature type:numerical transformer:rescaling:robust scaler:q max': 0.7590668743404532,
        'data preprocessor:feature type:numerical transformer:rescaling:robust scaler:g min': 0.2382188278316001,
        'feature preprocessor:select rates classification:mode': 'fdr'},
       {'balancing:strategy': 'none'.
        'classifier: choice ': 'liblinear svc',
        'data preprocessor: choice ': 'feature type',
        'feature preprocessor: choice ': 'select percentile classification',
        'classifier:liblinear svc:C': 6.395900616857626,
        'classifier:liblinear svc:dual': 'False',
        'classifier:liblinear svc:fit intercept': 'True',
        'classifier:liblinear svc:intercept scaling': 1,
        'classifier:liblinear svc:loss': 'squared hinge',
        'classifier:liblinear svc:multi class': 'ovr'.
        'classifier:liblinear svc:penalty': 'l2',
        'classifier:liblinear svc:tol': 0.00016419370701353068,
        'data preprocessor:feature type:numerical transformer:imputation:strategy': 'median',
        'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'quantile transformer',
        'feature preprocessor:select percentile classification:percentile': 80.9663133881143,
        'feature preprocessor:select percentile classification:score func': 'chi2',
        'data preprocessor:feature type:numerical transformer:rescaling:guantile transformer:n guantiles': 431.
        'data preprocessor:feature type:numerical transformer:rescaling:quantile transformer:output distribution': 'normal'},
       {'balancing:strategy': 'none',
        'classifier: choice ': 'random forest',
        'data preprocessor: choice ': 'feature_type',
        'feature preprocessor: choice ': 'polynomial',
        'classifier:random forest:bootstrap': 'False',
        'classifier:random forest:criterion': 'gini'.
        'classifier:random forest:max depth': 'None',
        'classifier:random forest:max features': 0.5830626115596406,
        'classifier:random forest:max leaf nodes': 'None',
        'classifier:random forest:min impurity decrease': 0.0,
        'classifier:random forest:min samples leaf': 2.
        'classifier:random forest:min samples split': 5,
        'classifier:random forest:min weight fraction leaf': 0.0,
        'data preprocessor:feature type:numerical transformer:imputation:strategy': 'mean',
        'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'normalize',
```

'feature preprocessor:polynomial:degree': 2.

```
home > samara > Videos > ■ M3.ipynb > M+ Tasks > M+ M3: Model Selection & Hyperparameter Optimization - 10M
🍫 Generate + Code + Markdown | Description Restart 👼 Clear All Outputs | 👼 Jupyter Variables : ≣ Outline ...
                                                                                                                                                                                ml2 (Python 3.9.21)
        'classifier:libsvm svc:shrinking': 'True',
        'classifier:libsvm svc:tol': 0.04161403886920211.
        'data preprocessor:feature type:numerical transformer:imputation:strategy': 'mean',
        'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'standardize',
        'feature preprocessor:select percentile classification:percentile': 55.1549122171331,
        <u>'feature preprocesso</u>r:select percentile classification:score func': 'f classif',
        'classifier:libsvm svc:coef0': 0.6141138805973136,
        'classifier:libsvm svc:degree': 2},
       {'balancing:strategy': 'weighting'.
        'classifier: choice ': 'libsvm svc',
        'data_preprocessor:__choice__': 'feature_type',
        'feature preprocessor: choice ': 'extra trees preproc for classification',
        'classifier:libsvm svc:C': 13933.25185174103.
        'classifier:libsvm svc:gamma': 1.1724165915591906,
        'classifier:libsvm svc:kernel': 'poly',
        'classifier:libsvm svc:max iter': -1,
        'classifier:libsvm svc:shrinking': 'True',
        'classifier:libsvm svc:tol': 0.005777609493157263,
        'data preprocessor:feature type:numerical transformer:imputation:strategy': 'most frequent',
        'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'standardize',
        'feature preprocessor:extra trees preproc for classification:bootstrap': 'True',
        'feature preprocessor:extra trees preproc for classification:criterion': 'gini',
        'feature preprocessor:extra trees preproc for classification:max depth': 'None',
        'feature preprocessor:extra trees preproc for classification:max features': 0.18273392383839143,
        'feature preprocessor:extra_trees_preproc_for_classif<u>ication:max_leaf_nodes': 'None',</u>
        'feature preprocessor:extra trees preproc for classification:min impurity decrease': 0.0,
        'feature preprocessor:extra trees preproc for classification:min samples leaf': 18.
        'feature preprocessor:extra trees preproc for classification:min samples split': 13,
        'feature preprocessor:extra trees preproc for classification:min weight fraction leaf': 0.0,
        'feature preprocessor:extra trees preproc for classification:n estimators': 100,
        'classifier:libsvm svc:coef0': 0.012731404413972136,
        'classifier:libsvm svc:degree': 2},
       {'balancing:strategy': 'none',
        'classifier: choice ': 'libsvm svc'.
        'data preprocessor: choice ': 'feature type',
        'feature preprocessor: choice ': 'feature agglomeration',
        'classifier:libsvm svc:C': 1.3646528284754358,
        'classifier:libsvm svc:gamma': 0.7905156638410256,
        'classifier:libsvm svc:kernel': 'rbf'.
        'classifier:libsvm svc:max iter': -1,
        'classifier:libsvm svc:shrinking': 'True',
        'classifier:libsvm svc:tol': 6.276537722670919e-05,
        'data preprocessor:feature type:numerical transformer:imputation:strategy': 'most frequent',
        data preprocessor:feature type:numerical transformer:rescaling: choice ': 'quantile transformer',
        'feature preprocessor:feature agglomeration:affinity': 'euclidean',
        'feature preprocessor:feature agglomeration:linkage': 'complete',
        'feature preprocessor:feature agglomeration:n clusters': 20,
```

```
home > samara > Videos > 📳 M3.ipynb > M4 Tasks > M4 M3: Model Selection & Hyperparameter Optimization - 10M
🍫 Generate + Code + Markdown | Description Restart 👼 Clear All Outputs | 👼 Jupyter Variables : ≣ Outline ...
                                                                                                                                                                                  ml2 (Python 3.9.21)
       { bacancing:strategy : weighting ,
         'data preprocessor: choice ': 'feature type',
         'feature preprocessor: choice ': 'polynomial',
         'classifier:lda:shrinkage': 'auto',
         'classifier:lda:tol': 0.00010000000000000009,
         'data preprocessor:feature type:numerical transformer:imputation:strategy': 'most frequent'.
         'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'robust scaler',
         'feature preprocessor:polynomial:degree': 2,
         'feature preprocessor:polynomial:include bias': 'True',
         'feature preprocessor:polynomial:interaction only': 'True',
         'data preprocessor:feature type:numerical transformer:rescaling:robust scaler:g max': 0.7778831771256954,
         'data preprocessor:feature type:numerical transformer:rescaling:robust scaler:q min': 0.18524123907056736},
       {'balancing:strategy': 'weighting',
        'classifier: choice ': 'libsvm svc',
         'data preprocessor: choice ': 'feature type',
         'feature preprocessor: choice ': 'random trees embedding',
         'classifier:libsvm svc:C': 2307.5935104184055,
         'classifier:libsvm svc:gamma': 0.9335706907623043,
         'classifier:libsvm svc:kernel': 'poly',
         'classifier:libsvm svc:max iter': -1,
         'classifier:libsvm svc:shrinking': 'False',
         'classifier:libsvm svc:tol': 2.513898786636789e-05,
         'data preprocessor:feature type:numerical transformer:imputation:strategy': 'median',
         'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'power transformer',
         'feature preprocessor:random trees embedding:bootstrap': 'False',
         'feature preprocessor:random trees embedding:max depth': 9,
         'feature_preprocessor:random trees embedding:max leaf nodes': 'None',
         'feature preprocessor:random trees embedding:min samples leaf': 3,
        'feature preprocessor:random trees embedding:min samples split': 12,
         'feature preprocessor:random trees embedding:min weight fraction leaf': 1.0,
         'feature preprocessor:random trees embedding:n estimators': 50,
        'classifier:libsvm svc:coef0': -0.447625155175851,
        'classifier:libsvm svc:degree': 4},
       {'balancing:strategy': 'weighting',
        'classifier: choice ': 'libsvm svc',
                           True, True, True, True, False, False, True,
                          True, True, False, True, False, True, True, True,
                          True, True, True],
             fill value='N/A',
                  dtype='<U32')}
     Output is truncated. View as a <u>scrollable element</u> or open in a <u>text editor</u>. Adjust cell output <u>settings</u>...
```

Hyperparameter Optimization

```
home > samara > Videos > 📳 M3.ipynb > M4 Model Selection > 🍨 # Comparison the different models tried using auto-sklearn, by default it uses 10-fold cross-validation and it always returns the best model, so we can use the cv_results_attribute to get the results of
🗞 Generate + Code + Markdown | 🔊 Run All 🤊 Restart 🚃 Clear All Outputs | 👼 Jupyter Variables :≣ Outline ...
                                                                                                                                                                                 ml2 (Python 3.9.21)
     库 🖒 🗀 ... 🖷 ault it uses 10-fold cross-validation and it always returns the best model, so we can use the cv results attribute to get the results of all the models tried.
                                                                                                                                                                                         Python
        'data preprocessor: choice ': 'feature type',
        'feature preprocessor: choice ': 'extra trees preproc for classification',
        'classifier:libsvm svc:C': 22598.177646155877,
        'classifier:libsvm svc:gamma': 0.007151007429619102,
        'classifier:libsvm svc:kernel': 'rbf',
        'classifier:libsvm svc:max iter': -1,
        'classifier:libsvm svc:shrinking': 'True',
        'classifier:libsvm svc:tol': 0.0010123345042693903.
        'data preprocessor:feature type:numerical transformer:imputation:strategy': 'median',
        'data preprocessor:feature type:numerical transformer:rescaling: choice ': 'normalize',
        'feature preprocessor:extra trees preproc for classification:bootstrap': 'True',
        'feature preprocessor:extra trees preproc for classification:criterion': 'gini',
        'feature preprocessor:extra trees preproc for classification:max depth': 'None',
        'feature preprocessor:extra trees preproc for classification:max features': 0.05166877736117323,
        'feature preprocessor:extra trees preproc for classification:max leaf nodes': 'None'.
        'feature preprocessor:extra trees preproc for classification:min impurity decrease': 0.0,
        'feature preprocessor:extra trees preproc for classification:min samples leaf': 7,
        'feature preprocessor:extra trees preproc for classification:min samples split': 3,
        'feature preprocessor:extra trees preproc for classification:min weight fraction leaf': 0.0,
        'feature preprocessor:extra trees preproc for classification:n estimators': 100}.
       {'balancing:strategy': 'weighting',
        'classifier:__choice__': 'bernoulli_nb',
        'data preprocessor: choice ': 'feature type',
        'feature preprocessor: choice ': 'polynomial',
        'classifier:bernoulli nb:alpha': 7.234796243371789,
        'classifier:bernoulli nb:fit prior': 'True',
        'data preprocessor:feature type:numerical transformer:imputation:strategy': 'mean'.
        data preprocessor:feature type:numerical transformer:rescaling: choice ': 'quantile transformer',
        'feature preprocessor:polynomial:degree': 2,
        'feature preprocessor:polynomial:include bias': 'True',
        'feature preprocessor:polynomial:interaction only': 'False',
        data preprocessor:feature type:numerical transformer:rescaling:quantile transformer:n quantiles': 563',
        'data preprocessor:feature type:numerical transformer:rescaling:quantile transformer:output distribution': 'normal'},
       {'balancing:strategy': 'weighting',
        'classifier: choice ': 'libsvm svc',
        'data preprocessor: choice ': 'feature type',
        'feature preprocessor: choice ': 'select rates classification',
        'classifier:libsvm svc:C': 2086.660490265352,
        'classifier:libsvm svc:gamma': 0.005463636689218217.
        'classifier:libsvm svc:kernel': 'rbf',
        'classifier:libsvm svc:max iter': -1,
        'classifier:libsvm svc:shrinking': 'True',
        'classifier:libsvm svc:tol': 0.00024061991006840342.
```