



Tourist Place Visit Planner

Complete Technical Documentation, Architecture Specification & Deployment Manual

- PHP 8.2 (Procedural MySQLi)
- Indian Rupee (₹ INR)
- Pure Vanilla CSS (Zero Frameworks)
- InfinityFree Live Production
- OWASP Secure (Prepared Statements & XSS Defense)

Live Deployment & Default Demo Credentials

LIVE WEBSITE URL
touristplanner.infinityfree.io

DEMO USERNAME
john_doe

DEMO PASSWORD
password123

1. Executive Summary & Overview

The **Tourist Place Visit Planner** is a full-stack, lightweight web application built specifically for travelers, backpackers, couples, and tour groups to organize travel itineraries, record visitor counts (`persons`), track expenses in Indian Rupees (₹ INR), and estimate comprehensive budgets in real-time.

The application is architected using procedural PHP with MySQLi prepared statements to guarantee universal compatibility with traditional LAMP/WAMP/XAMPP stacks and shared cloud hosting platforms like **InfinityFree**. It incorporates zero external CSS frameworks, rendering via a custom responsive design system with cards, stats grids, and styled tables.

2. Key Functional Features



User Authentication System

Registration and login with uniqueness checks, Bcrypt hashing (`PASSWORD_DEFAULT`), `password_verify()` , and session fixation defense via `session_regenerate_id()` .



Travellers & Group Sizing

Stores the exact number of persons per journey, auto-calculates per-person expenditure (`₹Budget / Persons`), and shows total travelers planned.



Interactive Budget Estimator

Real-time calculation engine (both on `add_trip.php` and standalone `estimator.php`) computing itemized breakdowns for Stay (40%), Food (25%), Transport (20%), and Activities (15%).



Destination Search Filter

Real-time destination search on the dashboard using SQL prepared statements (`WHERE user_id = ? AND destination LIKE ?`) with clear-filter shortcuts.



Multi-Layer Security Architecture

100% prepared statements across all queries, complete XSS escaping via `htmlspecialchars()` , user data isolation, and friendly error suppression.



Automatic Dual-Environment Support

`db.php` detects whether it is running on `localhost` or InfinityFree production, switching credentials dynamically without configuration breakage.

3. Database Schema & Architecture (MySQL)

The relational schema enforces data integrity through foreign keys with `ON DELETE CASCADE` so that removing an account automatically purges associated itineraries.

Table: `users`

Field	Type	Null / Key	Description
<code>id</code>	INT AUTO_INCREMENT	PRIMARY KEY	Unique user identifier.
<code>username</code>	VARCHAR(50)	UNIQUE, NOT NULL	Unique username for login authentication.
<code>email</code>	VARCHAR(100)	UNIQUE, NOT NULL	Unique user email address.
<code>password</code>	VARCHAR(255)	NOT NULL	Secure Bcrypt hashed password string.
<code>created_at</code>	TIMESTAMP	DEFAULT CURRENT	Account creation timestamp.

Table: `trips`

Field	Type	Null / Key	Description
<code>id</code>	INT AUTO_INCREMENT	PRIMARY KEY	Unique trip plan record identifier.
<code>user_id</code>	INT	FOREIGN KEY	Links to <code>users(id)</code> with <code>ON DELETE CASCADE</code> .
<code>destination</code>	VARCHAR(100)	NOT NULL	Tourist destination, landmark, or city name.
<code>travel_date</code>	DATE	NOT NULL	Scheduled departure date.
<code>persons</code>	INT	NOT NULL, DEF 1	Number of travellers participating in the visit.
<code>budget</code>	DECIMAL(10,2)	NOT NULL	Total estimated trip budget in Indian Rupees (₹ INR).
<code>visitor_email</code>	VARCHAR(100)	NOT NULL	Visitor contact email for itinerary notifications.
<code>notes</code>	TEXT	NULL	Custom itinerary highlights, bookings, and reminders.
<code>created_at</code>	TIMESTAMP	DEFAULT CURRENT	Record creation timestamp.

4. Seeded Raw Trips Data (Indian Rupees ₹ INR)

The database contains 10 realistic raw trip records pre-associated with the default demo account (`john_doe`):

#	Destination	Travellers	Total Budget	Per Person	Highlights & Notes
1	Goa Beaches & Waterfalls	 2 Persons	₹28,500.00	₹14,250.00	Baga & Anjuna beach hopping, Dudhsagar Waterfalls trek, sunset cruise.
2	Manali & Rohtang Pass	 3 Persons	₹36,000.00	₹12,000.00	Solang Valley paragliding, Rohtang snow scooter, Vashisht hot springs.
3	Jaipur & Udaipur	 4 Persons	₹45,000.00	₹11,250.00	Amber Fort, Hawa Mahal, Lake Pichola sunset boat ride, Dal Baati Churma.
4	Munnar & Alleppey Backwaters	 2 Persons	₹42,500.00	₹21,250.00	Munnar tea plantations, overnight luxury Alleppey houseboat stay.
5	Leh-Ladakh & Pangong Tso	 2 Persons	₹68,000.00	₹34,000.00	Khardung La motorbiking, Pangong Tso camping, Magnetic Hill.
6	Varanasi & Sarnath	 1 Person	₹22,000.00	₹22,000.00	Ganges sunrise boat ride, Dashashwamedh Ghat Aarti, Dhamek Stupa.
7	Dubai & Abu Dhabi, UAE	 2 Persons	₹115,000.00	₹57,500.00	Burj Khalifa 148th floor observatory, desert safari with dune bashing.
8	Bali & Nusa Penida	 2 Persons	₹92,000.00	₹46,000.00	Mount Batur sunrise trek, Ubud monkey forest, Kelingking T-Rex cliff.
9	Tokyo & Kyoto, Japan	 1 Person	₹185,000.00	₹185,000.00	Fushimi Inari torii gates, Shinkansen bullet train, Shibuya crossing.
10	Paris & Swiss Alps, Europe	 2 Persons	₹265,000.00	₹132,500.00	Eiffel Tower & Louvre in Paris, Glacier Express, Matterhorn cable car.

5. Project File Architecture

```
d:/samar/
├─ database.sql      # MySQL database schema, foreign keys, dummy user & 10 sample trips
├─ db.php            # Smart connection handler (auto-switches localhost vs InfinityFree)
├─ style.css         # Unified responsive CSS design system (zero external frameworks)
├─ header.php        # Session starter, active navbar, user greeting badge & estimator link
├─ footer.php        # Semantic page footer, layout closing tags & quick links
├─ index.php         # Landing page with hero section, 5 feature cards & dynamic CTAs
├─ register.php      # Registration handler with uniqueness validation & Bcrypt hashing
├─ login.php         # Authentication verification via password_verify() & fixation defense
├─ logout.php        # Session termination, cookie invalidation & clean redirect
├─ add_trip.php      # Protected trip creation form with persons & built-in budget estimator
├─ view_trips.php    # Protected trip dashboard, destination search, travellers, & stats
├─ estimator.php     # Standalone interactive trip budget calculation & breakdown tool
├─ setup_db.php      # 1-click cloud database setup runner for InfinityFree
├─ deploy_ftp.ps1    # Automated PowerShell deployment script via FTP
├─ README.md         # Markdown documentation
└─ README.pdf        # Professional print-ready PDF documentation
```

6. Interactive Trip Budget Estimator Specifications

The budget estimator calculates realistic costs based on duration, traveller count, geographical scope, and travel tiers:

- 🎒 **Budget / Backpacker Tier:** ~₹2,500/day/person (Domestic) | ~₹6,500/day/person (International)
- 🏠 **Comfort / Standard Tier:** ~₹5,500/day/person (Domestic) | ~₹13,500/day/person (International)
- 🏰 **Luxury / Premium Tier:** ~₹14,000/day/person (Domestic) | ~₹32,000/day/person (International)

Itemized Component Breakdown Formula:

- 🏠 **Accommodation & Stay:** 40% of total estimated budget
- 🍽️ **Food & Dining:** 25% of total estimated budget
- 🚗 **Local Transport & Transit:** 20% of total estimated budget
- 🎟️ **Activities, Sightseeing & Buffer:** 15% of total estimated budget

7. InfinityFree Production Configuration

The production environment on InfinityFree is configured with the following active parameters in `db.php`:

- **FTP Host:** `ftpupload.net` (Port 21)
- **vPanel / FTP User:** `if0_42916037`
- **MySQL Database Host:** `sql106.infinityfree.com`
- **MySQL Database Name:** `if0_42916037_TouristPlanner`
- **Production Web Root:** `/htdocs/`
- **Live Production URL:** `https://touristplanner.infinityfree.io/`