

User Management

Execution Environment

Host name	safaamarir - localhost
Local OS	Mac OS X 64bit
Katalon version	9.2.0.212
Browser	null

Summary

ID	Test Suites/IS iPhone/User Management		
Description			
Total	7		
Passed	4	Failed	3
Error	0	Incomplete	0
Skipped	0		
Start	08-02-2024 15:30:29	End	08-02-2024 15:38:41
Elapsed	8m - 12.424s		

#	ID	Description	Status
1	Test Cases/IOS/User Management/EK-8569 IS iPhone - Terms and condition Privacy and Policy	Summary: IS iPhone - Terms and condition Privacy and Policy Description:	FAILED
2	Test Cases/IOS/User Management/EK-8493 IS iPhone - Restore Password	Summary: IS iPhone - Restore Password Description:	FAILED
3	Test Cases/IOS/User Management/EK-8570 IS iPhone - 10 Times failed login	Summary: IS iPhone - 10 Times failed login Description:	FAILED
4	Test Cases/IOS/User Management/EK-8491 IS iPhone - Sign in	Summary: IS iPhone - Sign in Description:	PASSED
5	Test Cases/IOS/User Management/EK-8492 IS iPhone - Logout	Summary: IS iPhone - Logout Description:	PASSED
6	Test Cases/IOS/User Management/EK-8571 IS iPhone - Login as a user with multiple sites	Summary: IS iPhone - Login as a user with multiple sites Description:	PASSED
7	Test Cases/IOS/User Management/EK-8513 IS iPhone - Auto Logout	Summary: IS iPhone - Auto Logout Description:	PASSED

EK-8569 IS iPhone - Terms and condition Privacy and Policy

Information

ID	Test Cases/IOS/User Management/EK-8569 IS iPhone - Terms and condition Privacy and Policy		
Description	Summary: IS iPhone - Terms and condition Privacy and Policy		
	Description:		
Tag	jira-integration		
Start	08-02-2024 15:30:29	End	08-02-2024 15:32:06
Elapsed	1m - 36.866s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.021s	PASSED
2	runFeatureFile("Include/features/EK-8569 IS iPhone - Terms and condition Privacy and Policy.feature") Feature file: 'Include/features/EK-8569 IS iPhone - Terms and condition Privacy and Policy.feature' was passed	0.147s	PASSED
3	startApplication(IPA, true) Started app at: '/Users/safaamarir/APK/IOS/IS/IS_PreProd_2.1.5_214.ipa'	41.298s	PASSED
4	tap(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeButton - Allow"), 30) Tapped on element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeButton - Allow'	1.533s	PASSED
5	verifyElementExist(findTestObject("IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Terms Conditions"), 30) Element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Terms Conditions' is exist	0.454s	PASSED

EK-8569 IS iPhone - Terms and condition Privacy and Policy

#	Description	Elapsed	Status
6	tap(findTestObject("IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Terms Conditions"), 30) Tapped on element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Terms Conditions'	0.824s	PASSED
7	delay(5) Delayed 5 second(s)	5.019s	PASSED
8	tapAtPosition(44, 42) Tapped at [44, 42]	2.803s	PASSED
9	verifyElementExist(findTestObject("IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeImage"), 30) Element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeImage' is exist	1.707s	PASSED

EK-8569 IS iPhone - Terms and condition Privacy and Policy

#	Description	Elapsed	Status
10	<p>verifyElementExist(findTestObject("IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Privacy Policy"), 30)</p> <p>Failed to check for element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Privacy Policy' exist (Root cause: com.kms.katalon.core.exception.StepFailedException: Failed to check for element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Privacy Policy' exist at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:38) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementExistKeyword.verifyElementExist(VerifyElementExistKeyword.groovy:51) at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementExistKeyword.execute(VerifyElementExistKeyword.groovy:35) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.verifyElementExist(MobileBuiltInKeywords.groovy:1755) at EK-8569 IS iPhone - Terms and condition Privacy and Policy.run(EK-8569 IS iPhone - Terms and condition Privacy and Policy:38) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1707402626338.run(TempTestSuite1707402626338.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Privacy Policy' not found at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:38) at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementExistKeyword\$_verifyElementExist_closure1.doCall(VerifyElementExistKeyword.groovy:48) at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementExistKeyword\$_verifyElementExist_closure1.call</p>	40.695s	FAILED

EK-8569 IS iPhone - Terms and condition Privacy and Policy

#	Description	Elapsed	Status
	<div>(VerifyElementExistKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:19) ... 20 more)</div>		

#	Description	Elapsed	Status
---	-------------	---------	--------

EK-8569 IS iPhone - Terms and condition Privacy
and Policy

#	Description	Elapsed	Status

EK-8569 IS iPhone - Terms and condition Privacy and Policy

#	Description	Elapsed	Status
	<div><div>15:32</div><div><div>Safari</div><div><div><div></div><div></div><div></div><div></div></div><div><div></div><div></div><div></div><div></div></div><div><div></div><div></div><div></div><div></div></div><div><div></div><div></div><div></div><div></div></div></div></div><div><div>[JIRA] Abdellatif hammadi assigned ALPS-100 to you</div><div><div>External</div><div>Inbox</div></div><div><div><div>A</div><div>Abdellatif hammadi (Jira)</div><div>15:31</div><div>to me</div></div><div><div>Abdellatif hammadi assigned this issue to you</div><div>SingHealth / ALPS-100</div><div>Error message when trying to create more than one assessment per day</div><div><div>AH</div><div>Abdellatif hammadi 3:31 PM WEST</div><div>Assignee: Abdellatif hammadi → Safa Amarir</div><div>View issue</div><div>Get Jira notifications on your phone! Download the Jira Cloud app for Android or iOS.</div><div>Manage notifications · Give feedback · Privacy policy</div><div><div>Jira</div></div><div><div>Reply</div><div>Forward</div></div><div><div></div><div></div><div></div></div></div></div></div></div></div>		

EK-8569 IS iPhone - Terms and condition Privacy and Policy

#	Description	Elapsed	Status
11	Video	0.000s	PASSED
Video recording for test case 'Test Cases/IOS/User Management/EK-8569 IS iPhone - Terms and condition Privacy and Policy' .			

EK-8493 IS iPhone - Restore Password

Information

ID	Test Cases/IOS/User Management/EK-8493 IS iPhone - Restore Password		
Description	Summary: IS iPhone - Restore Password Description:		
Tag	jira-integration		
Start	08-02-2024 15:32:06	End	08-02-2024 15:32:57
Elapsed	51.763s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.002s	PASSED
2	runFeatureFile("Include/features/EK-8493 IS iPhone - Restore Password.feature") Feature file: 'Include/features/EK-8493 IS iPhone - Restore Password.feature' was passed	0.006s	PASSED

EK-8493 IS iPhone - Restore Password

#	Description	Elapsed	Status
3	<p>tap(findTestObject("Object Repository/IOS/User Management/Restore Password/XCUIElementTypeOther - Forgot your password"), 30)</p> <p>Failed to tap on element 'Object Repository/IOS/User Management/Restore Password/XCUIElementTypeOther - Forgot your password' (Root cause: com.kms.katalon.core.exception.StepFailedException: Failed to tap on element 'Object Repository/IOS/User Management/Restore Password/XCUIElementTypeOther - Forgot your password'</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:38)</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:21)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.tap(TapKeyword.groovy:51)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.execute(TapKeyword.groovy:35)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.tap(MobileBuiltInKeywords.groovy:1490)</p> <p>at EK-8493 IS iPhone - Restore Password.run(EK-8493 IS iPhone - Restore Password:22)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)</p> <p>at TempTestSuite1707402626338.run(TempTestSuite1707402626338.groovy:36)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: com.kms.katalon.core.exception.StepFailedException: Object Object Repository/IOS/User Management/Restore Password/XCUIElementTypeOther - Forgot your password not found</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:38)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.doCall(TapKeyword.groovy:46)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.call(TapKeyword.groovy)</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:19)</p>	49.676s	FAILED

EK-8493 IS iPhone - Restore Password

#	Description	Elapsed	Status
	... 20 more		
)		

EK-8493 IS iPhone - Restore Password

#	Description	Elapsed	Status
---	-------------	---------	--------

15:32

◀ Safari

⋮

📶

🔋

⏪

📄

🗑

✉

⋮

[JIRA] Abdellatif hammadi assigned ALPS-100 to you

☆

External

Inbox

A

Abdellatif hammadi (Jira)

15:31

↩

⋮

to me ▾

Abdellatif hammadi assigned this issue to you

SingHealth / ALPS-100

Error message when trying to create more than one assessment per day

AH

Abdellatif hammadi 3:31 PM WEST

Assignee:

Abdellatif hammadi


 →

Safa Amarir

View issue

Get Jira notifications on your phone! Download the Jira Cloud app for [Android](#) or [iOS](#).

[Manage notifications](#) • [Give feedback](#) • [Privacy policy](#)

 Jira

⏪ Reply

➡ Forward

📧

💬

📺

EK-8493 IS iPhone - Restore Password

#	Description	Elapsed	Status
---	-------------	---------	--------

EK-8493 IS iPhone - Restore Password

#	Description	Elapsed	Status
---	-------------	---------	--------

15:32

◀ Safari

⋮

📶

🔋

⏪

📄

🗑

✉

⋮

[JIRA] Abdellatif hammadi assigned ALPS-100 to you

☆

External

Inbox

A

Abdellatif hammadi (Jira)

15:31

↩

⋮

to me ▾

Abdellatif hammadi assigned this issue to you

SingHealth / ALPS-100

Error message when trying to create more than one assessment per day

AH

Abdellatif hammadi 3:31 PM WEST

Assignee:

Abdellatif hammadi


 →

Safa Amarir

View issue

Get Jira notifications on your phone! Download the Jira Cloud app for [Android](#) or [iOS](#).

[Manage notifications](#) • [Give feedback](#) • [Privacy policy](#)

 Jira

⏪ Reply

➡ Forward

📧

💬

📺

EK-8493 IS iPhone - Restore Password

#	Description	Elapsed	Status
4	Video Video recording for test case 'Test Cases/IOS/User Management/EK-8493 IS iPhone - Restore Password' .	0.001s	PASSED

EK-8570 IS iPhone - 10 Times failed login

Information

ID	Test Cases/IOS/User Management/EK-8570 IS iPhone - 10 Times failed login		
Description	Summary: IS iPhone - 10 Times failed login Description:		
Tag	jira-integration		
Start	08-02-2024 15:32:57	End	08-02-2024 15:33:59
Elapsed	1m - 2.059s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	runFeatureFile("Include/features/EK-8570 IS iPhone - 10 Times failed login.feature") Feature file: 'Include/features/EK-8570 IS iPhone - 10 Times failed login.feature' was passed	0.006s	PASSED
3	delay(10, STOP_ON_FAILURE) Delayed 10 second(s)	10.006s	PASSED

EK-8570 IS iPhone - 10 Times failed login

#	Description	Elapsed	Status
4	<p>setText(findTestObject("IOS/User Management/Sign In/XCUIElementTypeTextField - username"), "Test10times", 30)</p> <p>Failed to set text into element (Root cause: com.kms.katalon.core.exception.StepFailedException: Failed to set text into element at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:38) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.setText(SetTextKeyword.groovy:62) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute(SetTextKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.setText(MobileBuiltInKeywords.groovy:1307) at EK-8570 IS iPhone - 10 Times failed login.run(EK-8570 IS iPhone - 10 Times failed login:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1707402626338.run(TempTestSuite1707402626338.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Object Object Repository/IOS/User Management/Sign In/XCUIElementTypeTextField - username not found at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:38) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:52) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:19) ... 20 more)</p>	49.949s	FAILED

EK-8570 IS iPhone - 10 Times failed login

#	Description	Elapsed	Status

EK-8570 IS iPhone - 10 Times failed login

#	Description	Elapsed	Status
	<div><div><div><div><div><div>15:33</div><div>◀ Safari</div></div></div><div><div><div><div><</div><div>📎</div><div>🗑</div><div>✉</div><div>⋮</div></div></div></div></div><div><div><div>[JIRA] Abdellatif hammadi assigned ALPS-100 to you</div><div><div>External</div><div>Inbox</div></div><div><div><div><div>A</div><div>Abdellatif hammadi (Jira)</div></div><div><div>15:31</div><div>↩</div><div>⋮</div></div></div><div>to me ▾</div></div><div>Abdellatif hammadi assigned this issue to you</div></div><div><div>SingHealth / ALPS-100</div><div>Error message when trying to create more than one assessment per day</div><div><div><div><div>AH</div><div>Abdellatif hammadi</div></div><div><div>3:31 PM WEST</div><div>Assignee: <div>Abdellatif hammadi</div> → <div>Safa Amarir</div></div></div></div><div>View issue</div></div><div><div>Get Jira notifications on your phone! Download the Jira Cloud app for Android or iOS.</div><div>Manage notifications · Give feedback · Privacy policy</div><div><div><div><div></div><div>Jira</div></div></div></div><div><div><div>↩ Reply</div><div>➡ Forward</div></div><div><div><div><div>✉</div><div>💬</div><div>📺</div></div></div></div></div></div></div></div></div></div>		

EK-8570 IS iPhone - 10 Times failed login

#	Description	Elapsed	Status

EK-8570 IS iPhone - 10 Times failed login

#	Description	Elapsed	Status
	<div><div><div><div><div><div>15:33</div><div>◀ Safari</div></div></div><div><div><div><div>⋮</div><div>📶</div><div>🔋</div></div></div></div></div><div><div><div><</div><div>📎</div><div>🗑</div><div>✉</div><div>⋮</div></div></div></div><div><div><div>[JIRA] Abdellatif hammadi assigned ALPS-100 to you</div><div>☆</div></div></div><div><div><div>External</div><div>Inbox</div></div></div><div><div><div><div><div>A</div><div>Abdellatif hammadi (Jira)</div></div><div><div>15:31</div><div>↩ ⋮</div></div></div><div>to me ▾</div></div><div>Abdellatif hammadi assigned this issue to you</div><div><div>SingHealth / ALPS-100</div><div>Error message when trying to create more than one assessment per day</div><div><div><div>AH</div><div>Abdellatif hammadi 3:31 PM WEST</div></div><div>Assignee: <div>Abdellatif hammadi</div> → <div>Safa Amarir</div></div></div><div><div>View issue</div></div></div><div><div>Get Jira notifications on your phone! Download the Jira Cloud app for Android or iOS.</div><div>Manage notifications • Give feedback • Privacy policy</div><div><div><div></div><div>Jira</div></div></div><div><div><div><div>↩ Reply</div><div>➦ Forward</div></div></div></div><div><div><div>✉</div><div>💬</div><div>📺</div></div></div></div></div></div>		

EK-8570 IS iPhone - 10 Times failed login

#	Description	Elapsed	Status
5	Video	0.001s	PASSED
Video recording for test case 'Test Cases/IOS/User Management/EK-8570 IS iPhone - 10 Times failed login' .			

EK-8491 IS iPhone - Sign in

Information

ID	Test Cases/IOS/User Management/EK-8491 IS iPhone - Sign in		
Description	Summary: IS iPhone - Sign in Description:		
Tag	jira-integration		
Start	08-02-2024 15:33:59	End	08-02-2024 15:34:57
Elapsed	57.182s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	runFeatureFile("Include/features/EK-8491 IS iPhone - Sign in.feature") Feature file: 'Include/features/EK-8491 IS iPhone - Sign in.feature' was passed	0.006s	PASSED
3	startApplication(IPA, true) Started app at: '/Users/safaamarir/APK/IOS/IS/IS_PreProd_2.1.5_214.ipa'	38.161s	PASSED
4	tap(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeButton - Allow"), 30) Tapped on element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeButton - Allow'	1.446s	PASSED
5	setText(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeTextField - username"), LoginCreds.get("username"), 30) Text 'katalon' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeTextField - username'	1.393s	PASSED
6	setText(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode"), LoginCreds.get("password"), 30) Text 'eKare123@' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode'	1.629s	PASSED

EK-8491 IS iPhone - Sign in

#	Description	Elapsed	Status
7	tap(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeOther - SIGN IN'	1.696s	PASSED
8	tap(findTestObject("IOS/User Management/Sign In/XCUIElementTypeOther - Katalon"), 30) Tapped on element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeOther - Katalon'	0.762s	PASSED
9	delay(10) Delayed 10 second(s)	10.007s	PASSED
10	Video Video recording for test case 'Test Cases/IOS/User Management/EK-8491 IS iPhone - Sign in' .	0.001s	PASSED

EK-8492 IS iPhone - Logout

Information

ID	Test Cases/IOS/User Management/EK-8492 IS iPhone - Logout		
Description	Summary: IS iPhone - Logout Description:		
Tag	jira-integration		
Start	08-02-2024 15:34:57	End	08-02-2024 15:35:11
Elapsed	13.929s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.000s	PASSED
2	runFeatureFile("Include/features/EK-8492 IS iPhone - Logout.feature") Feature file: 'Include/features/EK-8492 IS iPhone - Logout.feature' was passed	0.006s	PASSED
3	tap(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeOther"), 30) Tapped on element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeOther'	1.386s	PASSED
4	tap(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeOther - Logout"), 30) Tapped on element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeOther - Logout'	2.045s	PASSED
5	verifyElementText(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeStaticText - You want to logout"), "You want to logout ?") Actual text and expected text of test object 'Object Repository/IOS/User Management/Logout/XCUIElementTypeStaticText - You want to logout' are matched.	1.868s	PASSED

EK-8492 IS iPhone - Logout

#	Description	Elapsed	Status
6	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeButton - Cancel"), 30) Element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeButton - Cancel' is exist	1.499s	PASSED
7	tap(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeButton - Confirm"), 30) Tapped on element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeButton - Confirm'	2.110s	PASSED
8	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeOther (1)"), 30) Element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeOther (1)' is exist	2.966s	PASSED
9	Video Video recording for test case 'Test Cases/IOS/User Management/EK-8492 IS iPhone - Logout' .	0.001s	PASSED

EK-8571 IS iPhone - Login as a user with multiple sites

Information

ID	Test Cases/IOS/User Management/EK-8571 IS iPhone - Login as a user with multiple sites		
Description	Summary: IS iPhone - Login as a user with multiple sites Description:		
Tag	jira-integration		
Start	08-02-2024 15:35:11	End	08-02-2024 15:37:28
Elapsed	2m - 17.143s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.000s	PASSED
2	runFeatureFile("Include/features/EK-8571 IS iPhone - Login as a user with multiple sites.feature") Feature file: 'Include/features/EK-8571 IS iPhone - Login as a user with multiple sites.feature' was passed	0.005s	PASSED
3	setText(findTestObject("Object Repository/IOS/User Management/SignIn/XCUIElementTypeTextField - username"), LoginCreds.get("siteuser"), 30) Text 'katalonSite' has been set to element 'Object Repository/IOS/User Management/SignIn/XCUIElementTypeTextField - username'	2.541s	PASSED
4	setText(findTestObject("Object Repository/IOS/User Management/SignIn/XCUIElementTypeSecureTextField - Passcode"), LoginCreds.get("password"), 30) Text 'eKare123@' has been set to element 'Object Repository/IOS/User Management/SignIn/XCUIElementTypeSecureTextField - Passcode'	1.720s	PASSED
5	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - SIGN IN'	1.717s	PASSED

EK-8571 IS iPhone - Login as a user with multiple sites

#	Description	Elapsed	Status
6	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon'	1.048s	PASSED
7	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther -"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther -' is exist	2.855s	PASSED
8	setText(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeTextField - Search by Name, MRN"), "111ui", 30) Text '111ui' has been set to element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeTextField - Search by Name, MRN'	3.001s	PASSED
9	tapAtPosition(539, 707) Tapped at [539, 707]	0.775s	PASSED
10	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.007s	PASSED
11	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient'	1.667s	PASSED
12	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient'	1.024s	PASSED
13	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - menu"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - menu'	1.507s	PASSED

EK-8571 IS iPhone - Login as a user with multiple sites

#	Description	Elapsed	Status
14	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Delete patient"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Delete patient' is exist	1.006s	PASSED
15	tapAtPosition(539, 707) Tapped at [539, 707]	0.750s	PASSED
16	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back'	1.071s	PASSED
17	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu (1)"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu (1)'	1.028s	PASSED
18	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Site"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Site'	1.619s	PASSED
19	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - site user"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - site user'	1.303s	PASSED
20	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - add patient"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - add patient' is exist	2.932s	PASSED
21	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient 1"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient 1'	0.794s	PASSED

EK-8571 IS iPhone - Login as a user with multiple sites

#	Description	Elapsed	Status
22	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu Patient"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu Patient'	1.812s	PASSED
23	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Edit patient"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Edit patient' is exist	0.925s	PASSED
24	verifyElementNotExist(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Delete patient"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Delete patient' not found	30.480s	PASSED
25	tapAtPosition(539, 707) Tapped at [539, 707]	0.755s	PASSED
26	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back'	1.062s	PASSED
27	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu (1)"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu (1)'	1.022s	PASSED
28	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Site"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Site'	1.197s	PASSED
29	checkElement(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Test1"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Test1' is checked	1.532s	PASSED

EK-8571 IS iPhone - Login as a user with multiple sites

#	Description	Elapsed	Status
30	verifyElementNotExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther -"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther -' not found	30.290s	PASSED
31	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon, Patient 07022024 33M MRN 112ui No Consent (1)"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon, Patient 07022024 33M MRN 112ui No Consent (1)'	1.410s	PASSED
32	verifyElementNotExist(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu Patient"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu Patient' not found	30.014s	PASSED
33	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back'	1.132s	PASSED
34	Video Video recording for test case 'Test Cases/IOS/User Management/EK-8571 IS iPhone - Login as a user with multiple sites' .	0.000s	PASSED

EK-8513 IS iPhone - Auto Logout

Information

ID	Test Cases/IOS/User Management/EK-8513 IS iPhone - Auto Logout		
Description	Summary: IS iPhone - Auto Logout Description:		
Tag	jira-integration		
Start	08-02-2024 15:37:28	End	08-02-2024 15:38:41
Elapsed	1m - 13.416s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	runFeatureFile("Include/features/EK-8513 IS iPhone - Auto Logout.feature") Feature file: 'Include/features/EK-8513 IS iPhone - Auto Logout.feature' was passed	0.005s	PASSED
3	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther"), 30) Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther'	1.026s	PASSED
4	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - Settings"), 30) Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - Settings'	1.233s	PASSED
5	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - Logout time 10 minutes"), 30) Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - Logout time 10 minutes'	1.230s	PASSED
6	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - 1 minutes"), 30) Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - 1 minutes'	1.221s	PASSED

EK-8513 IS iPhone - Auto Logout

#	Description	Elapsed	Status
7	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther (2)", 30) Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther (2)'	1.008s	PASSED
8	delay(65) Delayed 65 second(s)	1m - 5.006s	PASSED
9	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeImage"), 30) Element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeImage' is exist	0.603s	PASSED
10	Video Video recording for test case 'Test Cases/IOS/User Management/EK-8513 IS iPhone - Auto Logout' .	0.001s	PASSED