User Management

Execution Environment

Host name	safaamarir - 192.168.1.2
Local OS	Mac OS X 64bit
Katalon version	9.2.0.212
Browser	null

Summary

ID	Test Suites/IS iPhone/User Management		
Description			
Total	7		
Passed	7	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	13-03-2024 10:03:59	End	13-03-2024 10:11:13
Elapsed	7m - 14.073s		

#	ID	Description	Status
1	Test Cases/IOS/User Management/EK-8569 IS iPhone - Terms and condition Privacy and Policy	Summary: IS iPhone - Terms and condition Privacy and Policy Description:	PASSED
2	Test Cases/IOS/User Management/EK-8493 IS iPhone - Restore Password	Summary: IS iPhone - Restore Password Description:	PASSED
3	Test Cases/IOS/User Management/EK-8570 IS iPhone - 10 Times failed login	Summary: IS iPhone - 10 Times failed login Description:	PASSED
4	Test Cases/IOS/User Management/EK-8491 IS iPhone - Sign in	Summary: IS iPhone - Sign in Description:	PASSED
5	Test Cases/IOS/User Management/EK-8492 IS iPhone - Logout	Summary: IS iPhone - Logout Description:	PASSED
6	Test Cases/IOS/User Management/EK-8571 IS iPhone - Login as a user with multiple sites	Summary: IS iPhone - Login as a user with multiple sites Description:	PASSED
7	Test Cases/IOS/User Management/EK-8513 IS iPhone - Auto Logout	Summary: IS iPhone - Auto Logout Description:	PASSED

EK-8569 IS iPhone - Terms and condition Privacy and Policy

Information

ID	Test Cases/IOS/User Management/EK-8569 IS iPhone - Terms and condition Privacy and Policy
Description	Summary: IS iPhone - Terms and condition Privacy and Policy Description:
Tag	jira-integration

Start	13-03-2024 10:03:59	End	13-03-2024 10:05:45
Elapsed	1m - 46.598s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.020s	PASSED
2	runFeatureFile("Include/features/EK-8569 IS iPhone - Terms and condition Privacy and Policy.feature") Feature file: 'Include/features/EK-8569 IS iPhone - Terms and condition Privacy and Policy.feature' was passed	0.143s	PASSED
3	startApplication(IPA, true) Started app at: '/Users/safaamarir/APK/IOS/IS/IS_PreProd_2.1.5_214.ipa'	1m - 25.936s	PASSED
4	tap(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeButton - Allow"), 30) Tapped on element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeButton - Allow'	1.632s	PASSED
5	verifyElementExist(findTestObject("IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Terms Conditions"), 30) Element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Terms Conditions' is exist	0.493s	PASSED

EK-8569 IS iPhone - Terms and condition Privacy and Policy

#	Description	Elapsed	Status
6	tap(findTestObject("IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Terms Conditions"), 30) Tapped on element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Terms Conditions'	0.791s	PASSED
7	delay(5) Delayed 5 second(s)	5.021s	PASSED
8	tapAtPosition(44, 42) Tapped at [44, 42]	0.706s	PASSED
9	verifyElementExist(findTestObject("IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeImage"), 30) Element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeImage' is exist	0.384s	PASSED
10	verifyElementExist(findTestObject("IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Privacy Policy"), 30) Element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Privacy Policy' is exist	0.451s	PASSED
11	tap(findTestObject("IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Privacy Policy"), 30) Tapped on element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Privacy Policy'	0.758s	PASSED
12	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.011s	PASSED
13	tapAtPosition(44, 42) Tapped at [44, 42]	0.992s	PASSED

EK-8569 IS iPhone - Terms and condition Privacy and Policy

#	Description	Elapsed	Status
14	verifyElementExist(findTestObject("IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeImage"), 30) Element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeImage' is exist	0.399s	PASSED
15	Video Video recording for test case 'Test Cases/IOS/User Management/EK-8569 IS iPhone - Terms and condition Privacy and Policy' .	0.001s	PASSED

EK-8493 IS iPhone - Restore Password

Information

ID	Test Cases/IOS/User Management/EK-8493 IS iPhone - Restore Password
Description	Summary: IS iPhone - Restore Password Description:
Tag	jira-integration

Start	13-03-2024 10:05:45	End	13-03-2024 10:05:53
Elapsed	7.856s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.002s	PASSED
2	runFeatureFile("Include/features/EK-8493 IS iPhone - Restore Password.feature") Feature file: 'Include/features/EK-8493 IS iPhone - Restore Password.feature' was passed	0.006s	PASSED
3	tap(findTestObject("Object Repository/IOS/User Management/Restore Password/XCUIElementTypeOther - Forgot your password"), 30) Tapped on element 'Object Repository/IOS/User Management/Restore Password/XCUIElementTypeOther - Forgot your password'	0.820s	PASSED
4	setText(findTestObject("Object Repository/IOS/User Management/Restore Password/XCUIElementTypeTextField - Username"), LoginCreds.get("username"), 30) Text 'katalon' has been set to element 'Object Repository/IOS/User Management/Restore Password/XCUIElementTypeTextField - Username'	1.272s	PASSED
5	setText(findTestObject("Object Repository/IOS/User Management/Restore Password/XCUIElementTypeTextField - Email"), LoginCreds.get("email"), 30) Text 'samarir@masaratapp.com' has been set to element 'Object Repository/IOS/User Management/Restore Password/XCUIElementTypeTextField - Email'	1.695s	PASSED

EK-8493 IS iPhone - Restore Password

#	Description	Elapsed	Status
6	tap(findTestObject("IOS/User Management/Restore Password/XCUIElementTypeOther - Restore Password"), 30) Tapped on element 'Object Repository/IOS/User Management/Restore Password/XCUIElementTypeOther - Restore Password'	1.318s	PASSED
7	tap(findTestObject("IOS/Draft/XCUIElementTypeOther - Restore Password"), 30, STOP_ON_FAILURE) Tapped on element 'Object Repository/IOS/Draft/XCUIElementTypeOther - Restore Password'	0.712s	PASSED
8	Video Video recording for test case 'Test Cases/IOS/User Management/EK-8493 IS iPhone - Restore Password' .	0.000s	PASSED

EK-8570 IS iPhone - 10 Times failed login

Information

ID	Test Cases/IOS/User Management/EK-8570 IS iPhone - 10 Times failed login		
Description	Summary: IS iPhone - 10 Times failed login Description:		
Tag	jira-integration		
Start	13-03-2024 10:05:53	End	13-03-2024 10:06:35
Elapsed	41.924s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	runFeatureFile("Include/features/EK-8570 IS iPhone - 10 Times failed login.feature") Feature file: 'Include/features/EK-8570 IS iPhone - 10 Times failed login.feature' was passed	0.005s	PASSED
3	delay(10, STOP_ON_FAILURE) Delayed 10 second(s)	10.005s	PASSED
4	setText(findTestObject("IOS/User Management/Sign In/XCUIElementTypeTextField - username"), "Test10times", 30) Text 'Test10times' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeTextField - username'	1.782s	PASSED
5	setText(findTestObject("IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode"), "123", 30) Text '123' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode'	1.533s	PASSED
6	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	1.897s	PASSED

EK-8570 IS iPhone - 10 Times failed login

#	Description	Elapsed	Status
7	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.492s	PASSED
8	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.270s	PASSED
9	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.854s	PASSED
10	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.467s	PASSED
11	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.246s	PASSED
12	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.841s	PASSED
13	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.377s	PASSED

#	Description	Elapsed	Status
14	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.200s	PASSED
15	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.859s	PASSED
16	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.420s	PASSED
17	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.232s	PASSED
18	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.836s	PASSED
19	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.440s	PASSED
20	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.190s	PASSED

EK-8570 IS iPhone - 10 Times failed login

#	Description	Elapsed	Status
21	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.873s	PASSED
22	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.437s	PASSED
23	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.187s	PASSED
24	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.843s	PASSED
25	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.607s	PASSED
26	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.233s	PASSED
27	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.872s	PASSED

EK-8570 IS iPhone - 10 Times failed login

#	Description	Elapsed	Status
28	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.429s	PASSED
29	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.237s	PASSED
30	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.980s	PASSED
31	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.418s	PASSED
32	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.230s	PASSED
33	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.832s	PASSED

EK-8570 IS iPhone - 10 Times failed login

#	Description	Elapsed	Status
34	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Your account has been temporarily disabled due to repeated login failures. Please contact your administrator: samarir@masaratapp.com") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.481s	PASSED
35	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.233s	PASSED
36	Video Video recording for test case 'Test Cases/IOS/User Management/EK-8570 IS iPhone - 10 Times failed login' .	0.000s	PASSED

EK-8491 IS iPhone - Sign in

Information

ID	Test Cases/IOS/User Management/EK-8491 IS iPhone - Sign in
Description	Summary: IS iPhone - Sign in Description:
Tag	jira-integration

Start	13-03-2024 10:06:35	End	13-03-2024 10:07:32
Elapsed	57.242s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	runFeatureFile("Include/features/EK-8491 IS iPhone - Sign in.feature") Feature file: 'Include/features/EK-8491 IS iPhone - Sign in.feature' was passed	0.005s	PASSED
3	startApplication(IPA, true) Started app at: '/Users/safaamarir/APK/IOS/IS/IS_PreProd_2.1.5_214.ipa'	37.723s	PASSED
4	tap(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeButton - Allow"), 30) Tapped on element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeButton - Allow'	1.403s	PASSED
5	setText(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeTextField - username"), LoginCreds.get("username"), 30) Text 'katalon' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeTextField - username'	1.822s	PASSED
6	setText(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode"), LoginCreds.get("password"), 30) Text 'eKare123@' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode'	1.582s	PASSED

EK-8491 IS iPhone - Sign in

#	Description	Elapsed	Status
7	tap(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeOther - SIGN IN'	1.680s	PASSED
8	tap(findTestObject("IOS/User Management/Sign In/XCUIElementTypeOther - Katalon"), 30) Tapped on element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeOther - Katalon'	0.970s	PASSED
9	delay(10) Delayed 10 second(s)	10.007s	PASSED
10	Video Video recording for test case 'Test Cases/IOS/User Management/EK-8491 IS iPhone - Sign in' .	0.000s	PASSED

EK-8492 IS iPhone - Logout

Information

ID	Test Cases/IOS/User Management/EK-8492 IS iPhone - Logout
Description	Summary: IS iPhone - Logout Description:
Tag	jira-integration

Start	13-03-2024 10:07:32	End	13-03-2024 10:07:46
Elapsed	13.669s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	runFeatureFile("Include/features/EK-8492 IS iPhone - Logout.feature") Feature file: 'Include/features/EK-8492 IS iPhone - Logout.feature' was passed	0.005s	PASSED
3	tap(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeOther"), 30) Tapped on element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeOther'	1.375s	PASSED
4	tap(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeOther - Logout"), 30) Tapped on element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeOther - Logout'	2.338s	PASSED
5	verifyElementText(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeStaticText - You want to logout"), "You want to logout ?") Actual text and expected text of test object 'Object Repository/IOS/User Management/Logout/XCUIElementTypeStaticText - You want to logout' are matched.	1.657s	PASSED

EK-8492 IS iPhone - Logout

#	Description	Elapsed	Status
6	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeButton - Cancel"), 30) Element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeButton - Cancel' is exist	1.350s	PASSED
7	tap(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeButton - Confirm"), 30) Tapped on element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeButton - Confirm'	2.115s	PASSED
8	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeOther (1)"), 30) Element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeOther (1)' is exist	2.789s	PASSED
9	Video Video recording for test case 'Test Cases/IOS/User Management/EK-8492 IS iPhone - Logout' .	0.001s	PASSED

EK-8571 IS iPhone - Login as a user with multiple sites

Information

ID	Test Cases/IOS/User Management/EK-8571 IS iPhone - Login as a user with multiple sites
Description	Summary: IS iPhone - Login as a user with multiple sites Description:
Tag	jira-integration

Start	13-03-2024 10:07:46	End	13-03-2024 10:10:00
Elapsed	2m - 13.894s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	runFeatureFile("Include/features/EK-8571 IS iPhone - Login as a user with multiple sites.feature") Feature file: 'Include/features/EK-8571 IS iPhone - Login as a user with multiple sites.feature' was passed	0.006s	PASSED
3	setText(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeTextField - username"), LoginCreds.get("siteuser"), 30) Text 'katalonSite' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeTextField - username'	2.358s	PASSED
4	setText(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode"), LoginCreds.get("password"), 30) Text 'eKare123@' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode'	1.607s	PASSED
5	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - SIGN IN'	1.613s	PASSED

#	Description	Elapsed	Status
6	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon'	0.888s	PASSED
7	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther -"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther -' is exist	2.586s	PASSED
8	setText(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeTextField - Search by Name, MRN"), "111ui", 30) Text '111ui' has been set to element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeTextField - Search by Name, MRN'	2.354s	PASSED
9	tapAtPosition(539, 707) Tapped at [539, 707]	0.754s	PASSED
10	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.008s	PASSED
11	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient'	1.602s	PASSED
12	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient'	0.964s	PASSED
13	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - menu"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - menu'	1.552s	PASSED

EK-8571 IS iPhone - Login as a user with multiple sites

#	Description	Elapsed	Status
14	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Delete patient"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Delete patient' is exist	0.913s	PASSED
15	tapAtPosition(539, 707) Tapped at [539, 707]	0.742s	PASSED
16	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back'	1.057s	PASSED
17	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu (1)"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu (1)'	1.089s	PASSED
18	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Site"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Site'	1.198s	PASSED
19	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - site user"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - site user'	1.223s	PASSED
20	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - add patient"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - add patient' is exist	2.388s	PASSED
21	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient 1"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient 1'	1.194s	PASSED

#	Description	Elapsed	Status
22	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu Patient"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu Patient'	1.504s	PASSED
23	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Edit patient"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Edit patient' is exist	1.054s	PASSED
24	verifyElementNotExist(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Delete patient"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Delete patient' not found	30.187s	PASSED
25	tapAtPosition(539, 707) Tapped at [539, 707]	0.750s	PASSED
26	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back'	1.039s	PASSED
27	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu (1)"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu (1)'	0.963s	PASSED
28	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Site"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Site'	1.321s	PASSED
29	checkElement(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Test1"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Test1' is checked	1.524s	PASSED

EK-8571 IS iPhone - Login as a user with multiple sites

#	Description	Elapsed	Status
30	verifyElementNotExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther -"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther -' not found	30.013s	PASSED
31	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon, Patient 07022024 33M MRN 112ui No Consent (1)"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon, Patient 07022024 33M MRN 112ui No Consent (1)'	1.294s	PASSED
32	verifyElementNotExist(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu Patient"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu Patient' not found	30.026s	PASSED
33	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back'	1.008s	PASSED
34	Video Video recording for test case 'Test Cases/IOS/User Management/EK-8571 IS iPhone - Login as a user with multiple sites' .	0.000s	PASSED

EK-8513 IS iPhone - Auto Logout

Information

ID	Test Cases/IOS/User Management/EK-8513 IS iPhone - Auto Logout
Description	Summary: IS iPhone - Auto Logout Description:
Tag	jira-integration

Start	13-03-2024 10:10:00	End	13-03-2024 10:11:13
Elapsed	1m - 12.827s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.000s	PASSED
2	runFeatureFile("Include/features/EK-8513 IS iPhone - Auto Logout.feature") Feature file: 'Include/features/EK-8513 IS iPhone - Auto Logout.feature' was passed	0.005s	PASSED
3	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther"), 30) Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther'	0.969s	PASSED
4	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - Settings"), 30) Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - Settings'	1.263s	PASSED
5	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - Logout time 10 minutes"), 30) Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - Logout time 10 minutes'	1.115s	PASSED
6	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - 1 minutes"), 30) Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - 1 minutes'	1.145s	PASSED

#	Description	Elapsed	Status
7	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther (2)"), 30) Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther (2)'	0.692s	PASSED
8	delay(65) Delayed 65 second(s)	1m - 5.007s	PASSED
9	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeImage"), 30) Element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeImage' is exist	0.580s	PASSED
10	Video Video recording for test case 'Test Cases/IOS/User Management/EK-8513 IS iPhone - Auto Logout' .	0.000s	PASSED