User Management

Execution Environment

Host name Amarir - DESKTOP-EE3F8H4

Local OS Windows 10 64bit

Katalon version 8.6.5.208 Browser null

Summary

ID Test Suites/User Management

Description

 Total
 7

 Passed
 0
 Failed
 7

 Error
 0
 Incomplete
 0

Skipped 0

Start 2023-08-19 12:11:32 End 2023-08-19 12:14:21

Elapsed 2m - 49.146s

#	ID	Description	Status
1	Test Cases/User Managemenet/Privacy Terms and Conditions		FAILED
2	Test Cases/User Managemenet/Restore Password		FAILED
3	Test Cases/User Managemenet/10loginTestAttempts		FAILED
4	Test Cases/User Managemenet/Login		FAILED
5	Test Cases/User Managemenet/Logout		FAILED
6	Test Cases/User Managemenet/Login as user with multiple sites		FAILED
7	Test Cases/User Managemenet/Auto-logout		FAILED

Information

ID Test Cases/User Managemenet/Privacy Terms and Conditions

Description

Tag

Start 2023-08-19 12:13:04 End 2023-08-19 12:13:28

Elapsed 24.894s
Status FAILED

Details

Description Elapsed Status

#	Description	Elapsed	Status
1	startApplication(APK, true)	24.849s	FAILED
	Unable to start app at: 'C:\Users\Amarir\Downloads\APK\IS\IS_Prod_2.1.apk' (Root cause:		
	org.openqa.selenium.SessionNotCreatedException: Unable to create a new remote session.		
	Please check the server log for more details. Original error: An unknown server-side error		
	occurred while processing the command. Original error: Could not proxy command to the		
	remote server. Original error: socket hang up		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'DESKTOP-EE3F8H4', ip: '192.168.234.1', os.name: 'Windows 10', os.		
	arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362'		
	Driver info: driver.version: SwipeableAndroidDriver		
	remote stacktrace: UnknownError: An unknown server-side error occurred while processing		
	the command. Original error: Could not proxy command to the remote server. Original error:		
	socket hang up		
	at UIA2Proxy.command (C:		
	\Users\Amarir\AppData\Roaming\npm\node_modules\appium\node_modules\appium-base-		
	driver\lib\jsonwp-proxy\proxy.js:274:13)		
	at processTicksAndRejections (node:internal/process/task_queues:95:5)		
	at AndroidUiautomator2Driver.commands.getDevicePixelRatio (C:		
	\Users\Amarir\AppData\Roaming\npm\node_modules\appium\node_modules\appium-		
	uiautomator2-driver\lib\commands\viewport.js:14:10)		
	at AndroidUiautomator2Driver.fillDeviceDetails (C:		
	\Users\Amarir\AppData\Roaming\npm\node_modules\appium\node_modules\appium-		
	uiautomator2-driver\lib\driver.js:244:28)		
	at AndroidUiautomator2Driver.createSession (C:		
	\Users\Amarir\AppData\Roaming\npm\node_modules\appium\node_modules\appium-		
	uiautomator2-driver\lib\driver.js:230:7)		
	at AppiumDriver.createSession (C:		
	\Users\Amarir\AppData\Roaming\npm\node_modules\appium\lib\appium.js:387:35)		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'DESKTOP-EE3F8H4', ip: '192.168.234.1', os.name: 'Windows 10', os.		
	arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362'		
	Driver info: driver.version: SwipeableAndroidDriver		
	at io.appium.java_client.remote.AppiumCommandExecutor\$1.createSession		
	(AppiumCommandExecutor.java:208)		
	at io.appium.java_client.remote.AppiumCommandExecutor.createSession		
	(AppiumCommandExecutor.java:217)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:239)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		
	java:552) at io.appium.java_client.DefaultGenericMobileDriver.execute		
	(DefaultGenericMobileDriver.java:42)		
	at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)		
	at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)		
	at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.execute		
	(SwipeableAndroidDriver.java:1)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession		
	(RemoteWebDriver.java:213)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:</init>		
	131)		
	at io.appium.java_client.DefaultGenericMobileDriver. <init></init>		
	(DefaultGenericMobileDriver.java:38)		
	at io.appium.java_client.AppiumDriver. <init>(AppiumDriver.java:84)</init>		
	at io.appium.java_client.android.AndroidDriver. <init>(AndroidDriver.java:85)</init>		
	at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver. <init></init>		
	(Swipeable Android Driver Java: 24)		

 $at\ com. kms. katalon. core. appium. driver. Appium Driver Manager. create Mobile Driver$

(SwipeableAndroidDriver.java:24)

```
Description
                                                                                             Elapsed
                                                                                                               Status
(AppiumDriverManager.java:510)
          at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver
(AppiumDriverManager.java:492)
          at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startLocalMobileDriver(MobileDriverFactory.java:568)
          at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startMobileDriver(MobileDriverFactory.java:481)
          at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.doCall(StartApplicationKeyword.
groovy:61)
          at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword.groovy)
          at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
runKeyword(MobileKeywordMain.groovy:21)
          at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
startApplication(StartApplicationKeyword.groovy:63)
          at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute
(StartApplicationKeyword.groovy:42)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication
(MobileBuiltInKeywords.groovy:78)
          at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords$startApplication.
call(Unknown Source)
          at Privacy Terms and Conditions.run(Privacy Terms and Conditions:20)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
          at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
          at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:369)
          at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)
java:369)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:369)
          at\ com. kms. katalon. core. common. Common Executor. access Test Case Main Phase
(CommonExecutor.java:65)
          at\ com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:148)
          at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
106)
          at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
187)
          at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
          at TempTestSuite1692447053330.run(TempTestSuite1692447053330.groovy:36)
```

Caused by: java.lang.reflect.InvocationTargetException

(AppiumCommandExecutor.java:186)

at io.appium.java_client.remote.AppiumCommandExecutor\$1.createSession

Status

```
Description
                                                                                              Elapsed
          at io.appium.java_client.remote.AppiumCommandExecutor.createSession
(AppiumCommandExecutor.java:217)
          at\ io. appium. java\_client. remote. Appium Command Executor. execute
(AppiumCommandExecutor.java:239)
          at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
          at io.appium.java_client.DefaultGenericMobileDriver.execute
(DefaultGenericMobileDriver.java:42)
          at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
          at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
          at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.execute
(SwipeableAndroidDriver.java:1)
          at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
          at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
131)
          at io.appium.java_client.DefaultGenericMobileDriver.<init>
(DefaultGenericMobileDriver.java:38)
          at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:84)
          at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:85)
          at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.<init>
(SwipeableAndroidDriver.iava:24)
          at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver
(AppiumDriverManager.iava:510)
          at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver
(AppiumDriverManager.java:492)
          at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startLocalMobileDriver(MobileDriverFactory.java:568)
          at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startMobileDriver(MobileDriverFactory.java:481)
          at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.doCall(StartApplicationKeyword.
groovy:61)
          at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword.groovy)
          at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
runKeyword(MobileKeywordMain.groovy:21)
          at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
startApplication(StartApplicationKeyword.groovy:63)
          at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute
(StartApplicationKeyword.groovy:42)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication
(MobileBuiltInKeywords.groovy:78)
          at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords$startApplication.
call(Unknown Source)
          at Script1690195614634.run(Script1690195614634.groovy:20)
          ... 16 more
Caused by: org.openga.selenium.WebDriverException: An unknown server-side error
occurred while processing the command. Original error: Could not proxy command to the
remote server. Original error: socket hang up
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-EE3F8H4', ip: '192.168.234.1', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362'
Driver info: driver.version: SwipeableAndroidDriver
remote stacktrace: UnknownError: An unknown server-side error occurred while processing
```

the command. Original error: Could not proxy command to the remote server. Original error:

Status

```
Description
                                                                            Elapsed
socket hang up
  at UIA2Proxy.command (C:
\Users\Amarir\AppData\Roaming\npm\node_modules\appium\node_modules\appium-base-
driver\lib\jsonwp-proxy\proxy.js:274:13)
  at processTicksAndRejections (node:internal/process/task_queues:95:5)
  at AndroidUiautomator2Driver.commands.getDevicePixelRatio (C:
uiautomator2-driver\lib\commands\viewport.js:14:10)
  at AndroidUiautomator2Driver.fillDeviceDetails (C:
uiautomator2-driver\lib\driver.js:244:28)
  at AndroidUiautomator2Driver.createSession (C:
\Users\Amarir\AppData\Roaming\npm\node_modules\appium\node_modules\appium-
uiautomator2-driver\lib\driver.js:230:7)
  at AppiumDriver.createSession (C:
\Users\Amarir\AppData\Roaming\npm\node_modules\appium\lib\appium.js:387:35)
        at org.openga.selenium.remote.W3CHandshakeResponse.
```

at org.openga.selenium.remote.ProtocolHandshake.lambda\$createSession\$0

at org.openga.selenium.remote.ProtocolHandshake.createSession

lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)

(ProtocolHandshake.java:126)

(ProtocolHandshake.java:128) ... 43 more

lambda\$getResponseFunction\$0(HandshakeResponse.java:30)

at org.openqa.selenium.remote.HandshakeResponse.

Restore Password

Information

ID Test Cases/User Managemenet/Restore Password

Description

Tag

Start 2023-08-19 12:13:31 End 2023-08-19 12:13:31

Elapsed 0.209s Status FAILED

#	Description	Elapsed	Status
1	tap(findTestObject("Object Repository/User Management/Restore Password/android.widget.TextView - Forgot your password"), 30)	0.194s	PASSED

10loginTestAttempts

Information

ID Test Cases/User Managemenet/10loginTestAttempts

Description

Tag

Start 2023-08-19 12:13:34 End 2023-08-19 12:13:34

Elapsed 0.231s Status FAILED

#	Description	Elapsed	Status
1	setText(findTestObject("User Management/Login/android.widget.EditText - username"), "Test10times", 30)	0.196s	PASSED

Information

ID Test Cases/User Managemenet/Login

Description

Tag

Start 2023-08-19 12:14:09 End 2023-08-19 12:14:15

Elapsed 6.100s Status FAILED

Details

Description Elapsed Status

Description	Elapsed	Stat
startApplication(APK, false)	6.058s	FAIL
Unable to start app at: 'C:\Users\Amarir\Downloads\APK\IS\IS_Prod_2.1.apk' (Root cause:		
org.openqa.selenium.SessionNotCreatedException: Unable to create a new remote session. Please check the server log for more details. Original error: An unknown server-side error		
occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-EE3F8H4', ip: '192.168.234.1', os.name: 'Windows 10', os.		
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362'		
Driver info: driver.version: SwipeableAndroidDriver remote stacktrace: UnknownError: An unknown server-side error occurred while processing		
the command. Original error: Could not proxy command to the remote server. Original error: socket hang up		
at UIA2Proxy.command (C:		
\Users\Amarir\AppData\Roaming\npm\node_modules\appium\node_modules\appium-base-driver\lib\jsonwp-proxy\proxy.js:274:13)		
at processTicksAndRejections (node:internal/process/task_queues:95:5) at AndroidUiautomator2Driver.commands.getDevicePixelRatio (C:		
\Users\Amarir\AppData\Roaming\npm\node_modules\appium\node_modules\appium-		
uiautomator2-driver\lib\commands\viewport.js:14:10) at AndroidUiautomator2Driver.fillDeviceDetails (C:		
\Users\Amarir\AppData\Roaming\npm\node_modules\appium\node_modules\appium-		
uiautomator2-driver\lib\driver.js:244:28) at AndroidUiautomator2Driver.createSession (C:		
\Users\Amarir\AppData\Roaming\npm\node_modules\appium\node_modules\appium-		
uiautomator2-driver\lib\driver.js:230:7)		
at AppiumDriver.createSession (C:		
\Users\Amarir\AppData\Roaming\npm\node_modules\appium\lib\appium.js:387:35)		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-EE3F8H4', ip: '192.168.234.1', os.name: 'Windows 10', os.		
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362'		
Driver info: driver.version: SwipeableAndroidDriver		
at io.appium.java_client.remote.AppiumCommandExecutor\$1.createSession		
(AppiumCommandExecutor.java:208)		
at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:217)		
at io.appium.java_client.remote.AppiumCommandExecutor.execute		
(AppiumCommandExecutor.java:239)		
$at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$		
java:552)		
at io.appium.java_client.DefaultGenericMobileDriver.execute (DefaultGenericMobileDriver.java:42)		
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)		
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)		
at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.execute		
(SwipeableAndroidDriver.java:1)		
at org.openqa.selenium.remote.RemoteWebDriver.startSession		
(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:</init>		
131)		
at io.appium.java_client.DefaultGenericMobileDriver. <init></init>		
(DefaultGenericMobileDriver.java:38)		
at io.appium.java_client.AppiumDriver. <init>(AppiumDriver.java:84)</init>		
at io.appium.java_client.android.AndroidDriver. <init>(AndroidDriver.java:85)</init>		
at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver. <init></init>		
(SwipeableAndroidDriver.java:24) at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver		

```
Description
                                                                                             Elapsed
                                                                                                               Status
(AppiumDriverManager.java:510)
          at\ com. kms. katalon. core. appium. driver. Appium Driver Manager. create Mobile Driver
(AppiumDriverManager.java:492)
          at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startLocalMobileDriver(MobileDriverFactory.java:568)
          at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startMobileDriver(MobileDriverFactory.java:481)
          at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.doCall(StartApplicationKeyword.
groovy:61)
          at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword.groovy)
          at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
runKeyword(MobileKeywordMain.groovy:21)
          at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
startApplication(StartApplicationKeyword.groovy:63)
          at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute
(StartApplicationKeyword.groovy:42)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication
(MobileBuiltInKeywords.groovy:78)
          at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords$startApplication.
call(Unknown Source)
          at Login.run(Login:20)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
          at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
          at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:369)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:369)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:369)
          at\ com. kms. katalon. core. common. Common Executor. access Test Case Main Phase
(CommonExecutor.java:65)
          at\ com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:148)
          at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
106)
          at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
187)
          at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
          at TempTestSuite1692447053330.run(TempTestSuite1692447053330.groovy:36)
```

Caused by: java.lang.reflect.InvocationTargetException

(AppiumCommandExecutor.java:186)

at io.appium.java_client.remote.AppiumCommandExecutor\$1.createSession

Elapsed

Status

```
Description
          at io.appium.java_client.remote.AppiumCommandExecutor.createSession
(AppiumCommandExecutor.java:217)
          at\ io. appium. java\_client. remote. Appium Command Executor. execute
(AppiumCommandExecutor.java:239)
          at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
          at io.appium.java_client.DefaultGenericMobileDriver.execute
(DefaultGenericMobileDriver.java:42)
          at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
          at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
          at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.execute
(SwipeableAndroidDriver.java:1)
          at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
          at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
131)
          at io.appium.java_client.DefaultGenericMobileDriver.<init>
(DefaultGenericMobileDriver.java:38)
          at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:84)
          at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:85)
          at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.<init>
(SwipeableAndroidDriver.java:24)
          at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver
(AppiumDriverManager.iava:510)
          at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver
(AppiumDriverManager.java:492)
          at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startLocalMobileDriver(MobileDriverFactory.java:568)
          at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startMobileDriver(MobileDriverFactory.java:481)
          at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword \$\_startApplication\_closure 1. do Call (StartApplicationKeyword.
groovy:61)
          at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword.groovy)
          at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
runKeyword(MobileKeywordMain.groovy:21)
          at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
startApplication(StartApplicationKeyword.groovy:63)
          at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute
(StartApplicationKeyword.groovy:42)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication
(MobileBuiltInKeywords.groovy:78)
          at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords$startApplication.
call(Unknown Source)
          at Script1690188553036.run(Script1690188553036.groovy:20)
          ... 16 more
Caused by: org.openga.selenium.WebDriverException: An unknown server-side error
occurred while processing the command. Original error: Could not proxy command to the
remote server. Original error: socket hang up
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-EE3F8H4', ip: '192.168.234.1', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362'
Driver info: driver.version: SwipeableAndroidDriver
remote stacktrace: UnknownError: An unknown server-side error occurred while processing
```

the command. Original error: Could not proxy command to the remote server. Original error:

Status

```
Description
                                                                            Elapsed
socket hang up
  at UIA2Proxy.command (C:
\Users\Amarir\AppData\Roaming\npm\node_modules\appium\node_modules\appium-base-
driver\lib\jsonwp-proxy\proxy.js:274:13)
  at processTicksAndRejections (node:internal/process/task_queues:95:5)
  at AndroidUiautomator2Driver.commands.getDevicePixelRatio (C:
uiautomator2-driver\lib\commands\viewport.js:14:10)
  at AndroidUiautomator2Driver.fillDeviceDetails (C:
uiautomator2-driver\lib\driver.js:244:28)
  at AndroidUiautomator2Driver.createSession (C:
\Users\Amarir\AppData\Roaming\npm\node_modules\appium\node_modules\appium-
uiautomator2-driver\lib\driver.js:230:7)
  at AppiumDriver.createSession (C:
\Users\Amarir\AppData\Roaming\npm\node_modules\appium\lib\appium.js:387:35)
        at org.openga.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
```

at org.openga.selenium.remote.ProtocolHandshake.lambda\$createSession\$0

at org.openga.selenium.remote.ProtocolHandshake.createSession

at org.openqa.selenium.remote.HandshakeResponse.

lambda\$getResponseFunction\$0(HandshakeResponse.java:30)

(ProtocolHandshake.java:126)

(ProtocolHandshake.java:128) ... 43 more

Logout

Information

ID Test Cases/User Managemenet/Logout

Description

Tag

Start 2023-08-19 12:14:17 End 2023-08-19 12:14:17

Elapsed 0.164s
Status FAILED

Details

#	Description	Elapsed	Status
1	tap(findTestObject("Object Repository/User Management/Logout/android.widget.ImageView - menu"), 0)	0.150s	PASSED

Timeout '0' is invalid. Using default page load timeout: '30'

Login as user with multiple sites

Information

ID Test Cases/User Managemenet/Login as user with multiple sites

Description

Tag

Start 2023-08-19 12:14:19 End 2023-08-19 12:14:19

Elapsed 0.258s Status FAILED

#	Description	Elapsed	Status
1	setText(findTestObject("Object Repository/User Management/Login as user with multiple	0.229s	PASSED
	sites/android.widget.EditText - username"). "KatalonSite". 30)		

Auto-logout

Information

ID Test Cases/User Managemenet/Auto-logout

Description

Tag

Start 2023-08-19 12:14:21 End 2023-08-19 12:14:21

Elapsed 0.137s Status FAILED

#	Description	Elapsed	Status
1	tap(findTestObject("User Management/Auto-Logout/android.widget.lmageView - Menu (1)"), 30)	0.123s	PASSED