User Management

Execution Environment

Host name	safaamarir - 192.168.1.4
Local OS	Mac OS X 64bit
Katalon version	9.2.0.212
Browser	null

Summary

ID	Test Suites/IS iPhone/User Management		
Description			
Total	6		
Passed	6	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	09-05-2024 10:20:47	End	09-05-2024 10:27:17
Elapsed	6m - 29.806s		

#	ID	Description	Status
1	Test Cases/IOS/User Management/EK-8493 IS iPhone - Restore Password	Summary: IS iPhone - Restore Password Description:	PASSED
2	Test Cases/IOS/User Management/EK-8570 IS iPhone - 10 Times failed login	Summary: IS iPhone - 10 Times failed login Description:	PASSED
3	Test Cases/IOS/User Management/EK-8491 IS iPhone - Sign in	Summary: IS iPhone - Sign in Description:	PASSED
4	Test Cases/IOS/User Management/EK-8492 IS iPhone - Logout	Summary: IS iPhone - Logout Description:	PASSED
5	Test Cases/IOS/User Management/EK-8571 IS iPhone - Login as a user with multiple sites	Summary: IS iPhone - Login as a user with multiple sites Description:	PASSED
6	Test Cases/IOS/User Management/EK-8513 IS iPhone - Auto Logout	Summary: IS iPhone - Auto Logout Description:	PASSED

EK-8493 IS iPhone - Restore Password

Information

ID	Test Cases/IOS/User Management/EK-8493 IS iPhone - Restore Password
Description	Summary: IS iPhone - Restore Password Description:
Tag	jira-integration

Start	09-05-2024 10:20:47	End	09-05-2024 10:21:44
Elapsed	56.708s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.022s	PASSED
2	runFeatureFile("Include/features/EK-8493 IS iPhone - Restore Password.feature") Feature file: 'Include/features/EK-8493 IS iPhone - Restore Password.feature' was passed	0.161s	PASSED
3	startApplication(IPA, true) Started app at: '/Users/safaamarir/APK/IOS/IS/IS_Preprod_2.2.1_290.ipa'	46.419s	PASSED
4	tap(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeButton - Allow"), 30) Tapped on element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeButton - Allow'	1.500s	PASSED
5	tap(findTestObject("Object Repository/IOS/User Management/Restore Password/XCUIElementTypeOther - Forgot your password"), 30) Tapped on element 'Object Repository/IOS/User Management/Restore Password/XCUIElementTypeOther - Forgot your password'	0.945s	PASSED
6	setText(findTestObject("Object Repository/IOS/User Management/Restore Password/XCUIElementTypeTextField - Username"), LoginCreds.get("username"), 30) Text 'katalon' has been set to element 'Object Repository/IOS/User Management/Restore Password/XCUIElementTypeTextField - Username'	1.645s	PASSED

EK-8493 IS iPhone - Restore Password

#	Description	Elapsed	Status
7	setText(findTestObject("Object Repository/IOS/User Management/Restore Password/XCUIElementTypeTextField - Email"), LoginCreds.get("email"), 30) Text 'samarir@masaratapp.com' has been set to element 'Object Repository/IOS/User Management/Restore Password/XCUIElementTypeTextField - Email'	1.675s	PASSED
8	tap(findTestObject("IOS/User Management/Restore Password/XCUIElementTypeOther - Restore Password"), 30) Tapped on element 'Object Repository/IOS/User Management/Restore Password/XCUIElementTypeOther - Restore Password'	1.335s	PASSED
9	tap(findTestObject("IOS/Draft/XCUIElementTypeOther - Restore Password"), 30, STOP_ON_FAILURE) Tapped on element 'Object Repository/IOS/Draft/XCUIElementTypeOther - Restore Password'	0.694s	PASSED
10	Video Video recording for test case 'Test Cases/IOS/User Management/EK-8493 IS iPhone - Restore Password' .	0.000s	PASSED

EK-8570 IS iPhone - 10 Times failed login

Information

ID	Test Cases/IOS/User Management/EK-8570 IS iPhone - 10 Times failed login
Description	Summary: IS iPhone - 10 Times failed login Description:
Tag	jira-integration

Start	09-05-2024 10:21:44	End	09-05-2024 10:22:28
Elapsed	44.110s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	runFeatureFile("Include/features/EK-8570 IS iPhone - 10 Times failed login.feature") Feature file: 'Include/features/EK-8570 IS iPhone - 10 Times failed login.feature' was passed	0.006s	PASSED
3	delay(10, STOP_ON_FAILURE) Delayed 10 second(s)	10.012s	PASSED
4	setText(findTestObject("IOS/User Management/Sign In/XCUIElementTypeTextField - username"), "Test10times", 30) Text 'Test10times' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeTextField - username'	1.868s	PASSED
5	setText(findTestObject("IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode"), "123", 30) Text '123' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode'	1.579s	PASSED
6	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	2.004s	PASSED

EK-8570 IS iPhone - 10 Times failed login

#	Description	Elapsed	Status
7	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.564s	PASSED
8	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.360s	PASSED
9	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30, STOP_ON_FAILURE) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.973s	PASSED
10	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.595s	PASSED
11	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.295s	PASSED
12	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.884s	PASSED
13	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.512s	PASSED

EK-8570 IS iPhone - 10 Times failed login

#	Description	Elapsed	Status
14	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.307s	PASSED
15	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.893s	PASSED
16	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.475s	PASSED
17	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.296s	PASSED
18	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.938s	PASSED
19	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.629s	PASSED
20	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.338s	PASSED

EK-8570 IS iPhone - 10 Times failed login

#	Description	Elapsed	Status
21	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.926s	PASSED
22	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.501s	PASSED
23	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.286s	PASSED
24	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.902s	PASSED
25	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.491s	PASSED
26	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.289s	PASSED
27	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.955s	PASSED

EK-8570 IS iPhone - 10 Times failed login

#	Description	Elapsed	Status
28	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.533s	PASSED
29	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.264s	PASSED
30	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.943s	PASSED
31	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.474s	PASSED
32	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.283s	PASSED
33	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.908s	PASSED

EK-8570 IS iPhone - 10 Times failed login

#	Description	Elapsed	Status
34	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Your account has been temporarily disabled due to repeated login failures. Please contact your administrator: samarir@masaratapp.com") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.436s	PASSED
35	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.291s	PASSED
36	Video Video recording for test case 'Test Cases/IOS/User Management/EK-8570 IS iPhone - 10 Times failed login' .	0.000s	PASSED

EK-8491 IS iPhone - Sign in

Information

ID	Test Cases/IOS/User Management/EK-8491 IS iPhone - Sign in		
Description	Summary: IS iPhone - Sign in Description:		
Tag	jira-integration		
Start	09-05-2024 10:22:28	End	09-05-2024 10:23:29
Elapsed	1m - 1.466s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	runFeatureFile("Include/features/EK-8491 IS iPhone - Sign in.feature") Feature file: 'Include/features/EK-8491 IS iPhone - Sign in.feature' was passed	0.006s	PASSED
3	startApplication(IPA, true) Started app at: '/Users/safaamarir/APK/IOS/IS/IS_Preprod_2.2.1_290.ipa'	41.784s	PASSED
4	tap(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeButton - Allow"), 30) Tapped on element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeButton - Allow'	1.438s	PASSED
5	setText(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeTextField - username"), LoginCreds.get("username"), 30) Text 'katalon' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeTextField - username'	1.840s	PASSED
6	setText(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode"), LoginCreds.get("password"), 30) Text 'eKare123@' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode'	1.645s	PASSED

EK-8491 IS iPhone - Sign in

#	Description	Elapsed	Status
7	tap(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeOther - SIGN IN'	1.708s	PASSED
8	tap(findTestObject("IOS/User Management/Sign In/XCUIElementTypeOther - Katalon"), 30) Tapped on element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeOther - Katalon'	0.985s	PASSED
9	delay(10) Delayed 10 second(s)	10.013s	PASSED
10	Video Video recording for test case 'Test Cases/IOS/User Management/EK-8491 IS iPhone - Sign in' .	0.000s	PASSED

EK-8492 IS iPhone - Logout

Information

ID	Test Cases/IOS/User Management/EK-8492 IS iPhone - Logout
Description	Summary: IS iPhone - Logout Description:
Tag	jira-integration

Start	09-05-2024 10:23:29	End	09-05-2024 10:23:43
Elapsed	13.920s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.000s	PASSED
2	runFeatureFile("Include/features/EK-8492 IS iPhone - Logout.feature") Feature file: 'Include/features/EK-8492 IS iPhone - Logout.feature' was passed	0.006s	PASSED
3	tap(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeOther"), 30) Tapped on element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeOther'	1.295s	PASSED
4	tap(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeOther - Logout"), 30) Tapped on element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeOther - Logout'	2.144s	PASSED
5	verifyElementText(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeStaticText - You want to logout"), "You want to logout ?") Actual text and expected text of test object 'Object Repository/IOS/User Management/Logout/XCUIElementTypeStaticText - You want to logout' are matched.	1.473s	PASSED

EK-8492 IS iPhone - Logout

#	Description	Elapsed	Status
6	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeButton - Cancel"), 30) Element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeButton - Cancel' is exist	1.125s	PASSED
7	tap(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeButton - Confirm"), 30) Tapped on element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeButton - Confirm'	1.838s	PASSED
8	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeOther (1)"), 30) Element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeOther (1)' is exist	3.996s	PASSED
9	Video Video recording for test case 'Test Cases/IOS/User Management/EK-8492 IS iPhone - Logout' .	0.001s	PASSED

EK-8571 IS iPhone - Login as a user with multiple sites

Information

ID	Test Cases/IOS/User Management/EK-8571 IS iPhone - Login as a user with multiple sites
Description	Summary: IS iPhone - Login as a user with multiple sites Description:
Tag	jira-integration

Start	09-05-2024 10:23:43	End	09-05-2024 10:25:59
Elapsed	2m - 15.888s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	runFeatureFile("Include/features/EK-8571 IS iPhone - Login as a user with multiple sites.feature") Feature file: 'Include/features/EK-8571 IS iPhone - Login as a user with multiple sites.feature' was passed	0.005s	PASSED
3	setText(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeTextField - username"), LoginCreds.get("siteuser"), 30) Text 'katalonSite' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeTextField - username'	2.301s	PASSED
4	setText(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode"), LoginCreds.get("password"), 30) Text 'eKare123@' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode'	1.634s	PASSED
5	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - SIGN IN'	1.644s	PASSED

EK-8571 IS iPhone - Login as a user with multiple sites

#	Description	Elapsed	Status
6	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon'	0.617s	PASSED
7	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther -"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther -' is exist	3.063s	PASSED
8	setText(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeTextField - Search by Name, MRN"), "111ui", 30) Text '111ui' has been set to element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeTextField - Search by Name, MRN'	3.196s	PASSED
9	tapAtPosition(539, 707) Tapped at [539, 707]	0.890s	PASSED
10	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.005s	PASSED
11	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient'	1.552s	PASSED
12	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient'	0.901s	PASSED
13	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - menu"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - menu'	2.129s	PASSED

EK-8571 IS iPhone - Login as a user with multiple sites

#	Description	Elapsed	Status
14	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Delete patient"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Delete patient' is exist	0.853s	PASSED
15	tapAtPosition(539, 707) Tapped at [539, 707]	0.724s	PASSED
16	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back'	1.081s	PASSED
17	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu (1)"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu (1)'	1.004s	PASSED
18	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Site"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Site'	1.153s	PASSED
19	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - site user"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - site user'	1.162s	PASSED
20	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - add patient"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - add patient' is exist	2.739s	PASSED
21	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient 1"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient 1'	1.147s	PASSED

#	Description	Elapsed	Status
22	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu Patient"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu Patient'	1.580s	PASSED
23	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Edit patient"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Edit patient' is exist	0.866s	PASSED
24	verifyElementNotExist(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Delete patient"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Delete patient' not found	30.644s	PASSED
25	tapAtPosition(539, 707) Tapped at [539, 707]	0.733s	PASSED
26	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back'	1.177s	PASSED
27	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu (1)"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu (1)'	0.939s	PASSED
28	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Site"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Site'	1.107s	PASSED
29	checkElement(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Test1"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Test1' is checked	1.393s	PASSED

EK-8571 IS iPhone - Login as a user with multiple sites

#	Description	Elapsed	Status
30	verifyElementNotExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther -"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther -' not found	30.038s	PASSED
31	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon, Patient 07022024 33M MRN 112ui No Consent (1)"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon, Patient 07022024 33M MRN 112ui No Consent (1)'	1.245s	PASSED
32	verifyElementNotExist(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu Patient"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu Patient' not found	30.201s	PASSED
33	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back'	1.015s	PASSED
34	Video Video recording for test case 'Test Cases/IOS/User Management/EK-8571 IS iPhone - Login as a user with multiple sites' .	0.000s	PASSED

EK-8513 IS iPhone - Auto Logout

Information

ID	Test Cases/IOS/User Management/EK-8513 IS iPhone - Auto Logout
Description	Summary: IS iPhone - Auto Logout Description:
Tag	jira-integration

Start	09-05-2024 10:25:59	End	09-05-2024 10:27:17
Elapsed	1m - 17.642s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.000s	PASSED
2	runFeatureFile("Include/features/EK-8513 IS iPhone - Auto Logout.feature") Feature file: 'Include/features/EK-8513 IS iPhone - Auto Logout.feature' was passed	0.006s	PASSED
3	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther"), 30) Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther'	0.969s	PASSED
4	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - Settings"), 30) Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - Settings'	1.037s	PASSED
5	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - Logout time 10 minutes"), 30) Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - Logout time 10 minutes'	1.039s	PASSED
6	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - 1 minutes"), 30) Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - 1 minutes'	1.099s	PASSED

#	Description	Elapsed	Status
7	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther (2)"), 30) Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther (2)'	0.843s	PASSED
8	delay(30) Delayed 30 second(s)	30.005s	PASSED
9	delay(30, STOP_ON_FAILURE) Delayed 30 second(s)	30.008s	PASSED
10	delay(10, STOP_ON_FAILURE) Delayed 10 second(s)	10.009s	PASSED
11	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeImage"), 30) Element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeImage' is exist	0.550s	PASSED
12	Video Video recording for test case 'Test Cases/IOS/User Management/EK-8513 IS iPhone - Auto Logout' .	0.001s	PASSED