Treatment and WCP

Execution Environment

Host name	Amarir - DESKTOP-EE3F8H4
Local OS	Windows 10 64bit
Katalon version	8.6.5.208
Browser	null

Summary

ID	Test Suites/Treatment and WCP		
Description			
Total	4		
Passed	0	Failed	4
Error	0	Incomplete	0
Skipped	0		
Start	2023-09-06 14:26:24	End	2023-09-06 14:26:45
Elapsed	21.112s		

#	ID	Description	Status
1	Test Cases/User Managemenet/Login		FAILED
2	Test Cases/Treatment and WCP/Add Treatment		FAILED
3	Test Cases/Treatment and WCP/Edit Treatment		FAILED
4	Test Cases/Treatment and WCP/Treatment WCP history		FAILED

Login

Information

ID	Test Cases/User Managemenet/Login		
Description			
Tag			
Start	2023-09-06 14:26:39	End	2023-09-06 14:26:40
Elapsed	1.352s		
Status	FAILED		

Details

#	Description	Elapsed	Status

Login

#	Description	Elapsed	Status
1	startApplication(APK, false)	1.318s	FAILED

Unable to start app at: 'C:\Users\Amarir\Downloads\APK\IS\IS_Prod_2.1.apk' (Root cause: org.openqa.selenium.SessionNotCreatedException: Unable to create a new remote session. Please check the server log for more details. Original error: Illegal key values seen in w3c capabilities: [deviceId]
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-EE3F8H4', ip: '192.168.234.1', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362'
Driver info: driver.version: SwipeableAndroidDriver
remote stacktrace: java.lang.IllegalArgumentException: Illegal key values seen in w3c capabilities: [deviceId]
        at org.openqa.selenium.remote.NewSessionPayload.lambda$validate$4 (NewSessionPayload.java:163)
        at java.base/java.util.stream.ReferencePipeline$11$1.accept(ReferencePipeline. java:441)
        at java.base/java.util.stream.ReferencePipeline$11$1.accept(ReferencePipeline. java:442)
        at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline. java:195)
        at java.base/java.util.stream.ReferencePipeline$11$1.accept(ReferencePipeline. java:442)
        at java.base/java.util.ArrayList$ArrayListSpliterator.forEachRemaining(ArrayList. java:1655)
        at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484)
        at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline. java:474)
        at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential (ForEachOps.java:150)
        at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential (ForEachOps.java:173)
        at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
        at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java: 497)
        at org.openqa.selenium.remote.NewSessionPayload.validate (NewSessionPayload.java:167)
        at org.openqa.selenium.remote.NewSessionPayload.<init>(NewSessionPayload. java:106)
        at org.openqa.selenium.remote.NewSessionPayload.create(NewSessionPayload. java:76)
        at com.katalon.testcloud.grid.router.filter.NewSessionFilter.handleRequest (NewSessionFilter.java:33)
        at com.katalon.testcloud.grid.router.filter.UserAuthFilter.filter(UserAuthFilter.java: 37)
        at com.katalon.testcloud.grid.router.filter.AppFilter.lambda$apply$0(AppFilter.java: 36)
        at org.openqa.selenium.remote.http.Filter$1.execute(Filter.java:64)
        at org.openqa.selenium.remote.AddWebDriverSpecHeaders.lambda$apply$0 (AddWebDriverSpecHeaders.java:35)
        at org.openqa.selenium.remote.ErrorFilter.lambda$apply$0(ErrorFilter.java:44)
        at org.openqa.selenium.remote.http.Filter$1.execute(Filter.java:64)
        at org.openqa.selenium.remote.ErrorFilter.lambda$apply$0(ErrorFilter.java:44)
        at org.openqa.selenium.remote.http.Filter$1.execute(Filter.java:64)
        at org.openqa.selenium.netty.server.SeleniumHandler.lambda$channelRead0$0 (SeleniumHandler.java:44)
        at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java: 515)
        at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)

#	Description	Elapsed	Status

at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker
(ThreadPoolExecutor.java:1128)
       at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run
(ThreadPoolExecutor.java:628)
       at java.base/java.lang.Thread.run(Thread.java:829)

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-EE3F8H4', ip: '192.168.234.1', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362'
Driver info: driver.version: SwipeableAndroidDriver
       at io.appium.java_client.remote.AppiumCommandExecutor$1.createSession
(AppiumCommandExecutor.java:208)
       at io.appium.java_client.remote.AppiumCommandExecutor.createSession
(AppiumCommandExecutor.java:217)
       at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:239)
       at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
       at io.appium.java_client.DefaultGenericMobileDriver.execute
(DefaultGenericMobileDriver.java:42)
       at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
       at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
       at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.execute
(SwipeableAndroidDriver.java:1)
       at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
       at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
131)
       at io.appium.java_client.DefaultGenericMobileDriver.<init>
(DefaultGenericMobileDriver.java:38)
       at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:84)
       at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:85)
       at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.<init>
(SwipeableAndroidDriver.java:24)
       at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver
(AppiumDriverManager.java:510)
       at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startRemoteMobileDriver(MobileDriverFactory.java:575)
       at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startMobileDriver(MobileDriverFactory.java:478)
       at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.doCall(StartApplicationKeyword.
groovy:61)
       at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword.groovy)
       at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
runKeyword(MobileKeywordMain.groovy:21)
       at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
startApplication(StartApplicationKeyword.groovy:63)
       at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute
(StartApplicationKeyword.groovy:42)
       at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
       at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication
(MobileBuiltInKeywords.groovy:78)
       at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords$startApplication.
call(Unknown Source)
       at Login.run(Login:20)

#	Description	Elapsed	Status

at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)

at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)

at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)

at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)

at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)

at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148)

at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)

at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187)

at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)

at TempTestSuite1694010374049.run(TempTestSuite1694010374049.groovy:36)
Caused by: java.lang.reflect.InvocationTargetException

at io.appium.java_client.remote.AppiumCommandExecutor$1.createSession(AppiumCommandExecutor.java:186)

at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:217)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:239)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.execute(SwipeableAndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213)

at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131)

at io.appium.java_client.DefaultGenericMobileDriver.<init>(DefaultGenericMobileDriver.java:38)

at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:84)

at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:85)

at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.<init>(SwipeableAndroidDriver.java:24)

at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver(AppiumDriverManager.java:510)

at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.

#	Description	Elapsed	Status

startRemoteMobileDriver(MobileDriverFactory.java:575)
        at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startMobileDriver(MobileDriverFactory.java:478)
        at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.doCall(StartApplicationKeyword.
groovy:61)
        at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword.groovy)
        at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
runKeyword(MobileKeywordMain.groovy:21)
        at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
startApplication(StartApplicationKeyword.groovy:63)
        at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute
(StartApplicationKeyword.groovy:42)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication
(MobileBuiltInKeywords.groovy:78)
        at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords$startApplication.
call(Unknown Source)
        at Script1690188553036.run(Script1690188553036.groovy:20)
        ... 16 more
Caused by: org.openqa.selenium.WebDriverException: Illegal key values seen in w3c
capabilities: [deviceId]
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-EE3F8H4', ip: '192.168.234.1', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362'
Driver info: driver.version: SwipeableAndroidDriver
remote stacktrace: java.lang.IllegalArgumentException: Illegal key values seen in w3c
capabilities: [deviceId]
        at org.openqa.selenium.remote.NewSessionPayload.lambda$validate$4
(NewSessionPayload.java:163)
        at java.base/java.util.stream.ReferencePipeline$11$1.accept(ReferencePipeline.
java:441)
        at java.base/java.util.stream.ReferencePipeline$11$1.accept(ReferencePipeline.
java:442)
        at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.
java:195)
        at java.base/java.util.stream.ReferencePipeline$11$1.accept(ReferencePipeline.
java:442)
        at java.base/java.util.ArrayList$ArrayListSpliterator.forEachRemaining(ArrayList.
java:1655)
        at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484)
        at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.
java:474)
        at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential
(ForEachOps.java:150)
        at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential
(ForEachOps.java:173)
        at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
        at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:
497)
        at org.openqa.selenium.remote.NewSessionPayload.validate
(NewSessionPayload.java:167)
        at org.openqa.selenium.remote.NewSessionPayload.<init>(NewSessionPayload.
java:106)
        at org.openqa.selenium.remote.NewSessionPayload.create(NewSessionPayload.
java:76)

#	Description	Elapsed	Status

at com.katalon.testcloud.grid.router.filter.NewSessionFilter.handleRequest (NewSessionFilter.java:33)
	at com.katalon.testcloud.grid.router.filter.UserAuthFilter.filter(UserAuthFilter.java:37)
	at com.katalon.testcloud.grid.router.filter.AppFilter.lambda$apply$0(AppFilter.java:36)
	at org.openqa.selenium.remote.http.Filter$1.execute(Filter.java:64)
	at org.openqa.selenium.remote.AddWebDriverSpecHeaders.lambda$apply$0 (AddWebDriverSpecHeaders.java:35)
	at org.openqa.selenium.remote.ErrorFilter.lambda$apply$0(ErrorFilter.java:44)
	at org.openqa.selenium.remote.http.Filter$1.execute(Filter.java:64)
	at org.openqa.selenium.remote.ErrorFilter.lambda$apply$0(ErrorFilter.java:44)
	at org.openqa.selenium.remote.http.Filter$1.execute(Filter.java:64)
	at org.openqa.selenium.netty.server.SeleniumHandler.lambda$channelRead0$0 (SeleniumHandler.java:44)
	at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:515)
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker (ThreadPoolExecutor.java:1128)
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run (ThreadPoolExecutor.java:628)
	at java.base/java.lang.Thread.run(Thread.java:829)

	at org.openqa.selenium.remote.W3CHandshakeResponse. lambda$errorHandler$0(W3CHandshakeResponse.java:62)
	at org.openqa.selenium.remote.HandshakeResponse. lambda$getResponseFunction$0(HandshakeResponse.java:30)
	at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0 (ProtocolHandshake.java:126)
	at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128)
	... 42 more
)

Add Treatment

Information

ID	Test Cases/Treatment and WCP/Add Treatment
Description	
Tag	

Start	2023-09-06 14:26:42	End	2023-09-06 14:26:42
Elapsed	0.050s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	scrollToText("MRN: 24ui")	0.010s	PASSED

Edit Treatment

Information

ID Test Cases/Treatment and WCP/Edit Treatment

Description

Tag

Start 2023-09-06 14:26:43 End 2023-09-06 14:26:43

Elapsed 0.058s

Status FAILED

Details

#	Description	Elapsed	Status
1	scrollToText("MRN: 09ui", STOP_ON_FAILURE)	0.007s	PASSED

Treatment WCP history

Information

ID	Test Cases/Treatment and WCP/Treatment WCP history		
Description			
Tag			
Start	2023-09-06 14:26:45	End	2023-09-06 14:26:45
Elapsed	0.025s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	scrollToText("MRN: 97ui")	0.006s	PASSED