User Management

Execution Environment

Host name safaamarir - 192.168.11.100

Local OSMac OS X 64bitKatalon version9.2.0.212Browsernull

Summary

ID Test Suites/IS iPhone/User Management

Description

Total 7

Passed 7 Failed 0
Error 0 Incomplete 0

Skipped 0

Start 08-02-2024 15:52:24 End 08-02-2024 15:58:54

Elapsed 6m - 30.531s

#	ID	Description	Status
1	Test Cases/IOS/User Management/EK-8569 IS iPhone - Terms and condition Privacy and Policy	Summary: IS iPhone - Terms and condition Privacy and Policy Description:	PASSED
2	Test Cases/IOS/User Management/EK-8493 IS iPhone - Restore Password	Summary: IS iPhone - Restore Password Description:	PASSED
3	Test Cases/IOS/User Management/EK-8570 IS iPhone - 10 Times failed login	Summary: IS iPhone - 10 Times failed login Description:	PASSED
4	Test Cases/IOS/User Management/EK-8491 IS iPhone - Sign in	Summary: IS iPhone - Sign in Description:	PASSED
5	Test Cases/IOS/User Management/EK-8492 IS iPhone - Logout	Summary: IS iPhone - Logout Description:	PASSED
6	Test Cases/IOS/User Management/EK-8571 IS iPhone - Login as a user with multiple sites	Summary: IS iPhone - Login as a user with multiple sites Description:	PASSED
7	Test Cases/IOS/User Management/EK-8513 IS iPhone - Auto Logout	Summary: IS iPhone - Auto Logout Description:	PASSED

EK-8569 IS iPhone - Terms and condition Privacy and Policy

Information

ID Test Cases/IOS/User Management/EK-8569 IS iPhone - Terms and condition Privacy and Policy

Description Summary: IS iPhone - Terms and condition Privacy and Policy

Description:

Policy/XCUIElementTypeOther - Terms Conditions' is exist

Tag jira-integration

Start 08-02-2024 15:52:24 End 08-02-2024 15:53:24

Elapsed 1m - 0.343s

Status PASSED

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.020s	PASSED
2	runFeatureFile("Include/features/EK-8569 IS iPhone - Terms and condition Privacy and Policy.feature") Feature file: 'Include/features/EK-8569 IS iPhone - Terms and condition Privacy and Policy.feature' was passed	0.169s	PASSED
3	startApplication(IPA, true) Started app at: '/Users/safaamarir/APK/IOS/IS/IS_PreProd_2.1.5_214.ipa'	40.010s	PASSED
4	tap(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeButton - Allow"), 30) Tapped on element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeButton - Allow'	1.517s	PASSED
5	verifyElementExist(findTestObject("IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Terms Conditions"), 30) Element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and	0.485s	PASSED

EK-8569 IS iPhone - Terms and condition Privacy and Policy

#	Description	Elapsed	Status
6	tap(findTestObject("IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Terms Conditions"), 30) Tapped on element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Terms Conditions'	0.816s	PASSED
7	delay(5) Delayed 5 second(s)	5.015s	PASSED
8	tapAtPosition(44, 42) Tapped at [44, 42]	0.953s	PASSED
9	verifyElementExist(findTestObject("IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeImage"), 30) Element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeImage' is exist	0.435s	PASSED
10	verifyElementExist(findTestObject("IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Privacy Policy"), 30) Element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Privacy Policy' is exist	0.544s	PASSED
11	tap(findTestObject("IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Privacy Policy"), 30) Tapped on element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Privacy Policy'	0.841s	PASSED
12	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.010s	PASSED
13	tapAtPosition(44, 42) Tapped at [44, 42]	0.922s	PASSED

EK-8569 IS iPhone - Terms and condition Privacy and Policy

#	Description	Elapsed	Status
14	verifyElementExist(findTestObject("IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeImage"), 30)	1.277s	PASSED
	Element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeImage' is exist		
15	Video	0.000s	PASSED

Video recording for test case 'Test Cases/IOS/User Management/EK-8569 IS iPhone - Terms and condition Privacy and Policy' .

EK-8493 IS iPhone - Restore Password

Information

ID Test Cases/IOS/User Management/EK-8493 IS iPhone - Restore Password

Description Summary: IS iPhone - Restore Password

Description:

Tag jira-integration

Start 08-02-2024 15:53:24 End 08-02-2024 15:53:32

Elapsed 8.058s
Status PASSED

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	runFeatureFile("Include/features/EK-8493 IS iPhone - Restore Password.feature") Feature file: 'Include/features/EK-8493 IS iPhone - Restore Password.feature' was passed	0.007s	PASSED
3	tap(findTestObject("Object Repository/IOS/User Management/Restore Password/XCUIElementTypeOther - Forgot your password"), 30) Tapped on element 'Object Repository/IOS/User Management/Restore Password/XCUIElementTypeOther - Forgot your password'	0.822s	PASSED
4	setText(findTestObject("Object Repository/IOS/User Management/Restore Password/XCUIElementTypeTextField - Username"), LoginCreds.get("username"), 30) Text 'katalon' has been set to element 'Object Repository/IOS/User Management/Restore Password/XCUIElementTypeTextField - Username'	1.297s	PASSED
5	setText(findTestObject("Object Repository/IOS/User Management/Restore Password/XCUIElementTypeTextField - Email"), LoginCreds.get("email"), 30) Text 'samarir@masaratapp.com' has been set to element 'Object Repository/IOS/User	1.782s	PASSED

Text 'samarir@masaratapp.com' has been set to element 'Object Repository/IOS/User Management/Restore Password/XCUIElementTypeTextField - Email'

EK-8493 IS iPhone - Restore Password

#	Description	Elapsed	Status
6	tap(findTestObject("IOS/User Management/Restore Password/XCUIElementTypeOther - Restore Password"), 30) Tapped on element 'Object Repository/IOS/User Management/Restore Password/XCUIElementTypeOther - Restore Password'	1.328s	PASSED
7	tap(findTestObject("IOS/Draft/XCUIElementTypeOther - Restore Password"), 30, STOP_ON_FAILURE) Tapped on element 'Object Repository/IOS/Draft/XCUIElementTypeOther - Restore Password'	0.747s	PASSED
8	Video recording for test case 'Test Cases/IOS/User Management/EK-8493 IS iPhone - Restore Password' .	0.000s	PASSED

Information

Test Cases/IOS/User Management/EK-8570 IS iPhone - 10 Times failed login ID

Summary: IS iPhone - 10 Times failed login Description: Description

Tag jira-integration

Start 08-02-2024 15:53:32 End 08-02-2024 15:54:15

Elapsed 43.048s Status **PASSED**

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.000s	PASSED
2	runFeatureFile("Include/features/EK-8570 IS iPhone - 10 Times failed login.feature") Feature file: 'Include/features/EK-8570 IS iPhone - 10 Times failed login.feature' was passed	0.005s	PASSED
3	delay(10, STOP_ON_FAILURE) Delayed 10 second(s)	10.006s	PASSED
4	setText(findTestObject("IOS/User Management/Sign In/XCUIElementTypeTextField - username"), "Test10times", 30) Text 'Test10times' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeTextField - username'	1.835s	PASSED
5	setText(findTestObject("IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode"), "123", 30) Text '123' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode'	1.563s	PASSED
6	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	1.962s	PASSED

#	Description	Elapsed	Status
7	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials!") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.564s	PASSED
8	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.502s	PASSED
9	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.900s	PASSED
10	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials!") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.368s	PASSED
11	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.095s	PASSED
12	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.885s	PASSED
13	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials!") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.475s	PASSED

#	Description	Elapsed	Status
14	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.288s	PASSED
15	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.888s	PASSED
16	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials!") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.476s	PASSED
17	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.267s	PASSED
18	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.874s	PASSED
19	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials!") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.490s	PASSED
20	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.382s	PASSED

#	Description	Elapsed	Status
21	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.913s	PASSED
22	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials!") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.509s	PASSED
23	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.233s	PASSED
24	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.854s	PASSED
25	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials!") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.504s	PASSED
26	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.276s	PASSED
27	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.901s	PASSED

#	Description	Elapsed	Status
28	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials!") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.467s	PASSED
29	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.286s	PASSED
30	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.862s	PASSED
31	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials!") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.446s	PASSED
32	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.286s	PASSED
33	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.929s	PASSED

#	Description	Elapsed	Status
34	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Your account has been temporarily disabled due to repeated login failures. Please contact your administrator: samarir@masaratapp.com") Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.416s	PASSED
35	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 30) Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.270s	PASSED
36	Video recording for test case 'Test Cases/IOS/User Management/EK-8570 IS iPhone - 10 Times failed login' .	0.000s	PASSED

EK-8491 IS iPhone - Sign in

Information

Test Cases/IOS/User Management/EK-8491 IS iPhone - Sign in ID

Summary: IS iPhone - Sign in Description: Description

Tag jira-integration

Start 08-02-2024 15:54:15 End 08-02-2024 15:55:12

Elapsed 56.719s Status **PASSED**

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	runFeatureFile("Include/features/EK-8491 IS iPhone - Sign in.feature") Feature file: 'Include/features/EK-8491 IS iPhone - Sign in.feature' was passed	0.005s	PASSED
3	startApplication(IPA, true) Started app at: '/Users/safaamarir/APK/IOS/IS/IS_PreProd_2.1.5_214.ipa'	37.636s	PASSED
4	tap(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeButton - Allow"), 30) Tapped on element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeButton - Allow'	1.548s	PASSED
5	setText(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeTextField - username"), LoginCreds.get("username"), 30) Text 'katalon' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeTextField - username'	1.380s	PASSED
6	setText(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode"), LoginCreds.get("password"), 30) Text 'eKare123@' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode'	1.653s	PASSED

EK-8491 IS iPhone - Sign in

#	Description	Elapsed	Status
7	tap(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeOther - SIGN IN'	1.719s	PASSED
8	tap(findTestObject("IOS/User Management/Sign In/XCUIElementTypeOther - Katalon"), 30) Tapped on element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeOther - Katalon'	0.696s	PASSED
9	delay(10) Delayed 10 second(s)	10.002s	PASSED
10	Video recording for test case 'Test Cases/IOS/User Management/EK-8491 IS iPhone - Sign in' .	0.000s	PASSED

EK-8492 IS iPhone - Logout

Information

ID Test Cases/IOS/User Management/EK-8492 IS iPhone - Logout

Description Summary: IS iPhone - Logout

Description:

Tag jira-integration

Start 08-02-2024 15:55:12 End 08-02-2024 15:55:26

Elapsed 13.734s
Status PASSED

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	runFeatureFile("Include/features/EK-8492 IS iPhone - Logout.feature") Feature file: 'Include/features/EK-8492 IS iPhone - Logout.feature' was passed	0.006s	PASSED
3	tap(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeOther"), 30) Tapped on element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeOther'	1.334s	PASSED
4	tap(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeOther - Logout"), 30) Tapped on element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeOther - Logout'	2.068s	PASSED
5	verifyElementText(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeStaticText - You want to logout"), "You want to logout ?")	1.781s	PASSED

Actual text and expected text of test object 'Object Repository/IOS/User Management/Logout/XCUIElementTypeStaticText - You want to logout' are matched.

EK-8492 IS iPhone - Logout

#	Description	Elapsed	Status
6	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeButton - Cancel"), 30) Element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeButton - Cancel' is exist	1.312s	PASSED
7	tap(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeButton - Confirm"), 30) Tapped on element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeButton - Confirm'	2.134s	PASSED
8	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeOther (1)"), 30) Element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeOther (1)' is exist	3.033s	PASSED
9	Video	0.000s	PASSED

Video recording for test case 'Test Cases/IOS/User Management/EK-8492 IS iPhone - Logout' .

Information

ID Test Cases/IOS/User Management/EK-8571 IS iPhone - Login as a user with multiple sites

Description Summary: IS iPhone - Login as a user with multiple sites

Description:

Tag jira-integration

Start 08-02-2024 15:55:26 End 08-02-2024 15:57:41

Elapsed 2m - 15.419s

Status PASSED

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.000s	PASSED
2	runFeatureFile("Include/features/EK-8571 IS iPhone - Login as a user with multiple sites.feature") Feature file: 'Include/features/EK-8571 IS iPhone - Login as a user with multiple sites.feature' was passed	0.005s	PASSED
3	setText(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeTextField - username"), LoginCreds.get("siteuser"), 30) Text 'katalonSite' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeTextField - username'	2.976s	PASSED
4	setText(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode"), LoginCreds.get("password"), 30) Text 'eKare123@' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode'	1.674s	PASSED
5	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - SIGN IN"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - SIGN IN'	1.692s	PASSED

#	Description	Elapsed	Status
6	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon'	0.837s	PASSED
7	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther -"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther -' is exist	2.586s	PASSED
8	setText(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeTextField - Search by Name, MRN"), "111ui", 30) Text '111ui' has been set to element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeTextField - Search by Name, MRN'	2.511s	PASSED
9	tapAtPosition(539, 707) Tapped at [539, 707]	0.770s	PASSED
10	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.007s	PASSED
11	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient'	1.582s	PASSED
12	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient'	0.997s	PASSED
13	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - menu"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - menu'	1.284s	PASSED

#	Description	Elapsed	Status
14	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Delete patient"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Delete patient' is exist	1.105s	PASSED
15	tapAtPosition(539, 707) Tapped at [539, 707]	0.697s	PASSED
16	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back'	1.047s	PASSED
17	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu (1)"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu (1)'	1.018s	PASSED
18	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Site"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Site'	1.213s	PASSED
19	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - site user"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - site user'	1.271s	PASSED
20	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - add patient"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - add patient' is exist	2.570s	PASSED
21	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient 1"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Patient 1'	0.976s	PASSED

#	Description	Elapsed	Status
22	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu Patient"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu Patient'	1.813s	PASSED
23	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Edit patient"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Edit patient' is exist	0.993s	PASSED
24	verifyElementNotExist(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Delete patient"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Delete patient' not found	30.328s	PASSED
25	tapAtPosition(539, 707) Tapped at [539, 707]	0.768s	PASSED
26	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back'	1.057s	PASSED
27	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu (1)"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu (1)'	0.985s	PASSED
28	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Site"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Site'	1.233s	PASSED
29	checkElement(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Test1"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Test1' is checked	1.514s	PASSED

#	Description	Elapsed	Status
30	verifyElementNotExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther -"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther -' not found	30.139s	PASSED
31	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon, Patient 07022024 33M MRN 112ui No Consent (1)"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon, Patient 07022024 33M MRN 112ui No Consent (1)"	1.365s	PASSED
32	verifyElementNotExist(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu Patient"), 30) Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu Patient' not found	30.129s	PASSED
33	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back"), 30) Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back'	1.140s	PASSED
34	Video recording for test case 'Test Cases/IOS/User Management/EK-8571 IS iPhone - Login as a user with multiple sites'.	0.001s	PASSED

EK-8513 IS iPhone - Auto Logout

Information

Test Cases/IOS/User Management/EK-8513 IS iPhone - Auto Logout ID

Summary: IS iPhone - Auto Logout Description: Description

Tag jira-integration

Start 08-02-2024 15:57:41 End 08-02-2024 15:58:54

Elapsed 1m - 13.146s

Status **PASSED**

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.000s	PASSED
2	runFeatureFile("Include/features/EK-8513 IS iPhone - Auto Logout.feature") Feature file: 'Include/features/EK-8513 IS iPhone - Auto Logout.feature' was passed	0.006s	PASSED
3	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther"), 30) Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther'	1.004s	PASSED
4	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - Settings"), 30) Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - Settings'	1.343s	PASSED
5	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - Logout time 10 minutes"), 30) Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - Logout time 10 minutes'	1.183s	PASSED
6	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - 1 minutes"), 30) Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - 1 minutes'	1.200s	PASSED

EK-8513 IS iPhone - Auto Logout

#	Description	Elapsed	Status
7	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther (2)"), 30)	0.699s	PASSED
	Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther (2)'		
8	delay(65)	1m - 5.010s	PASSED
	Delayed 65 second(s)		
9	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeImage"), 30)	0.601s	PASSED
	Element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeImage' is exist		
10	Video	0.000s	PASSED
	Video recording for test case 'Test Cases/IOS/User Management/EK-8513 IS iPhone - Auto Logout' .		