

# User Management

## Execution Environment

Host name	safaamarir - 192.168.1.113
Local OS	Mac OS X 64bit
Katalon version	9.2.0.212
Browser	null

## Summary

ID	Test Suites/IS iPhone/User Management		
Description			
Total	7		
Passed	7	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	07-02-2024 10:37:44	End	07-02-2024 10:44:43
Elapsed	6m - 58.197s		

#	ID	Description	Status
1	Test Cases/IOS/User Management/EK-8569 IS iPhone - Terms and condition Privacy and Policy	Summary: IS iPhone - Terms and condition Privacy and Policy Description:	PASSED
2	Test Cases/IOS/User Management/EK-8493 IS iPhone - Restore Password	Summary: IS iPhone - Restore Password Description:	PASSED
3	Test Cases/IOS/User Management/EK-8570 IS iPhone - 10 Times failed login	Summary: IS iPhone - 10 Times failed login Description:	PASSED
4	Test Cases/IOS/User Management/EK-8491 IS iPhone - Sign in	Summary: IS iPhone - Sign in Description:	PASSED
5	Test Cases/IOS/User Management/EK-8492 IS iPhone - Logout	Summary: IS iPhone - Logout Description:	PASSED
6	Test Cases/IOS/User Management/EK-8571 IS iPhone - Login as a user with multiple sites	Summary: IS iPhone - Login as a user with multiple sites Description:	PASSED
7	Test Cases/IOS/User Management/EK-8513 IS iPhone - Auto Logout	Summary: IS iPhone - Auto Logout Description:	PASSED

# EK-8569 IS iPhone - Terms and condition Privacy and Policy

## Information

ID	Test Cases/IOS/User Management/EK-8569 IS iPhone - Terms and condition Privacy and Policy		
Description	Summary: IS iPhone - Terms and condition Privacy and Policy		
	Description:		
Tag	jira-integration		
Start	07-02-2024 10:37:44	End	07-02-2024 10:38:45
Elapsed	1m - 0.155s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.020s	PASSED
2	runFeatureFile("Include/features/EK-8569 IS iPhone - Terms and condition Privacy and Policy.feature")  Feature file: 'Include/features/EK-8569 IS iPhone - Terms and condition Privacy and Policy.feature' was passed	0.147s	PASSED
3	startApplication(LoginCreds.get("IPA"), true)  Started app at: '/Users/safaamarir/APK/IOS/IS/IS_PreProd_2.1_192.ipa'	41.296s	PASSED
4	verifyElementExist(findTestObject("IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Terms Conditions"), 30)  Element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Terms Conditions' is exist	0.624s	PASSED
5	tap(findTestObject("IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Terms Conditions"), 30)  Tapped on element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Terms Conditions'	0.828s	PASSED
6	delay(5)  Delayed 5 second(s)	5.019s	PASSED

## EK-8569 IS iPhone - Terms and condition Privacy and Policy

#	Description	Elapsed	Status
7	tapAtPosition(44, 42)  Tapped at [44, 42]	1.007s	PASSED
8	verifyElementExist(findTestObject("IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeImage"), 30)  Element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeImage' is exist	1.425s	PASSED
9	verifyElementExist(findTestObject("IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Privacy Policy"), 30)  Element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Privacy Policy' is exist	0.338s	PASSED
10	tap(findTestObject("IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Privacy Policy"), 30)  Tapped on element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeOther - Privacy Policy'	0.753s	PASSED
11	delay(5, STOP_ON_FAILURE)  Delayed 5 second(s)	5.006s	PASSED
12	tapAtPosition(44, 42)  Tapped at [44, 42]	0.934s	PASSED
13	verifyElementExist(findTestObject("IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeImage"), 30)  Element 'Object Repository/IOS/User Management/Terms and Conditions Privacy and Policy/XCUIElementTypeImage' is exist	0.452s	PASSED
14	Video  Video recording for test case 'Test Cases/IOS/User Management/EK-8569 IS iPhone - Terms and condition Privacy and Policy' .	0.000s	PASSED

# EK-8493 IS iPhone - Restore Password

## Information

ID	Test Cases/IOS/User Management/EK-8493 IS iPhone - Restore Password		
Description	Summary: IS iPhone - Restore Password Description:		
Tag	jira-integration		
Start	07-02-2024 10:38:45	End	07-02-2024 10:38:52
Elapsed	7.924s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	runFeatureFile("Include/features/EK-8493 IS iPhone - Restore Password.feature")  Feature file: 'Include/features/EK-8493 IS iPhone - Restore Password.feature' was passed	0.007s	PASSED
3	tap(findTestObject("Object Repository/IOS/User Management/Restore Password/XCUIElementTypeOther - Forgot your password"), 30)  Tapped on element 'Object Repository/IOS/User Management/Restore Password/XCUIElementTypeOther - Forgot your password'	0.867s	PASSED
4	setText(findTestObject("Object Repository/IOS/User Management/Restore Password/XCUIElementTypeTextField - Username"), LoginCreds.get("username"), 30)  Text 'katalon' has been set to element 'Object Repository/IOS/User Management/Restore Password/XCUIElementTypeTextField - Username'	1.283s	PASSED
5	setText(findTestObject("Object Repository/IOS/User Management/Restore Password/XCUIElementTypeTextField - Email"), LoginCreds.get("email"), 30)  Text 'samarir@masaratapp.com' has been set to element 'Object Repository/IOS/User Management/Restore Password/XCUIElementTypeTextField - Email'	1.705s	PASSED

# EK-8493 IS iPhone - Restore Password

#	Description	Elapsed	Status
6	tap(findTestObject("IOS/User Management/Restore Password/XCUIElementTypeOther - Restore Password"), 30)  Tapped on element 'Object Repository/IOS/User Management/Restore Password/XCUIElementTypeOther - Restore Password'	1.270s	PASSED
7	tap(findTestObject("IOS/Draft/XCUIElementTypeOther - Restore Password"), 30, STOP_ON_FAILURE)  Tapped on element 'Object Repository/IOS/Draft/XCUIElementTypeOther - Restore Password'	0.713s	PASSED
8	Video  Video recording for test case 'Test Cases/IOS/User Management/EK-8493 IS iPhone - Restore Password' .	0.000s	PASSED

# EK-8570 IS iPhone - 10 Times failed login

## Information

ID	Test Cases/IOS/User Management/EK-8570 IS iPhone - 10 Times failed login		
Description	Summary: IS iPhone - 10 Times failed login Description:		
Tag	jira-integration		
Start	07-02-2024 10:38:52	End	07-02-2024 10:39:33
Elapsed	40.346s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.000s	PASSED
2	runFeatureFile("Include/features/EK-8570 IS iPhone - 10 Times failed login.feature")  Feature file: 'Include/features/EK-8570 IS iPhone - 10 Times failed login.feature' was passed	0.006s	PASSED
3	setText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeTextField"), "Test10times", 0)  Text 'Test10times' has been set to element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeTextField'	1.852s	PASSED
4	setText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeSecureTextField"), "123", 0)  Text '123' has been set to element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeSecureTextField'	1.499s	PASSED
5	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 0)  Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	7.748s	PASSED

## EK-8570 IS iPhone - 10 Times failed login

#	Description	Elapsed	Status
6	<p>verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !")</p> <p>Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.</p>	0.542s	PASSED
7	<p>tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 0)</p> <p>Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'</p>	1.433s	PASSED
8	<p>tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 0)</p> <p>Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'</p>	1.010s	PASSED
9	<p>verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !")</p> <p>Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.</p>	0.443s	PASSED
10	<p>tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 0)</p> <p>Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'</p>	1.217s	PASSED
11	<p>tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 0)</p> <p>Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'</p>	0.837s	PASSED
12	<p>verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !")</p> <p>Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.</p>	0.430s	PASSED

## EK-8570 IS iPhone - 10 Times failed login

#	Description	Elapsed	Status
13	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 0)  Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.147s	PASSED
14	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 0)  Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.839s	PASSED
15	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !")  Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.478s	PASSED
16	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 0)  Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.144s	PASSED
17	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 0)  Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	1.019s	PASSED
18	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !")  Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.649s	PASSED
19	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 0)  Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.300s	PASSED



## EK-8570 IS iPhone - 10 Times failed login

#	Description	Elapsed	Status
20	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 0)  Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	1.022s	PASSED
21	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !")  Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.674s	PASSED
22	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 0)  Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.226s	PASSED
23	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 0)  Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.859s	PASSED
24	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !")  Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.482s	PASSED
25	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 0)  Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.425s	PASSED
26	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 0)  Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.912s	PASSED

## EK-8570 IS iPhone - 10 Times failed login

#	Description	Elapsed	Status
27	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !")  Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.626s	PASSED
28	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 0)  Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.282s	PASSED
29	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 0)  Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	1.066s	PASSED
30	verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Login failed. Incorrect credentials !")  Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.	0.511s	PASSED
31	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 0)  Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'	1.414s	PASSED
32	tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN"), 0)  Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeOther - SIGN IN'	0.887s	PASSED

## EK-8570 IS iPhone - 10 Times failed login

---

#	Description	Elapsed	Status
33	<p>verifyElementText(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials"), "Your account has been temporarily disabled due to repeated login failures. Please contact your administrator: samarir@masaratapp.com")</p> <p>Actual text and expected text of test object 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeStaticText - Login failed. Incorrect credentials' are matched.</p>	0.982s	PASSED
34	<p>tap(findTestObject("Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK"), 0)</p> <p>Tapped on element 'Object Repository/IOS/User Management/10 times failed login/XCUIElementTypeButton - OK'</p>	1.289s	PASSED
35	<p>Video</p> <p>Video recording for test case 'Test Cases/IOS/User Management/EK-8570 IS iPhone - 10 Times failed login' .</p>	0.000s	PASSED

# EK-8491 IS iPhone - Sign in

## Information

ID	Test Cases/IOS/User Management/EK-8491 IS iPhone - Sign in		
Description	Summary: IS iPhone - Sign in Description:		
Tag	jira-integration		
Start	07-02-2024 10:39:33	End	07-02-2024 10:40:30
Elapsed	56.849s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.000s	PASSED
2	runFeatureFile("Include/features/EK-8491 IS iPhone - Sign in.feature")  Feature file: 'Include/features/EK-8491 IS iPhone - Sign in.feature' was passed	0.005s	PASSED
3	startApplication(LoginCreds.get("IPA"), true)  Started app at: '/Users/safaamarir/APK/IOS/IS/IS_PreProd_2.1_192.ipa'	37.688s	PASSED
4	setText(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeTextField - username"), LoginCreds.get("username"), 30)  Text 'katalon' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeTextField - username'	1.201s	PASSED
5	setText(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode"), LoginCreds.get("password"), 30)  Text 'eKare123@' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode'	1.590s	PASSED
6	tap(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeOther - SIGN IN"), 30)  Tapped on element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeOther - SIGN IN'	1.701s	PASSED

## EK-8491 IS iPhone - Sign in

---

#	Description	Elapsed	Status
7	tap(findTestObject("IOS/User Management/Sign In/XCUIElementTypeOther - Katalon"), 30)  Tapped on element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeOther - Katalon'	2.555s	PASSED
8	delay(10)  Delayed 10 second(s)	10.005s	PASSED
9	Video  Video recording for test case 'Test Cases/IOS/User Management/EK-8491 IS iPhone - Sign in' .	0.000s	PASSED

# EK-8492 IS iPhone - Logout

## Information

ID	Test Cases/IOS/User Management/EK-8492 IS iPhone - Logout		
Description	Summary: IS iPhone - Logout Description:		
Tag	jira-integration		
Start	07-02-2024 10:40:30	End	07-02-2024 10:40:42
Elapsed	11.945s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	runFeatureFile("Include/features/EK-8492 IS iPhone - Logout.feature")  Feature file: 'Include/features/EK-8492 IS iPhone - Logout.feature' was passed	0.005s	PASSED
3	tap(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeOther"), 30)  Tapped on element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeOther'	1.186s	PASSED
4	tap(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeOther - Logout"), 30)  Tapped on element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeOther - Logout'	1.871s	PASSED
5	verifyElementText(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeStaticText - You want to logout"), "You want to logout ?")  Actual text and expected text of test object 'Object Repository/IOS/User Management/Logout/XCUIElementTypeStaticText - You want to logout' are matched.	1.305s	PASSED

## EK-8492 IS iPhone - Logout

#	Description	Elapsed	Status
6	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeButton - Cancel"), 30)  Element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeButton - Cancel' is exist	1.282s	PASSED
7	tap(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeButton - Confirm"), 30)  Tapped on element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeButton - Confirm'	2.258s	PASSED
8	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Logout/XCUIElementTypeOther (1)"), 30)  Element 'Object Repository/IOS/User Management/Logout/XCUIElementTypeOther (1)' is exist	1.955s	PASSED
9	Video  Video recording for test case 'Test Cases/IOS/User Management/EK-8492 IS iPhone - Logout' .	0.000s	PASSED

# EK-8571 IS iPhone - Login as a user with multiple sites

## Information

ID	Test Cases/IOS/User Management/EK-8571 IS iPhone - Login as a user with multiple sites		
Description	Summary: IS iPhone - Login as a user with multiple sites Description:		
Tag	jira-integration		
Start	07-02-2024 10:40:42	End	07-02-2024 10:43:30
Elapsed	2m - 47.958s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.000s	PASSED
2	runFeatureFile("Include/features/EK-8571 IS iPhone - Login as a user with multiple sites.feature")  Feature file: 'Include/features/EK-8571 IS iPhone - Login as a user with multiple sites.feature' was passed	0.006s	PASSED
3	startApplication(LoginCreds.get("IPA"), true)  Started app at: '/Users/safaamarir/APK/IOS/IS/IS_PreProd_2.1_192.ipa'	32.469s	PASSED
4	setText(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeTextField - username"), LoginCreds.get("siteuser"), 30)  Text 'katalonSite' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeTextField - username'	1.767s	PASSED
5	setText(findTestObject("Object Repository/IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode"), LoginCreds.get("password"), 30)  Text 'eKare123@' has been set to element 'Object Repository/IOS/User Management/Sign In/XCUIElementTypeSecureTextField - Passcode'	1.582s	PASSED



## EK-8571 IS iPhone - Login as a user with multiple sites

#	Description	Elapsed	Status
6	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - SIGN IN"), 30)  Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - SIGN IN'	1.481s	PASSED
7	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon"), 30)  Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon'	2.807s	PASSED
8	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther -"), 30)  Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther -' is exist	2.749s	PASSED
9	setText(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeTextField - Search by Name, MRN"), "111ui", 30)  Text '111ui' has been set to element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeTextField - Search by Name, MRN'	2.836s	PASSED
10	delay(5, STOP_ON_FAILURE)  Delayed 5 second(s)	5.008s	PASSED
11	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon, Patient 29012024 5M MRN 111ui No Consent"), 30)  Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon, Patient 29012024 5M MRN 111ui No Consent'	1.878s	PASSED
12	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon, Patient 29012024 5M MRN 111ui No Consent"), 30)  Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon, Patient 29012024 5M MRN 111ui No Consent'	1.315s	PASSED

## EK-8571 IS iPhone - Login as a user with multiple sites

#	Description	Elapsed	Status
13	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - menu"), 30)  Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - menu'	1.821s	PASSED
14	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Delete patient"), 30)  Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Delete patient' is exist	0.807s	PASSED
15	tapAtPosition(539, 707)  Tapped at [539, 707]	0.705s	PASSED
16	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back"), 30)  Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back'	0.983s	PASSED
17	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu (1)"), 30)  Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu (1)'	0.950s	PASSED
18	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Site"), 30)  Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Site'	1.320s	PASSED
19	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - site user"), 30)  Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - site user'	1.131s	PASSED
20	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - add patient"), 30)  Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - add patient' is exist	2.412s	PASSED

## EK-8571 IS iPhone - Login as a user with multiple sites

#	Description	Elapsed	Status
21	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon, Test 20230727 24M MRN 900ui No Consent"), 30)  Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon, Test 20230727 24M MRN 900ui No Consent'	1.615s	PASSED
22	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu Patient"), 30)  Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu Patient'	1.887s	PASSED
23	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Edit patient"), 30)  Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Edit patient' is exist	0.830s	PASSED
24	verifyElementNotExist(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Delete patient"), 30)  Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Delete patient' not found	30.093s	PASSED
25	tapAtPosition(539, 707)  Tapped at [539, 707]	0.644s	PASSED
26	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back"), 30)  Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back'	0.907s	PASSED
27	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu (1)"), 30)  Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu (1)'	0.915s	PASSED

## EK-8571 IS iPhone - Login as a user with multiple sites

#	Description	Elapsed	Status
28	tap(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Site"), 30)  Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Site'	1.082s	PASSED
29	checkElement(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Test1"), 30)  Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Test1' is checked	1.413s	PASSED
30	verifyElementNotExist(findTestObject("Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther -"), 30)  Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther -' not found	30.098s	PASSED
31	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon, Patient 07022024 33M MRN 112ui No Consent"), 30)  Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Katalon, Patient 07022024 33M MRN 112ui No Consent'	1.080s	PASSED
32	verifyElementNotExist(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu Patient"), 30)  Element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Menu Patient' not found	30.197s	PASSED
33	tap(findTestObject("IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back"), 30)  Tapped on element 'Object Repository/IOS/User Management/Login as a user with multiple sites/XCUIElementTypeOther - Back'	1.059s	PASSED
34	Video  Video recording for test case 'Test Cases/IOS/User Management/EK-8571 IS iPhone - Login as a user with multiple sites' .	0.001s	PASSED

# EK-8513 IS iPhone - Auto Logout

## Information

ID	Test Cases/IOS/User Management/EK-8513 IS iPhone - Auto Logout		
Description	Summary: IS iPhone - Auto Logout Description:		
Tag	jira-integration		
Start	07-02-2024 10:43:30	End	07-02-2024 10:44:43
Elapsed	1m - 12.952s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.001s	PASSED
2	runFeatureFile("Include/features/EK-8513 IS iPhone - Auto Logout.feature")  Feature file: 'Include/features/EK-8513 IS iPhone - Auto Logout.feature' was passed	0.007s	PASSED
3	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther"), 30)  Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther'	1.115s	PASSED
4	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - Settings"), 30)  Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - Settings'	1.168s	PASSED
5	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - Logout time 10 minutes"), 30)  Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - Logout time 10 minutes'	1.137s	PASSED
6	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - 1 minutes"), 30)  Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther - 1 minutes'	1.116s	PASSED

## EK-8513 IS iPhone - Auto Logout

---

#	Description	Elapsed	Status
7	tap(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther (2)", 30)  Tapped on element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeOther (2)'	0.709s	PASSED
8	delay(65)  Delayed 65 second(s)	1m - 5.010s	PASSED
9	verifyElementExist(findTestObject("Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeImage"), 30)  Element 'Object Repository/IOS/User Management/Auto Logout/XCUIElementTypeImage' is exist	0.631s	PASSED
10	Video  Video recording for test case 'Test Cases/IOS/User Management/EK-8513 IS iPhone - Auto Logout' .	0.001s	PASSED