

Menu and other services

Execution Environment

Host name	Amarir - DESKTOP-EE3F8H4
Local OS	Windows 10 64bit
Katalon version	8.6.5.208
Browser	null

Summary

ID	Test Suites/Menu and other services		
Description			
Total	7		
Passed	0	Failed	7
Error	0	Incomplete	0
Skipped	0		
Start	2023-08-19 12:15:11	End	2023-08-19 12:16:04
Elapsed	53.173s		

#	ID	Description	Status
1	Test Cases/User Managemenet/Login		FAILED
2	Test Cases/Menu and other services/Switch between sites		FAILED
3	Test Cases/Menu and other services/About		FAILED
4	Test Cases/Menu and other services/Automatic adjustment of Date format		FAILED
5	Test Cases/Menu and other services/Phone general tuto		FAILED
6	Test Cases/Menu and other services/Language		FAILED
7	Test Cases/Menu and other services/Help		FAILED

Login

Information

ID	Test Cases/User Managemenet/Login		
Description			
Tag			
Start	2023-08-19 12:15:48	End	2023-08-19 12:15:54
Elapsed	5.501s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Login

#	Description	Elapsed	Status
1	<p>startApplication(APK, false)</p> <p>Unable to start app at: 'C:\Users\Amarir\Downloads\APK\IS\IS_Prod_2.1.apk' (Root cause: org.openqa.selenium.SessionNotCreatedException: Unable to create a new remote session. Please check the server log for more details. Original error: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-EE3F8H4', ip: '192.168.234.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: driver.version: SwipeableAndroidDriver remote stacktrace: UnknownError: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up at UIA2Proxy.command (C:\Users\Amarir\AppData\Roaming\npm\node_modules\appium\node_modules\appium-base-driver\lib\jsonwp-proxy\proxy.js:274:13) at processTicksAndRejections (node:internal/process/task_queues:95:5) at AndroidUiautomator2Driver.commands.getDevicePixelRatio (C:\Users\Amarir\AppData\Roaming\npm\node_modules\appium\node_modules\appium-uiautomator2-driver\lib\commands\viewport.js:14:10) at AndroidUiautomator2Driver.fillDeviceDetails (C:\Users\Amarir\AppData\Roaming\npm\node_modules\appium\node_modules\appium-uiautomator2-driver\lib\driver.js:244:28) at AndroidUiautomator2Driver.createSession (C:\Users\Amarir\AppData\Roaming\npm\node_modules\appium\node_modules\appium-uiautomator2-driver\lib\driver.js:230:7) at AppiumDriver.createSession (C:\Users\Amarir\AppData\Roaming\npm\node_modules\appium\lib\appium.js:387:35) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-EE3F8H4', ip: '192.168.234.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362' Driver info: driver.version: SwipeableAndroidDriver at io.appium.java_client.remote.AppiumCommandExecutor\$1.createSession (AppiumCommandExecutor.java:208) at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:217) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:239) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at io.appium.java_client.DefaultGenericMobileDriver.execute (DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.execute (SwipeableAndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at io.appium.java_client.DefaultGenericMobileDriver.<init> (DefaultGenericMobileDriver.java:38) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:84) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:85) at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.<init> (SwipeableAndroidDriver.java:24) at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver</p>	5.466s	FAILED

Login

#	Description	Elapsed	Status
	(AppiumDriverManager.java:510) at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver (AppiumDriverManager.java:492) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:568) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:481) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall(StartApplicationKeyword. groovy:61) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:63) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute (StartApplicationKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication (MobileBuiltInKeywords.groovy:78) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$startApplication. call(Unknown Source) at Login.run(Login:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1692447058008.run(TempTestSuite1692447058008.groovy:36) Caused by: java.lang.reflect.InvocationTargetException at io.appium.java_client.remote.AppiumCommandExecutor\$1.createSession (AppiumCommandExecutor.java:186)		

Login

#	Description	Elapsed	Status
	<pre>at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:217) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:239) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at io.appium.java_client.DefaultGenericMobileDriver.execute (DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.execute (SwipeableAndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at io.appium.java_client.DefaultGenericMobileDriver.<init> (DefaultGenericMobileDriver.java:38) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:84) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:85) at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.<init> (SwipeableAndroidDriver.java:24) at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver (AppiumDriverManager.java:510) at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver (AppiumDriverManager.java:492) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:568) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:481) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall(StartApplicationKeyword. groovy:61) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:63) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute (StartApplicationKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication (MobileBuiltInKeywords.groovy:78) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$startApplication. call(Unknown Source) at Script1690188553036.run(Script1690188553036.groovy:20) ... 16 more</pre> <p>Caused by: org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'DESKTOP-EE3F8H4', ip: '192.168.234.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_362'</p> <p>Driver info: driver.version: SwipeableAndroidDriver</p> <p>remote stacktrace: UnknownError: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error:</p>		

Login

#	Description	Elapsed	Status
	<pre>socket hang up at UIA2Proxy.command (C: \Users\Amarir\AppData\Roaming\npm\node_modules\appium\node_modules\appium-base- driver\lib\jsonwp-proxy\proxy.js:274:13) at processTicksAndRejections (node:internal/process/task_queues:95:5) at AndroidUiautomator2Driver.commands.getDevicePixelRatio (C: \Users\Amarir\AppData\Roaming\npm\node_modules\appium\node_modules\appium- uiautomator2-driver\lib\commands\viewport.js:14:10) at AndroidUiautomator2Driver.fillDeviceDetails (C: \Users\Amarir\AppData\Roaming\npm\node_modules\appium\node_modules\appium- uiautomator2-driver\lib\driver.js:244:28) at AndroidUiautomator2Driver.createSession (C: \Users\Amarir\AppData\Roaming\npm\node_modules\appium\node_modules\appium- uiautomator2-driver\lib\driver.js:230:7) at AppiumDriver.createSession (C: \Users\Amarir\AppData\Roaming\npm\node_modules\appium\lib\appium.js:387:35) at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0 (ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) ... 43 more)</pre>		

Switch between sites

Information

ID	Test Cases/Menu and other services/Switch between sites		
Description			
Tag			
Start	2023-08-19 12:15:56	End	2023-08-19 12:15:56
Elapsed	0.184s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	tap(findTestObject("Object Repository/Menu and other services/Switch between sites/android.widget.ImageView - Menu"), 30)	0.156s	PASSED

About

Information

ID	Test Cases/Menu and other services/About		
Description			
Tag			
Start	2023-08-19 12:15:58	End	2023-08-19 12:15:58
Elapsed	0.274s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	tap(findTestObject("Object Repository/Menu and other services/About/android.widget.ImageView - Menu"), 30)	0.251s	PASSED

Automatic adjustment of Date format

Information

ID	Test Cases/Menu and other services/Automatic adjustment of Date format		
Description			
Tag			
Start	2023-08-19 12:15:59	End	2023-08-19 12:15:59
Elapsed	0.154s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	date = getText(findTestObject("Object Repository/Menu and other services/Automatic adjustment of Date format/android.widget.TextView - 27072023"), 30, STOP_ON_FAILURE)	0.141s	PASSED

Phone general tuto

Information

ID	Test Cases/Menu and other services/Phone general tuto		
Description			
Tag			
Start	2023-08-19 12:16:01	End	2023-08-19 12:16:01
Elapsed	0.121s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	tap(findTestObject("Object Repository/Menu and other services/Phone General Tuto/android.widget.ImageView - Menu"), 30)	0.110s	PASSED

Language

Information

ID	Test Cases/Menu and other services/Language		
Description			
Tag			
Start	2023-08-19 12:16:02	End	2023-08-19 12:16:02
Elapsed	0.177s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	tap(findTestObject("Object Repository/Menu and other services/Language/android.widget.ImageView - Menu"), 30)	0.159s	PASSED

Help

Information

ID	Test Cases/Menu and other services/Help		
Description			
Tag			
Start	2023-08-19 12:16:04	End	2023-08-19 12:16:04
Elapsed	0.160s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	tap(findTestObject("Object Repository/Menu and other services/Help/android.widget.ImageView - Menu"), 30)	0.148s	PASSED