

Samarth Sharma

24BAI10894

```
1. package mongodb; import
java.sql.Connection; import
java.sql.DriverManager; import
java.sql.ResultSet; import
java.sql.Statement; public class Testing {
    public static void main(String[]
args){
        try {
            Class.forName("com.mysql.cj.jdbc.Driver");
            Connection con =
DriverManager.getConnection("jdbc:mysql://localhost:3306/exercise",
"root","root123");
            Statement stmt = con.createStatement();
            ResultSet rs = stmt.executeQuery("select * from students");    while(rs.next()) {
                System.out.println(rs.getInt(1)+" "+
rs.getString(2)+" "+rs.getInt(3));
            }
            con.close();
        }catch(Exception e){
            System.out.println("Sorry for the inconvenience happened..! "
+ "Check the inputs properly one more time");
        }
    }
}
```

Samarth Sharma
24BAI10894

```
2.CRUD_Test; package CRUD; import java.sql.Connection; import
java.sql.PreparedStatement; import java.sql.ResultSet; public class
CRUD_Test {      public void create_data(String sl_no,String
name,String email){

        DB_Connection obj_DB_Connection=new DB_Connection();

        Connection connection=obj_DB_Connection.get_connection(); PreparedStatement
ps=null;

        try {

            String query="insert into student(sl_no,name,email) values
(?,?,?)";;

            ps=connection.prepareStatement(query);
ps.setString(1, sl_no);      ps.setString(2, name);
ps.setString(3, email);    System.out.println(ps);
ps.executeUpdate();

        } catch (Exception e) {

            System.out.println(e);

        }
    }

    public void read_data(String sl_no){

        DB_Connection obj_DB_Connection=new DB_Connection();

        Connection connection=obj_DB_Connection.get_connection();

        PreparedStatement ps=null;

        ResultSet rs=null;

        try {

            String query="select * from student";
```

Samarth Sharma
24BAI10894

```
ps=connection.prepareStatement(query);

        //ps.setString(1, sl_no);

System.out.println(ps);

rs=ps.executeQuery();                while(rs.next()){

        System.out.println("Sl no -"+rs.getString("sl_no"));

        System.out.println("name -"+rs.getString("name"));

        System.out.println("email -"+rs.getString("email"));

        System.out.println("-----");

    }

    } catch (Exception e) {

        System.out.println(e);

    }

}

public void update_data(String sl_no,String new_sl_no,String name,String email){

    DB_Connection obj_DB_Connection=new DB_Connection();

    Connection connection=obj_DB_Connection.get_connection(); PreparedStatement

ps=null;

    try {

        String query="update student set sl_no=?,name=?,email=? where

sl_no=?";

        ps=connection.prepareStatement(query);

        ps.setString(1, new_sl_no);

        ps.setString(2, name);                ps.setString(3,
```

Samarth Sharma
24BAI10894

```
email);                                ps.setString(4, sl_no);
System.out.println(ps);                ps.executeUpdate();
    } catch (Exception e) {
        System.out.println(e);
    }
}

public void delete_data(String sl_no){
    DB_Connection obj_DB_Connection=new DB_Connection();
    Connection connection=obj_DB_Connection.get_connection(); PreparedStatement
ps=null;

    try {
        String query="delete from student where sl_no=?";
        ps=connection.prepareStatement(query);
        ps.setString(1, sl_no);
        System.out.println(ps);          ps.executeUpdate();
    } catch (Exception e) {
        System.out.println(e);
    }
}

public static void main(String[] args) {
    CRUD_Test objTest=new CRUD_Test();

    //insert    data          objTest.create_data("1",    "jinu",
"jinu@gmail.com");          objTest.create_data("2",    "jawad",
"jawad@gmail.com");
```

Samarth Sharma
24BAI10894

```
        //read data
        objTest.read_data("2");

        //update data        objTest.update_data("2",
"22", "jawad2", "jawad2@gmail");

        //delete data
        objTest.delete_data("1");
    }
}
```

2.1:

```
package CRUD; import
java.sql.Connection; import
java.sql.DriverManager;
```

```
public class DB_Connection {
    public Connection get_connection(){
Connection connection=null;

        try {
            Class.forName("com.mysql.cj.jdbc.Driver");

            connection =
DriverManager.getConnection("jdbc:mysql://localhost:3306/exercise","root",
"root123"); } catch (Exception e) {

            System.out.println(e);
        }

        return connection;
    }
}
```

Samarth Sharma
24BAI10894

```
public static void main(String[] args) {  
    DB_Connection obj_DB_Connection=new DB_Connection();  
    System.out.println(obj_DB_Connection.get_connection());  
    }  
}
```