everlife
CPCDiagnostics
Enabling Better Outcomes

Empowering CBC test with maximum capabilities

EC 60

Hematology Analyzer




EC 60


Empowering CBC test with maximum capabilities

EC 60 is a robust 3-part hematology analyzer integrating a range of advanced features intended for a cost-minded and quality-focused clinical laboratory. The enhanced specification expands clinical capabilities; The brand new operating system simplifies the working process; The quality hardware components ensure reliable performance, and the improved fluidic system reduces reagent consumption. To pursuit higher satisfaction, EC 60 empowers CBC test with maximum capabilities by


- Giving absolute neutrophil count
- Offering up to 23 parameters including PLR and NLR
- Extending linearity range for WBC and PLT
- Differentiating WBC, RBC, and PLT with adaptive threshold
- Requiring small sample volume for pediatric samples and difficult draw
- Simplifying the working process with an intuitive operation system
- Lowering cost with two routine reagents












Expanded clinical capabilities


- Wider linearity range and better precision meet diversified clinical cases
- 23-parameters test result, including NLR and PLR, helps with the prognosis of infectious and cardiovascular diseases
- Adaptive threshold differentiates WBC, RBC, and PLT with better accuracy
- Original hematology calibrator and controls guarantee the performance



Expanded clinical capabilities

- 10.4-inch color touch screen with an innovative operating system is simple-to-use and easy-to-navigate
- A handheld barcode scanner allows easy entry of patient ID
- RFID transducer secures the distributors' reagent business
- A built-in thermal printer allows for a fast printout of test reports





- The memory contains up to100,000 results, including histograms
- Up to 60 QC files with 100 QC data for each can be stored
- Support external printer, barcode scanner, mouse, and keyboard for flexible connection options
- Bidirectional LIS connectivity via HL7

Effective cost control

- Two routine reagents for sample analysis, up to 120 days on-board stability plus low reagent consumption, provide cost-effective results
- Reliable diagnostics keep costs to a minimum
- Minimal maintenance ensures maximal uptime



EC 60 Hematology Analyzer

Specification

Parameters

21 reportable parameters:	WBC, LYM%, MXD%, NEUT%, LYM#, MXD#, NEUT#, RBC, HGB, HCT, MCV, MCH, MCHC,RDW-CV, RDW-SD, PLT, MPV, PDW, PCT, PLCC, PLCR
2 RUO parameters:	*NLR, *PLR
3 histograms for WBC, RBC and PLT	

Performance

Parameter	Linearity Range	Precision (CV %)
WBC (109/L)	0.0-300	≤2.5% (3.50-15.00)
RBC (1012/L)	0.0-8.5	≤1.5% (3.5-6.5)
HGB (g/L)	0-250	≤1.5% (100-180)
PLT (109/L)	0-4000	≤5.0% (125-500)
MCV(fL)	70-120	≤1.0% (70.0-120.0)
HCT(%)		≤2.0% (30-50)

Principles

Direct impedance method for WBC, RBC and PLT counting Cyanide free Lyse reagent for hemoglobin test

Sample Volume

Whole blood mode	10 µL
Capillary whole blood mode	10 µL
Pre-diluted mode	20 µL

Reagent

EC - Diluent 20L
EC - Lyse 500mL
EC - Cleaner 50mL

Operating Environment

Temperature: 15°C~35°C;
Humidity: 20% RH~85% RH;
Air pressure: 70 kPa~106 kPa

Display

10.4 inch TFT color touch screen

Throughput

60 samples per hour

Control and Calibrator

ED-30D, ED-CAL PLUS

Data Storage Capacity

100, 000 results including results and histograms 60 QC files (100 data per file)

Dimension and Weight

415mm(L) x 275mm(W) x 406mm(H); Weight: 18kg

Interface

5 USB ports (for external printer, software upgrade, barcode scanner, keyboard, mouse), 1 LAN port

everlife
CPCDiagnostics
Enabling Better Outcomes

Samarth Agency
'Moreshwar', Plot No.10,
Abhiyantanagar, Islampur
Pin -415 409 Tal.Walwa,
Dist. Sangli, Maharastra

ph-
+918329160577 +919699637355
+918412821206 +919699627366

email-
sharadmore7517@gmail.com