Lord's

LordsMed

LM 1016-400

Fully Automatic Clinical BioChemistry Analyzer

THROUGHPUT UP TO 480 TEST /HOUR



- Fully Automated Clinical BioChemistry Analyzer.
- Floor model, Compact design, Quick Analysis Throughput up to 480 test /hour.

Easy to Operate, Smart System

- 3 Independent Probes: 1 for Sample & 2 for Reagents.
- 2 Independent Mixers to avoid carry over & cross contamination.

MAKE IN INDIA

Samarth Agency
'Moreshwar', Plot No.10,
Abhiyantanagar, Islampur
Pin -415 409 Tal.Walwa,
Dist. Sangli, Maharastra

ph-
+918329160577 +919699637355
+918412821206 +919699627366

email-
sharadmore7517@gmail.com

Lord's

LordsMed

LM 1016-400 is Fully Automated Clinical BioChemistry Analyzer with 480 test / hour throughput, high performance suitable for mid-size & high workload laboratories.



Sample/Reagent Tray

- 80 Reagent Positions (R1 & R2)
- 100 sample positions (sample/QC/STAT)
- Sample position capable of loading sample cups & primary tubes
- Onboard Refrigeration facility (2-8)°C for Reagents

Sample / Reagent Probe

- 3 Independent probes: 2 Reagent Probe, (R1 & R2 Separate Probe), 1 Sample Probe.
- Liquid level detection
- Vertical probe anti-collision prevention





Mixer Assembly

- Teflon coated Mixers
- 2 Independent Mixers for high accuracy & precision

Lord's

LordsMed

Technical Specification

System	– Random access, Discrete, Floor model	**Optical system**	– Array- type rear-optical and photo-electric detection system 9 wavelength (300-700nm) can extended + 1 Abs Range: 0.0001 to 4.0 Abs
Principle	– Photometry, Colorimetry		
Analysis Method	– End Points, Fixe-time/2 Point Kinetic, Kinetic Turbidimetry, Multi - STD	**Light source**	– 12v, 20w Halogen Tungsten lamp
Throughput	– 480 Test / Hour	**QC/Calibration**	– Single Point, Two Point, Spline, Logit-log, 4P, 5P
Samples Dics	– 100 samples positions (Sample, QC, STAT) Sample volume - 2-50µl, 0.1µl SteppingPrimary Tube or Serum Cup	**Operating System**	– Windows 7 & above
Reagents	– 80 reagent positions 24-hour refrigeration(2-8 C) Reagent Volume-10 - 300µl Single reagent and double reagent Internal Reagent Bar code Scanning	**Power supply**	– 100-230V Ac+_50/60 HZ(Ac)
Probe system	– 3 Independent Probes, 1 for Sample & 2 for Reagent Independent Mixers 2	**Dimension**	– 980*820*1180mm (length*width*height)
Laundry system	– Adopt 8-stage 16 brittle cleaning technology Water Consumption-8 Lit/hr	**Weight**	– 168Kg
Detection system	– 80 cuvettes		

- Wide range of Clinical Chemistry Reagent
- Good Onboard Stability of System pack
- Liquid Stable System pack.
- Packsize option suitable to meet customer needs

