

CardioVision — Cardiovascular Risk Report

Overall Risk: 26.7%

Category: Low-Risk

Disease-Specific Risk Scores

Condition	Risk %
Coronary Artery Disease	67.6%
Hypertension	69.0%
Heart Failure	56.6%
Arrhythmia	63.0%
Atherosclerosis	65.3%

Clinical Parameters

Parameter	Value	Description
age	50	Age (years)
sex	1	Sex (1=Male, 0=Female)
cp	0	Chest Pain Type (0-3)
trestbps	120	Resting Blood Pressure (mmHg)
chol	200	Serum Cholesterol (mg/dl)
fbs	0	Fasting Blood Sugar > 120mg/dl (1=Yes)
restecg	0	Resting ECG Results (0-2)
thalach	150	Max Heart Rate Achieved
exang	0	Exercise Induced Angina (1=Yes)
oldpeak	0.0	ST Depression (exercise vs rest)
slope	1	Slope of Peak Exercise ST Segment
ca	0	Number of Major Vessels (0-3)
thal	2	Thalassemia (0-3)
bmi	25.0	Body Mass Index
hdl	50	HDL Cholesterol (mg/dl)
ldl	100	LDL Cholesterol (mg/dl)
triglycerides	150	Triglycerides (mg/dl)
smoking	0	Smoking Status (1=Yes)
family_history	0	Family History of Heart Disease (1=Yes)
diabetes_history	0	Diabetes History (1=Yes)
hba1c	5.5	HbA1c (%)

Key Risk Drivers

- ↓ Triglycerides (mg/dl): 150 [+13.6% risk contribution]
- ↓ Number of Major Vessels (0-3): 0 [+11.2% risk contribution]
- ↓ HbA1c (%): 5.5 [+10.4% risk contribution]
- ↓ Resting Blood Pressure (mmHg): 120 [+10.2% risk contribution]
- ↓ Body Mass Index: 25.0 ■ High (normal <24.9) [+9.5% risk contribution]

SHAP Feature Contributions

- Triglycerides (mg/dl): +13.6% (decrease)
- Number of Major Vessels (0-3): +11.2% (decrease)
- HbA1c (%): +10.4% (decrease)
- Resting Blood Pressure (mmHg): +10.2% (decrease)
- Body Mass Index: +9.5% (decrease)

Recommendations

Diet

- Eat ≥5 servings of vegetables and fruits daily.
- Stay well hydrated — aim for 8–10 glasses of water per day.

Exercise

- 150 min/week of moderate aerobic activity (WHO recommendation).
- Include yoga or stretching for stress and BP reduction.

Lifestyle

- Manage stress with mindfulness, sleep hygiene (7–8 hours/night).
- Reduce sedentary time; stand and move every hour.

Follow Up

- Annual preventive health check-up recommended.
- Maintain current lifestyle and reassess in 12 months.

Monitoring

- Track resting heart rate and blood pressure weekly.
- Repeat lipid panel every 3–6 months if elevated.
- Log symptoms: chest pain, shortness of breath, palpitations.