

Comprehensive Wellness Agent RAG Knowledge Base

An expanded retrieval knowledge base for a wellness support agent, formatted in basic text.

1. Sleep Knowledge Base

Sleep Fundamentals

- Most adults benefit from approximately 7 to 9 hours of sleep per night.
- Sleep supports memory, mood regulation, concentration, and physical recovery.
- Consistent sleep and wake times help regulate the body clock.

Signs of Poor Sleep

- Difficulty concentrating during the day.
- Feeling tired even after waking up.
- Frequent daytime sleepiness.
- Increased irritability or low mood.

Sleep Hygiene

- Go to bed and wake up at the same time every day.
- Avoid screens 30 to 60 minutes before bedtime.
- Keep the bedroom cool, dark, and quiet.
- Use the bed primarily for sleep and rest.

Caffeine and Sleep

- Caffeine may remain in the body for several hours.
- Limiting caffeine intake later in the day may support better sleep quality.
- Energy drinks and some soft drinks also contain caffeine.

Screen Time

- Excessive evening screen exposure may interfere with sleep routines.
- Creating a technology-free wind-down routine can be beneficial.

Stress and Sleep

- Stress can make it difficult to fall asleep or stay asleep.
- Breathing exercises, journaling, and relaxation techniques may help reduce bedtime stress.

Healthy Bedtime Activities

- Reading a book.
- Gentle stretching.
- Guided breathing exercises.
- Listening to calming audio.

Morning Habits

- Expose yourself to natural daylight after waking.
- Maintain a regular wake-up time, including weekends.
- Start the day with hydration and light movement.

When to Seek Professional Help

- Persistent sleep difficulties lasting several weeks may require professional assessment.
- Severe daytime fatigue that affects daily functioning should not be ignored.
- A healthcare professional can help evaluate ongoing sleep concerns.

2. Mood Support Knowledge Base

Mood Fundamentals

- Mood fluctuates naturally in response to life events, sleep quality, and physical health.
- Focusing on small achievable goals, daily routines, and movement supports mood stabilization.
- Consistent social connection is a vital protective factor against persistent low mood.

Actionable Mood Boosters

- Break large, overwhelming tasks into smaller, manageable micro-steps.
- Acknowledge and celebrate small victories to reinforce positive cognitive patterns.
- Incorporate brief moments of physical activity into the day to stimulate the release of mood-enhancing endorphins.

When to Seek Professional Help

- Persistent low mood lasting for more than two consecutive weeks warrants professional support.
- Loss of interest or pleasure in previously enjoyed activities is a key indicator for escalation.

3. Stress Management Knowledge Base

Stress Fundamentals

- Stress is a natural physical and mental reaction to life experiences, but chronic stress requires active intervention.
- Taking regular breaks, hydrating adequately, and maintaining strict work-life boundaries help mitigate daily stress accumulation.

Active Coping Techniques

- Practice 4-4-4 box breathing: inhale for 4 seconds, hold for 4 seconds, exhale for 4 seconds.
- Utilize scheduled "worry time" and journaling to process anxieties outside of rest and sleep periods.
- Step away from regular environments during breaks to reset cognitive load and reduce tension.

4. Nutrition Knowledge Base

Nutrition Fundamentals

- Aim for balanced meals comprising fruits, vegetables, whole grains, and lean proteins to support brain health.
- Regular meal timing helps maintain steady blood sugar levels, preventing sudden energy crashes or mood swings.

Hydration

- Maintain steady water intake throughout the day, aiming for approximately 2 litres for most healthy adults.
- Mild dehydration can often mimic symptoms of fatigue, brain fog, and irritability.

5. Physical Activity Knowledge Base

Activity Fundamentals

- Regular physical activity improves mood, reduces anxiety, and significantly supports better sleep quality.
- It is more effective to start with highly manageable goals, such as a 10-minute daily walk, rather than committing to intense, unsustainable regimens.

Types of Movement

- Walking, gentle stretching, yoga, cycling, and dancing are all valid and effective ways to support wellbeing.
- Consistency in light daily movement is generally more beneficial for mental health than sporadic, intense workouts.

6. Social Connection Knowledge Base

Connection Fundamentals

- Social isolation is a significant risk factor for declining physical and mental health.
- Reaching out to trusted friends, family, mentors, or colleagues provides an essential emotional buffer against stress.

Building Habits

- Actively schedule at least one meaningful, extended conversation each week.
- Engaging in community groups or shared interest activities can help build new support networks.

7. Mindfulness and Journaling Knowledge Base

Mindfulness Techniques

- Practice 5 minutes of focused, mindful breathing daily to center the nervous system.
- Use the 5-4-3-2-1 grounding technique during moments of high anxiety (identifying 5 things you see, 4 you feel, 3 you hear, 2 you smell, 1 you taste).

Journaling Practices

- Write down three specific gratitude points each day to help foster a positive cognitive bias over time.
- Use expressive writing to externalize and process complex emotions in a safe, private format.

8. Support Resources & Escalation Knowledge Base

Counselling and Helplines (India)

- India Tele-MANAS Mental Health Support Helpline: 14416
- India Tele-MANAS Alternate Number: 1-800-891-4416
- Agents should always encourage users to contact local counselling services or general practitioners where available.

Escalation Triggers

- Persistent low mood, excessive crying spells, or feelings of hopelessness extending beyond 14 days.
- Significant difficulty performing basic daily activities (e.g., hygiene, eating, getting out of bed).
- Any explicit or implicit expressions of self-harm or severe psychological distress require immediate handover to professional resources.

9. Wellness Programming (21-Day Routine) Knowledge Base

Program Structure & Implementation

- The 21-Day program is designed to build atomic habits across four core pillars: Movement, Hydration, Sleep, and Mindfulness.
- Daily baseline targets include: a 10-minute walk, consuming 2 litres of water, getting to sleep before 11 PM, and completing one mindfulness or gratitude activity.
- Maintaining consistency over a 21-day period is critical to transitioning conscious effort into automatic, sustainable behavioral routines.