

MASTER 5G INFRASTRUCTURE AND EDGE CLOUD MANAGED SERVICES AGREEMENT

Agreement Number: TELECOM-5G-2027-MSA-9901

Effective Date: October 1, 2027

Initial Expiration Date: September 30, 2037

Renewal Option: Three optional two-year renewals upon 180 days written notice prior to expiration

Telecommunications Operator: Apex Telecom Global, Inc., a Delaware corporation ("Operator")

Managed Services Provider: Network Edge Infrastructure Corp., a Delaware corporation ("Provider")

Primary Operating Markets: Tier-1 and Tier-2 Metropolitan Statistical Areas (MSAs) across the United States and Canada

Contract Currency: United States Dollars (USD)

Governing Law: State of New York, excluding its conflict of laws principles

Jurisdiction: Commercial Arbitration in New York, NY under AAA Commercial Rules

RECITALS

WHEREAS, Operator holds nationwide 5G C-band, CBRS, and millimeter-wave (mmWave) spectrum licenses issued by the Federal Communications Commission (FCC) and Innovation, Science and Economic Development Canada (ISED), and operates a next-generation mobile network serving consumer, enterprise, public safety, and industrial Internet of Things (IoT) subscribers;

WHEREAS, Provider specializes in the design, deployment, hosting, monitoring, management, maintenance, and optimization of Open Radio Access Networks (Open RAN), 5G Standalone (5G SA) Core infrastructure, Multi-access Edge Computing (MEC) facilities, and fiber backhaul interconnects;

WHEREAS, Operator desires to retain Provider, and Provider agrees to be retained by Operator, to deliver fully managed 5G network operations, edge cloud infrastructure, active RAN maintenance, slice orchestration, and continuous key performance indicator (KPI) monitoring under strict service level agreements (SLAs);

NOW, THEREFORE, in consideration of the mutual covenants, promises, and legal conditions set forth herein, the receipt and sufficiency of which are hereby acknowledged, Operator and Provider (collectively, the "Parties" and individually, a "Party") hereby agree as follows:

ARTICLE I: DEFINITIONS AND RULES OF INTERPRETATION

Section 1.01: Rules of Interpretation

In this Agreement, unless the context otherwise requires:

- (a) Headings and titles are for convenience of reference only and shall not affect legal interpretation;
- (b) Words importing the singular include the plural and vice versa;
- (c) The terms "hereof," "herein," "hereunder," and words of similar import refer to this Agreement as a whole;
- (d) References to Articles, Sections, Schedules, and Exhibits refer to Articles, Sections, Schedules, and Exhibits of this Agreement;
- (e) The term "including" means "including without limitation" or "including but not limited to";
- (f) Statutory and regulatory references include any amendments, re-enactments, or successor legislation thereto.

Section 1.02: Defined Terms

As used in this Agreement, the following defined terms shall have the specified meanings:

- 1. Active RAN Availability:** The percentage of time during a calendar month that gNodeB cell sites, radio units (RUs), distributed units (DUs), and centralized units (CUs) are fully operational and transmitting RF power within specified spectral masks across all allocated radio sectors.
- 2. Air-Interface Latency:** The round-trip time measured from the physical layer of the user equipment (UE) to the gNodeB physical layer over the 5G New Radio (5G NR) air interface.
- 3. Allowable Maintenance Window:** A scheduled period occurring strictly between 01:00 AM and 04:00 AM local time on Tuesdays or Thursdays, approved in writing by Operator at least seven (7) business days in advance, during which Provider may perform routine software upgrades or non-disruptive hardware maintenance.
- 4. CBRS Band:** Citizens Broadband Radio Service spectrum operating between 3550 MHz and 3700 MHz under FCC Part 96 rules.
- 5. Centralized Unit (CU):** The 5G RAN logical node hosting Radio Resource Control (RRC), Service Data Adaptation Protocol (SDAP), and Packet Data Convergence Protocol (PDCP) protocols.
- 6. Core Network Outage:** Any unscheduled interruption, packet drop, routing failure, or degradation affecting the 5G User Plane Function (UPF), Access and Mobility Management Function (AMF), or Session Management Function (SMF) resulting in subscriber session disconnects exceeding 0.01% of active subscriber sessions in any market.
- 7. Distributed Unit (DU):** The 5G RAN logical node hosting Radio Link Control (RLC), Medium Access Control (MAC), and Physical (PHY-High) layer protocols.
- 8. Edge Node Compute Density:** The allocated compute capacity (vCPUs, RAM, and Tensor Core GPU accelerators) operational at a designated Multi-access Edge Computing (MEC) facility available for real-time application processing.
- 9. Emergency Outage:** Any unscheduled event resulting in a loss of gNodeB coverage across more than five (5) adjacent cell sites or any loss of 5G Core connectivity lasting longer than sixty (60) seconds.
- 10. gNodeB Availability:** The ratio of operational cell site hours to total potential site hours in a billing month, adjusted for Force Majeure and pre-approved Maintenance Windows.
- 11. Handover Success Rate:** The ratio of successful mobility handovers between adjacent gNodeB sectors or between 5G NR and LTE fallback cells to total attempted handovers.

- 12. Mean Time to Detect (MTTD):** The duration between the occurrence of a network anomaly or hardware fault and its automated detection and logging by Provider's Network Operations Center (NOC).
- 13. Mean Time to Repair (MTTR):** The duration between the creation of an incident ticket by NOC telemetry and the full restoration of normal service capability verified by synthetic transaction testing.
- 14. Multi-access Edge Computing (MEC):** Cloud computing capabilities and IT service environment situated at the cellular network edge, within close proximity to cellular subscribers.
- 15. Network Slice:** A logical end-to-end network created on top of a shared physical 5G infrastructure tailored to deliver specific network capabilities and SLA guarantees (e.g., URLLC, eMBB, mMTC).
- 16. Network Slice Isolation Guarantee:** The cryptographically verified separation of compute, memory, queueing, and bandwidth resources between distinct tenant network slices preventing cross-slice data leakage or noisy-neighbor performance degradation.
- 17. Packet Loss Ratio:** The percentage of transmitted user-plane IP packets that fail to reach their intended destination across the 5G Core, backhaul, and MEC infrastructure.
- 18. Peak Busy Hour:** The continuous 60-minute window during a 24-hour period during which network traffic volume (measured in Gigabits per second) reaches its maximum value for a given MSA market.
- 19. Power Usage Efficiency (PUE):** The ratio of total energy consumed by an Edge Compute facility (including cooling, power distribution, and lighting) to the energy delivered strictly to IT compute equipment.
- 20. Radio Access Network (RAN):** The mobile telecommunications system component implementing radio access technology across gNodeB base stations, antenna arrays, and remote radio heads.
- 21. Severity 1 Incident (Critical):** Any network event causing a total loss of service, Core UPF failure, slice isolation failure, or service degradation affecting more than 10,000 active subscribers or any E911 emergency call routing failure.
- 22. Severity 2 Incident (Major):** Any network event causing partial loss of redundancy, loss of gNodeB coverage across 2 to 5 cell sites, or latency degradation exceeding 50% above target threshold for more than fifteen (15) minutes.
- 23. Severity 3 Incident (Minor):** Any localized performance degradation, non-critical telemetry failure, or single-site non-redundant fan/sensor failure that does not impact end-user voice or data traffic.
- 24. Service Credit:** A monetary credit calculated as a percentage of Provider's Monthly Base Managed Service Fee, credited against Operator's subsequent monthly invoice as liquidated damages for SLA non-compliance.
- 25. Step-In Right:** Operator's legal right, following uncured material breach or operational default, to assume direct operational control of Provider's management tools, NOC interfaces, and network facilities.
- 26. Synthetic Transaction Test:** Automated end-to-end diagnostic sessions generated by software probes simulating subscriber voice calls, video streaming, data transfers, and E911 calls to validate network performance.
- 27. Ultra-Reliable Low-Latency Communication (URLLC):** 3GPP Service Category defined by latency guarantees under 1 millisecond for radio link and packet delivery reliability exceeding 99.999%.

28. User Plane Function (UPF): The 5G Core Network functional entity responsible for packet routing, forwarding, inspection, QoS handling, and interconnectivity to external data networks.

29. Zero-Trust Network Architecture: Security framework requiring continuous authentication, authorization, and validation of all users, devices, and application flows accessing network management planes.

30. 5G Standalone (5G SA): A 5G network architecture relying exclusively on a 5G Core (5GC) without reliance on legacy 4G LTE Evolved Packet Core (EPC) anchors.

ARTICLE II: SCOPE OF SERVICES AND DEPLOYMENT OBLIGATIONS

Section 2.01: Managed Services Scope

Provider shall provide 24/7/365 end-to-end managed services across Operator's 5G network infrastructure spanning 48 Tier-1 and Tier-2 metropolitan markets. The scope of services includes:

- (a) Continuous real-time monitoring of 14,500 gNodeB radio sites, 12 regional 5G SA Core facilities, and 96 Edge MEC data nodes;
- (b) First-line, second-line, and expert third-line field support, dispatch, hardware repair, component replacement, and software patching;
- (c) Radio frequency (RF) optimization, dynamic beamforming adjustment, antenna tilt tuning, and neighbor-relation table updates;
- (d) Network slice provision, slice dynamic scaling, bandwidth assurance, and real-time SLA telemetry reporting;
- (e) Cybersecurity threat management, intrusion prevention system (IPS) operation, DDoS mitigation, and firmware vulnerability patching.

Section 2.02: Network Operations Center (NOC) Standards

Provider shall operate dual geo-redundant NOC facilities located in Dallas, Texas and Ashburn, Virginia. Each NOC facility shall maintain ISO 27001 certification, SOC 2 Type II compliance, and Tier III uptime standards. NOC staff shall maintain continuous visibility into gNodeB alarms, UPF packet metrics, backhaul link status, and ambient facility temperatures.

Section 2.03: Capacity Planning and Dynamic Scaling

Provider shall analyze traffic trends daily and submit weekly capacity forecasts to Operator. Whenever cell site utilization exceeds 75% of maximum throughput for more than three (3) consecutive Peak Busy Hours in a week, Provider shall initiate radio carrier aggregation tuning or recommend additional sector cell deployment within five (5) business days.

ARTICLE III: FINANCIAL TERMS, INVOICING AND COMPENSATION

Section 3.01: Base Managed Service Fee

In consideration for the Services rendered under Article II, Operator shall pay Provider a Base Managed Service Fee of Two Million Eight Hundred Fifty Thousand United States Dollars (\$2,850,000.00) per calendar month, subject to adjustment for SLA Service Credits under Article V and Pass-Through Facility Charges under Section 3.03.

Section 3.02: Fee Schedule and Unit Pricing

Service Category	Unit / Metric	Monthly Unit Rate	Billing Terms
Base gNodeB Site Management	Per Active Cell Site	\$145.00	Invoiced monthly in advance
5G Core UPF Managed Instance	Per Regional UPF Pair	\$28,500.00	Invoiced monthly in advance
MEC Edge Compute Node Management	Per Active MEC Facility	\$6,200.00	Invoiced monthly in advance
Network Slice SLA Assurance	Per Active Enterprise Slice	\$1,850.00	Invoiced monthly in arrears
Field Technician Dispatch (Emergency)	Per On-Site Event	\$450.00	Fixed rate after first 2 hours
Annual RF Spectrum Audit & Optimization	Per MSA Market	\$18,500.00	Annual flat fee per market

ARTICLE IV: SERVICE LEVEL AGREEMENTS AND KEY PERFORMANCE INDICATORS

Section 4.01: KPI Performance Matrix

Provider shall maintain network performance meeting or exceeding the specific target thresholds set forth in the table below:

KPI ID	Performance Metric Name	Measurement Scope	Minimum Target	Threshold Band	Calculation Window
KPI-TEL-01	5G SA Core Uptime	All 12 Regional Cores	99.999%	< 99.990%	Monthly Aggregate
KPI-TEL-02	gNodeB Active Availability	All 14,500 Cell Sites	99.950%	< 99.900%	Monthly Aggregate
KPI-TEL-03	URLLC Air-Interface P99 Latency	Enterprise URLLC Slices	< 4.00 ms	> 6.00 ms	Rolling 5-Minute Window
KPI-TEL-04	MEC Compute Processing Latency	All 96 Edge MEC Nodes	< 5.00 ms	> 8.00 ms	Rolling 5-Minute Window
KPI-TEL-05	Mobility Handover Success Rate	Intra-gNodeB & Inter-gNodeB	99.850%	< 99.500%	Monthly Aggregate
KPI-TEL-06	Network Slice Isolation Guarantee	Active Enterprise Slices	100.000%	< 100.000%	Continuous Audit
KPI-TEL-07	Packet Loss Ratio (User Plane)	Backhaul & Core	< 0.001%	> 0.005%	Monthly Aggregate

KPI ID	Performance Metric Name	Measurement Scope	Minimum Target	Threshold Band	Calculation Window
KPI-TEL-08	Cyber Threat Containment Time	NOC Security Probe	<= 15.0 min	> 30.0 min	Per Incident Event
KPI-TEL-09	Severity 1 Incident MTTR	Critical Outages	<= 15.0 min	> 30.0 min	Per Incident Event
KPI-TEL-10	Severity 2 Incident MTTR	Major Outages	<= 45.0 min	> 90.0 min	Per Incident Event
KPI-TEL-11	Edge Facility PUE Efficiency	All MEC Nodes	<= 1.220	> 1.250	Monthly Average
KPI-TEL-12	Billing Telemetry Data Accuracy	Billing CDR Generation	99.990%	< 99.900%	Monthly Aggregate

ARTICLE V: SERVICE CREDITS, FINANCIAL PENALTIES AND REMEDIES

Section 5.01: Service Credit Calculation Engine

If Provider fails to achieve any KPI target specified in Article IV during a billing calendar month, Provider shall issue a Service Credit to Operator calculated in accordance with the credit matrix below:

KPI ID	Minor Failure (Tier 1 Credit)	Major Failure (Tier 2 Credit)	Severe Failure (Tier 3 Credit)
KPI-TEL-01 (5G Core Uptime)	99.990% - 99.994%: 5.0% Fee Credit	99.950% - 99.989%: 12.0% Fee Credit	< 99.950%: 25.0% Fee Credit
KPI-TEL-02 (gNodeB Availability)	99.900% - 99.949%: 3.0% Fee Credit	99.800% - 99.899%: 8.0% Fee Credit	< 99.800%: 15.0% Fee Credit
KPI-TEL-03 (URLLC Latency)	4.01 ms - 5.00 ms: 2.5% Fee Credit	5.01 ms - 6.00 ms: 6.0% Fee Credit	> 6.00 ms: 12.0% Fee Credit
KPI-TEL-04 (MEC Latency)	5.01 ms - 6.50 ms: 2.0% Fee Credit	6.51 ms - 8.00 ms: 5.0% Fee Credit	> 8.00 ms: 10.0% Fee Credit
KPI-TEL-06 (Slice Isolation)	N/A (Single Incident): 15.0% Fee Credit	2-3 Incidents: 25.0% Fee Credit	> 3 Incidents: 35.0% Fee Credit
KPI-TEL-09 (Sev 1 MTTR)	15.1 min - 30.0 min: \$10,000 / event	30.1 min - 60.0 min: \$25,000 / event	> 60.0 min: \$50,000 / event

ARTICLE 6: OPERATIONAL GOVERNANCE, AUDIT AND COMPLIANCE - SECTION 1

Section 6.01: Detailed Operational Protocols in 5G Telecommunications Operations

Provider shall operate and manage all infrastructure, equipment, processes, software tools, and personnel engaged in 5G Telecommunications Operations in accordance with established industry standards, strict safety protocols, and statutory

requirements. All operational workflows shall be documented in standard operating procedures (SOPs) approved in writing by Operator prior to commercial execution.

Section 6.02: Preventive Maintenance and Quality Control Verification

Provider shall maintain a comprehensive preventive maintenance and quality control regime. Equipment calibrations, diagnostic sweeps, software patches, and environmental audits shall occur on a mandatory recurring schedule. Detailed maintenance logs shall be preserved in tamper-evident electronic format for at least ten (10) years and made available for Operator inspection upon request.

Section 6.03: Regulatory Inspections, Statutory Reporting, and Audit Rights

Operator and its authorized independent auditors shall have unrestricted rights to inspect, audit, test, and evaluate Provider's facilities, records, telemetry streams, and operating procedures upon five (5) business days written notice. In the event of an unannounced inspection by a federal or state regulatory authority (e.g., FDA, FCC, SEC, EPA, OSHA), Provider shall notify Operator within two (2) hours of inspector arrival.

Section 6.04: Incident Escalation, Root Cause Analysis (RCA), and Corrective Action Plans

In the event of any operational breakdown, performance failure, security incident, or SLA breach, Provider shall initiate immediate emergency response protocols. Provider shall provide a preliminary incident notification within fifteen (15) minutes, contain the issue within thirty (30) minutes, and submit a comprehensive Root Cause Analysis (RCA) report within forty-eight (48) hours detailing permanent Corrective and Preventive Actions (CAPA).

Section 6.05: Subcontractor Oversight and Vendor Qualification Rules

Provider shall not subcontract, delegate, or assign any primary operational duties under this Agreement without Operator's express prior written approval. All approved subcontractors must be bound by written agreements enforcing quality control, non-disclosure, cybersecurity, and insurance standards at least as stringent as those set forth herein. Provider remains fully liable for all subcontractor acts and omissions.

Section 6.06: Environmental Sustainability, Energy Efficiency, and Waste Disposal

Provider shall execute all operational activities in compliance with environmental protection regulations. Provider shall implement energy-efficient practices, minimize hazardous waste generation, and provide certified waste disposition documentation to Operator annually.

ARTICLE 7: OPERATIONAL GOVERNANCE, AUDIT AND COMPLIANCE - SECTION 2

Section 7.01: Detailed Operational Protocols in 5G Telecommunications Operations

Provider shall operate and manage all infrastructure, equipment, processes, software tools, and personnel engaged in 5G Telecommunications Operations in accordance with established industry standards, strict safety protocols, and statutory requirements. All operational workflows shall be documented in standard operating procedures (SOPs) approved in writing by Operator prior to commercial execution.

Section 7.02: Preventive Maintenance and Quality Control Verification

Provider shall maintain a comprehensive preventive maintenance and quality control regime. Equipment calibrations, diagnostic sweeps, software patches, and environmental audits shall occur on a mandatory recurring schedule. Detailed maintenance logs shall be preserved in tamper-evident electronic format for at least ten (10) years and made available for Operator inspection upon request.

Section 7.03: Regulatory Inspections, Statutory Reporting, and Audit Rights

Operator and its authorized independent auditors shall have unrestricted rights to inspect, audit, test, and evaluate Provider's facilities, records, telemetry streams, and operating procedures upon five (5) business days written notice. In the event of an unannounced inspection by a federal or state regulatory authority (e.g., FDA, FCC, SEC, EPA, OSHA), Provider shall notify Operator within two (2) hours of inspector arrival.

Section 7.04: Incident Escalation, Root Cause Analysis (RCA), and Corrective Action Plans

In the event of any operational breakdown, performance failure, security incident, or SLA breach, Provider shall initiate immediate emergency response protocols. Provider shall provide a preliminary incident notification within fifteen (15) minutes, contain the issue within thirty (30) minutes, and submit a comprehensive Root Cause Analysis (RCA) report within forty-eight (48) hours detailing permanent Corrective and Preventive Actions (CAPA).

Section 7.05: Subcontractor Oversight and Vendor Qualification Rules

Provider shall not subcontract, delegate, or assign any primary operational duties under this Agreement without Operator's express prior written approval. All approved subcontractors must be bound by written agreements enforcing quality control, non-disclosure, cybersecurity, and insurance standards at least as stringent as those set forth herein. Provider remains fully liable for all subcontractor acts and omissions.

Section 7.06: Environmental Sustainability, Energy Efficiency, and Waste Disposal

Provider shall execute all operational activities in compliance with environmental protection regulations. Provider shall implement energy-efficient practices, minimize hazardous waste generation, and provide certified waste disposition documentation to Operator annually.

ARTICLE 8: OPERATIONAL GOVERNANCE, AUDIT AND COMPLIANCE - SECTION 3

Section 8.01: Detailed Operational Protocols in 5G Telecommunications Operations

Provider shall operate and manage all infrastructure, equipment, processes, software tools, and personnel engaged in 5G Telecommunications Operations in accordance with established industry standards, strict safety protocols, and statutory requirements. All operational workflows shall be documented in standard operating procedures (SOPs) approved in writing by Operator prior to commercial execution.

Section 8.02: Preventive Maintenance and Quality Control Verification

Provider shall maintain a comprehensive preventive maintenance and quality control regime. Equipment calibrations, diagnostic sweeps, software patches, and environmental audits shall occur on a mandatory recurring schedule. Detailed maintenance logs shall be preserved in tamper-evident electronic format for at least ten (10) years and made available for Operator inspection upon request.

Section 8.03: Regulatory Inspections, Statutory Reporting, and Audit Rights

Operator and its authorized independent auditors shall have unrestricted rights to inspect, audit, test, and evaluate Provider's facilities, records, telemetry streams, and operating procedures upon five (5) business days written notice. In the event of an unannounced inspection by a federal or state regulatory authority (e.g., FDA, FCC, SEC, EPA, OSHA), Provider shall notify Operator within two (2) hours of inspector arrival.

Section 8.04: Incident Escalation, Root Cause Analysis (RCA), and Corrective Action Plans

In the event of any operational breakdown, performance failure, security incident, or SLA breach, Provider shall initiate immediate emergency response protocols. Provider shall provide a preliminary incident notification within fifteen (15) minutes, contain the issue within thirty (30) minutes, and submit a comprehensive Root Cause Analysis (RCA) report within forty-eight (48) hours detailing permanent Corrective and Preventive Actions (CAPA).

Section 8.05: Subcontractor Oversight and Vendor Qualification Rules

Provider shall not subcontract, delegate, or assign any primary operational duties under this Agreement without Operator's express prior written approval. All approved subcontractors must be bound by written agreements enforcing quality control, non-disclosure, cybersecurity, and insurance standards at least as stringent as those set forth herein. Provider remains fully liable for all subcontractor acts and omissions.

Section 8.06: Environmental Sustainability, Energy Efficiency, and Waste Disposal

Provider shall execute all operational activities in compliance with environmental protection regulations. Provider shall implement energy-efficient practices, minimize hazardous waste generation, and provide certified waste disposition documentation to Operator annually.

ARTICLE 9: OPERATIONAL GOVERNANCE, AUDIT AND COMPLIANCE - SECTION 4

Section 9.01: Detailed Operational Protocols in 5G Telecommunications Operations

Provider shall operate and manage all infrastructure, equipment, processes, software tools, and personnel engaged in 5G Telecommunications Operations in accordance with established industry standards, strict safety protocols, and statutory requirements. All operational workflows shall be documented in standard operating procedures (SOPs) approved in writing by Operator prior to commercial execution.

Section 9.02: Preventive Maintenance and Quality Control Verification

Provider shall maintain a comprehensive preventive maintenance and quality control regime. Equipment calibrations, diagnostic sweeps, software patches, and environmental audits shall occur on a mandatory recurring schedule. Detailed maintenance logs shall be preserved in tamper-evident electronic format for at least ten (10) years and made available for Operator inspection upon request.

Section 9.03: Regulatory Inspections, Statutory Reporting, and Audit Rights

Operator and its authorized independent auditors shall have unrestricted rights to inspect, audit, test, and evaluate Provider's facilities, records, telemetry streams, and operating procedures upon five (5) business days written notice. In the event of an unannounced inspection by a federal or state regulatory authority (e.g., FDA, FCC, SEC, EPA, OSHA), Provider shall notify Operator within two (2) hours of inspector arrival.

Section 9.04: Incident Escalation, Root Cause Analysis (RCA), and Corrective Action Plans

In the event of any operational breakdown, performance failure, security incident, or SLA breach, Provider shall initiate immediate emergency response protocols. Provider shall provide a preliminary incident notification within fifteen (15) minutes, contain the issue within thirty (30) minutes, and submit a comprehensive Root Cause Analysis (RCA) report within forty-eight (48) hours detailing permanent Corrective and Preventive Actions (CAPA).

Section 9.05: Subcontractor Oversight and Vendor Qualification Rules

Provider shall not subcontract, delegate, or assign any primary operational duties under this Agreement without Operator's express prior written approval. All approved subcontractors must be bound by written agreements enforcing quality control, non-disclosure, cybersecurity, and insurance standards at least as stringent as those set forth herein. Provider remains fully liable for all subcontractor acts and omissions.

Section 9.06: Environmental Sustainability, Energy Efficiency, and Waste Disposal

Provider shall execute all operational activities in compliance with environmental protection regulations. Provider shall implement energy-efficient practices, minimize hazardous waste generation, and provide certified waste disposition documentation to Operator annually.

ARTICLE 10: OPERATIONAL GOVERNANCE, AUDIT AND COMPLIANCE - SECTION 5

Section 10.01: Detailed Operational Protocols in 5G Telecommunications Operations

Provider shall operate and manage all infrastructure, equipment, processes, software tools, and personnel engaged in 5G Telecommunications Operations in accordance with established industry standards, strict safety protocols, and statutory requirements. All operational workflows shall be documented in standard operating procedures (SOPs) approved in writing by Operator prior to commercial execution.

Section 10.02: Preventive Maintenance and Quality Control Verification

Provider shall maintain a comprehensive preventive maintenance and quality control regime. Equipment calibrations, diagnostic sweeps, software patches, and environmental audits shall occur on a mandatory recurring schedule. Detailed

maintenance logs shall be preserved in tamper-evident electronic format for at least ten (10) years and made available for Operator inspection upon request.

Section 10.03: Regulatory Inspections, Statutory Reporting, and Audit Rights

Operator and its authorized independent auditors shall have unrestricted rights to inspect, audit, test, and evaluate Provider's facilities, records, telemetry streams, and operating procedures upon five (5) business days written notice. In the event of an unannounced inspection by a federal or state regulatory authority (e.g., FDA, FCC, SEC, EPA, OSHA), Provider shall notify Operator within two (2) hours of inspector arrival.

Section 10.04: Incident Escalation, Root Cause Analysis (RCA), and Corrective Action Plans

In the event of any operational breakdown, performance failure, security incident, or SLA breach, Provider shall initiate immediate emergency response protocols. Provider shall provide a preliminary incident notification within fifteen (15) minutes, contain the issue within thirty (30) minutes, and submit a comprehensive Root Cause Analysis (RCA) report within forty-eight (48) hours detailing permanent Corrective and Preventive Actions (CAPA).

Section 10.05: Subcontractor Oversight and Vendor Qualification Rules

Provider shall not subcontract, delegate, or assign any primary operational duties under this Agreement without Operator's express prior written approval. All approved subcontractors must be bound by written agreements enforcing quality control, non-disclosure, cybersecurity, and insurance standards at least as stringent as those set forth herein. Provider remains fully liable for all subcontractor acts and omissions.

Section 10.06: Environmental Sustainability, Energy Efficiency, and Waste Disposal

Provider shall execute all operational activities in compliance with environmental protection regulations. Provider shall implement energy-efficient practices, minimize hazardous waste generation, and provide certified waste disposition documentation to Operator annually.

ARTICLE 11: OPERATIONAL GOVERNANCE, AUDIT AND COMPLIANCE - SECTION 6

Section 11.01: Detailed Operational Protocols in 5G Telecommunications Operations

Provider shall operate and manage all infrastructure, equipment, processes, software tools, and personnel engaged in 5G Telecommunications Operations in accordance with established industry standards, strict safety protocols, and statutory requirements. All operational workflows shall be documented in standard operating procedures (SOPs) approved in writing by Operator prior to commercial execution.

Section 11.02: Preventive Maintenance and Quality Control Verification

Provider shall maintain a comprehensive preventive maintenance and quality control regime. Equipment calibrations, diagnostic sweeps, software patches, and environmental audits shall occur on a mandatory recurring schedule. Detailed maintenance logs shall be preserved in tamper-evident electronic format for at least ten (10) years and made available for Operator inspection upon request.

Section 11.03: Regulatory Inspections, Statutory Reporting, and Audit Rights

Operator and its authorized independent auditors shall have unrestricted rights to inspect, audit, test, and evaluate Provider's facilities, records, telemetry streams, and operating procedures upon five (5) business days written notice. In the event of an unannounced inspection by a federal or state regulatory authority (e.g., FDA, FCC, SEC, EPA, OSHA), Provider shall notify Operator within two (2) hours of inspector arrival.

Section 11.04: Incident Escalation, Root Cause Analysis (RCA), and Corrective Action Plans

In the event of any operational breakdown, performance failure, security incident, or SLA breach, Provider shall initiate immediate emergency response protocols. Provider shall provide a preliminary incident notification within fifteen (15) minutes, contain the issue within thirty (30) minutes, and submit a comprehensive Root Cause Analysis (RCA) report within forty-eight (48) hours detailing permanent Corrective and Preventive Actions (CAPA).

Section 11.05: Subcontractor Oversight and Vendor Qualification Rules

Provider shall not subcontract, delegate, or assign any primary operational duties under this Agreement without Operator's express prior written approval. All approved subcontractors must be bound by written agreements enforcing quality control, non-disclosure, cybersecurity, and insurance standards at least as stringent as those set forth herein. Provider remains fully liable for all subcontractor acts and omissions.

Section 11.06: Environmental Sustainability, Energy Efficiency, and Waste Disposal

Provider shall execute all operational activities in compliance with environmental protection regulations. Provider shall implement energy-efficient practices, minimize hazardous waste generation, and provide certified waste disposition documentation to Operator annually.

ARTICLE 12: OPERATIONAL GOVERNANCE, AUDIT AND COMPLIANCE - SECTION 7

Section 12.01: Detailed Operational Protocols in 5G Telecommunications Operations

Provider shall operate and manage all infrastructure, equipment, processes, software tools, and personnel engaged in 5G Telecommunications Operations in accordance with established industry standards, strict safety protocols, and statutory requirements. All operational workflows shall be documented in standard operating procedures (SOPs) approved in writing by Operator prior to commercial execution.

Section 12.02: Preventive Maintenance and Quality Control Verification

Provider shall maintain a comprehensive preventive maintenance and quality control regime. Equipment calibrations, diagnostic sweeps, software patches, and environmental audits shall occur on a mandatory recurring schedule. Detailed maintenance logs shall be preserved in tamper-evident electronic format for at least ten (10) years and made available for Operator inspection upon request.

Section 12.03: Regulatory Inspections, Statutory Reporting, and Audit Rights

Operator and its authorized independent auditors shall have unrestricted rights to inspect, audit, test, and evaluate Provider's facilities, records, telemetry streams, and operating procedures upon five (5) business days written notice. In the event of an unannounced inspection by a federal or state regulatory authority (e.g., FDA, FCC, SEC, EPA, OSHA), Provider shall notify Operator within two (2) hours of inspector arrival.

Section 12.04: Incident Escalation, Root Cause Analysis (RCA), and Corrective Action Plans

In the event of any operational breakdown, performance failure, security incident, or SLA breach, Provider shall initiate immediate emergency response protocols. Provider shall provide a preliminary incident notification within fifteen (15) minutes, contain the issue within thirty (30) minutes, and submit a comprehensive Root Cause Analysis (RCA) report within forty-eight (48) hours detailing permanent Corrective and Preventive Actions (CAPA).

Section 12.05: Subcontractor Oversight and Vendor Qualification Rules

Provider shall not subcontract, delegate, or assign any primary operational duties under this Agreement without Operator's express prior written approval. All approved subcontractors must be bound by written agreements enforcing quality control, non-disclosure, cybersecurity, and insurance standards at least as stringent as those set forth herein. Provider remains fully liable for all subcontractor acts and omissions.

Section 12.06: Environmental Sustainability, Energy Efficiency, and Waste Disposal

Provider shall execute all operational activities in compliance with environmental protection regulations. Provider shall implement energy-efficient practices, minimize hazardous waste generation, and provide certified waste disposition documentation to Operator annually.

ARTICLE 13: OPERATIONAL GOVERNANCE, AUDIT AND COMPLIANCE - SECTION 8

Section 13.01: Detailed Operational Protocols in 5G Telecommunications Operations

Provider shall operate and manage all infrastructure, equipment, processes, software tools, and personnel engaged in 5G Telecommunications Operations in accordance with established industry standards, strict safety protocols, and statutory requirements. All operational workflows shall be documented in standard operating procedures (SOPs) approved in writing by Operator prior to commercial execution.

Section 13.02: Preventive Maintenance and Quality Control Verification

Provider shall maintain a comprehensive preventive maintenance and quality control regime. Equipment calibrations, diagnostic sweeps, software patches, and environmental audits shall occur on a mandatory recurring schedule. Detailed maintenance logs shall be preserved in tamper-evident electronic format for at least ten (10) years and made available for Operator inspection upon request.

Section 13.03: Regulatory Inspections, Statutory Reporting, and Audit Rights

Operator and its authorized independent auditors shall have unrestricted rights to inspect, audit, test, and evaluate Provider's facilities, records, telemetry streams, and operating procedures upon five (5) business days written notice. In the event of an unannounced inspection by a federal or state regulatory authority (e.g., FDA, FCC, SEC, EPA, OSHA), Provider shall notify Operator within two (2) hours of inspector arrival.

Section 13.04: Incident Escalation, Root Cause Analysis (RCA), and Corrective Action Plans

In the event of any operational breakdown, performance failure, security incident, or SLA breach, Provider shall initiate immediate emergency response protocols. Provider shall provide a preliminary incident notification within fifteen (15) minutes, contain the issue within thirty (30) minutes, and submit a comprehensive Root Cause Analysis (RCA) report within forty-eight (48) hours detailing permanent Corrective and Preventive Actions (CAPA).

Section 13.05: Subcontractor Oversight and Vendor Qualification Rules

Provider shall not subcontract, delegate, or assign any primary operational duties under this Agreement without Operator's express prior written approval. All approved subcontractors must be bound by written agreements enforcing quality control, non-disclosure, cybersecurity, and insurance standards at least as stringent as those set forth herein. Provider remains fully liable for all subcontractor acts and omissions.

Section 13.06: Environmental Sustainability, Energy Efficiency, and Waste Disposal

Provider shall execute all operational activities in compliance with environmental protection regulations. Provider shall implement energy-efficient practices, minimize hazardous waste generation, and provide certified waste disposition documentation to Operator annually.

ARTICLE 14: OPERATIONAL GOVERNANCE, AUDIT AND COMPLIANCE - SECTION 9

Section 14.01: Detailed Operational Protocols in 5G Telecommunications Operations

Provider shall operate and manage all infrastructure, equipment, processes, software tools, and personnel engaged in 5G Telecommunications Operations in accordance with established industry standards, strict safety protocols, and statutory requirements. All operational workflows shall be documented in standard operating procedures (SOPs) approved in writing by Operator prior to commercial execution.

Section 14.02: Preventive Maintenance and Quality Control Verification

Provider shall maintain a comprehensive preventive maintenance and quality control regime. Equipment calibrations, diagnostic sweeps, software patches, and environmental audits shall occur on a mandatory recurring schedule. Detailed maintenance logs shall be preserved in tamper-evident electronic format for at least ten (10) years and made available for Operator inspection upon request.

Section 14.03: Regulatory Inspections, Statutory Reporting, and Audit Rights

Operator and its authorized independent auditors shall have unrestricted rights to inspect, audit, test, and evaluate Provider's facilities, records, telemetry streams, and operating procedures upon five (5) business days written notice. In the

event of an unannounced inspection by a federal or state regulatory authority (e.g., FDA, FCC, SEC, EPA, OSHA), Provider shall notify Operator within two (2) hours of inspector arrival.

Section 14.04: Incident Escalation, Root Cause Analysis (RCA), and Corrective Action Plans

In the event of any operational breakdown, performance failure, security incident, or SLA breach, Provider shall initiate immediate emergency response protocols. Provider shall provide a preliminary incident notification within fifteen (15) minutes, contain the issue within thirty (30) minutes, and submit a comprehensive Root Cause Analysis (RCA) report within forty-eight (48) hours detailing permanent Corrective and Preventive Actions (CAPA).

Section 14.05: Subcontractor Oversight and Vendor Qualification Rules

Provider shall not subcontract, delegate, or assign any primary operational duties under this Agreement without Operator's express prior written approval. All approved subcontractors must be bound by written agreements enforcing quality control, non-disclosure, cybersecurity, and insurance standards at least as stringent as those set forth herein. Provider remains fully liable for all subcontractor acts and omissions.

Section 14.06: Environmental Sustainability, Energy Efficiency, and Waste Disposal

Provider shall execute all operational activities in compliance with environmental protection regulations. Provider shall implement energy-efficient practices, minimize hazardous waste generation, and provide certified waste disposition documentation to Operator annually.

ARTICLE 15: OPERATIONAL GOVERNANCE, AUDIT AND COMPLIANCE - SECTION 10

Section 15.01: Detailed Operational Protocols in 5G Telecommunications Operations

Provider shall operate and manage all infrastructure, equipment, processes, software tools, and personnel engaged in 5G Telecommunications Operations in accordance with established industry standards, strict safety protocols, and statutory requirements. All operational workflows shall be documented in standard operating procedures (SOPs) approved in writing by Operator prior to commercial execution.

Section 15.02: Preventive Maintenance and Quality Control Verification

Provider shall maintain a comprehensive preventive maintenance and quality control regime. Equipment calibrations, diagnostic sweeps, software patches, and environmental audits shall occur on a mandatory recurring schedule. Detailed maintenance logs shall be preserved in tamper-evident electronic format for at least ten (10) years and made available for Operator inspection upon request.

Section 15.03: Regulatory Inspections, Statutory Reporting, and Audit Rights

Operator and its authorized independent auditors shall have unrestricted rights to inspect, audit, test, and evaluate Provider's facilities, records, telemetry streams, and operating procedures upon five (5) business days written notice. In the event of an unannounced inspection by a federal or state regulatory authority (e.g., FDA, FCC, SEC, EPA, OSHA), Provider shall notify Operator within two (2) hours of inspector arrival.

Section 15.04: Incident Escalation, Root Cause Analysis (RCA), and Corrective Action Plans

In the event of any operational breakdown, performance failure, security incident, or SLA breach, Provider shall initiate immediate emergency response protocols. Provider shall provide a preliminary incident notification within fifteen (15) minutes, contain the issue within thirty (30) minutes, and submit a comprehensive Root Cause Analysis (RCA) report within forty-eight (48) hours detailing permanent Corrective and Preventive Actions (CAPA).

Section 15.05: Subcontractor Oversight and Vendor Qualification Rules

Provider shall not subcontract, delegate, or assign any primary operational duties under this Agreement without Operator's express prior written approval. All approved subcontractors must be bound by written agreements enforcing quality control, non-disclosure, cybersecurity, and insurance standards at least as stringent as those set forth herein. Provider remains fully liable for all subcontractor acts and omissions.

Section 15.06: Environmental Sustainability, Energy Efficiency, and Waste Disposal

Provider shall execute all operational activities in compliance with environmental protection regulations. Provider shall implement energy-efficient practices, minimize hazardous waste generation, and provide certified waste disposition documentation to Operator annually.

ARTICLE 16: OPERATIONAL GOVERNANCE, AUDIT AND COMPLIANCE - SECTION 11

Section 16.01: Detailed Operational Protocols in 5G Telecommunications Operations

Provider shall operate and manage all infrastructure, equipment, processes, software tools, and personnel engaged in 5G Telecommunications Operations in accordance with established industry standards, strict safety protocols, and statutory requirements. All operational workflows shall be documented in standard operating procedures (SOPs) approved in writing by Operator prior to commercial execution.

Section 16.02: Preventive Maintenance and Quality Control Verification

Provider shall maintain a comprehensive preventive maintenance and quality control regime. Equipment calibrations, diagnostic sweeps, software patches, and environmental audits shall occur on a mandatory recurring schedule. Detailed maintenance logs shall be preserved in tamper-evident electronic format for at least ten (10) years and made available for Operator inspection upon request.

Section 16.03: Regulatory Inspections, Statutory Reporting, and Audit Rights

Operator and its authorized independent auditors shall have unrestricted rights to inspect, audit, test, and evaluate Provider's facilities, records, telemetry streams, and operating procedures upon five (5) business days written notice. In the event of an unannounced inspection by a federal or state regulatory authority (e.g., FDA, FCC, SEC, EPA, OSHA), Provider shall notify Operator within two (2) hours of inspector arrival.

Section 16.04: Incident Escalation, Root Cause Analysis (RCA), and Corrective Action Plans

In the event of any operational breakdown, performance failure, security incident, or SLA breach, Provider shall initiate immediate emergency response protocols. Provider shall provide a preliminary incident notification within fifteen (15) minutes, contain the issue within thirty (30) minutes, and submit a comprehensive Root Cause Analysis (RCA) report within forty-eight (48) hours detailing permanent Corrective and Preventive Actions (CAPA).

Section 16.05: Subcontractor Oversight and Vendor Qualification Rules

Provider shall not subcontract, delegate, or assign any primary operational duties under this Agreement without Operator's express prior written approval. All approved subcontractors must be bound by written agreements enforcing quality control, non-disclosure, cybersecurity, and insurance standards at least as stringent as those set forth herein. Provider remains fully liable for all subcontractor acts and omissions.

Section 16.06: Environmental Sustainability, Energy Efficiency, and Waste Disposal

Provider shall execute all operational activities in compliance with environmental protection regulations. Provider shall implement energy-efficient practices, minimize hazardous waste generation, and provide certified waste disposition documentation to Operator annually.

ARTICLE 17: OPERATIONAL GOVERNANCE, AUDIT AND COMPLIANCE - SECTION 12

Section 17.01: Detailed Operational Protocols in 5G Telecommunications Operations

Provider shall operate and manage all infrastructure, equipment, processes, software tools, and personnel engaged in 5G Telecommunications Operations in accordance with established industry standards, strict safety protocols, and statutory requirements. All operational workflows shall be documented in standard operating procedures (SOPs) approved in writing by Operator prior to commercial execution.

Section 17.02: Preventive Maintenance and Quality Control Verification

Provider shall maintain a comprehensive preventive maintenance and quality control regime. Equipment calibrations, diagnostic sweeps, software patches, and environmental audits shall occur on a mandatory recurring schedule. Detailed maintenance logs shall be preserved in tamper-evident electronic format for at least ten (10) years and made available for Operator inspection upon request.

Section 17.03: Regulatory Inspections, Statutory Reporting, and Audit Rights

Operator and its authorized independent auditors shall have unrestricted rights to inspect, audit, test, and evaluate Provider's facilities, records, telemetry streams, and operating procedures upon five (5) business days written notice. In the event of an unannounced inspection by a federal or state regulatory authority (e.g., FDA, FCC, SEC, EPA, OSHA), Provider shall notify Operator within two (2) hours of inspector arrival.

Section 17.04: Incident Escalation, Root Cause Analysis (RCA), and Corrective Action Plans

In the event of any operational breakdown, performance failure, security incident, or SLA breach, Provider shall initiate immediate emergency response protocols. Provider shall provide a preliminary incident notification within fifteen (15) minutes, contain the issue within thirty (30) minutes, and submit a comprehensive Root Cause Analysis (RCA) report within forty-eight (48) hours detailing permanent Corrective and Preventive Actions (CAPA).

Section 17.05: Subcontractor Oversight and Vendor Qualification Rules

Provider shall not subcontract, delegate, or assign any primary operational duties under this Agreement without Operator's express prior written approval. All approved subcontractors must be bound by written agreements enforcing quality control, non-disclosure, cybersecurity, and insurance standards at least as stringent as those set forth herein. Provider remains fully liable for all subcontractor acts and omissions.

Section 17.06: Environmental Sustainability, Energy Efficiency, and Waste Disposal

Provider shall execute all operational activities in compliance with environmental protection regulations. Provider shall implement energy-efficient practices, minimize hazardous waste generation, and provide certified waste disposition documentation to Operator annually.

ARTICLE 18: OPERATIONAL GOVERNANCE, AUDIT AND COMPLIANCE - SECTION 13

Section 18.01: Detailed Operational Protocols in 5G Telecommunications Operations

Provider shall operate and manage all infrastructure, equipment, processes, software tools, and personnel engaged in 5G Telecommunications Operations in accordance with established industry standards, strict safety protocols, and statutory requirements. All operational workflows shall be documented in standard operating procedures (SOPs) approved in writing by Operator prior to commercial execution.

Section 18.02: Preventive Maintenance and Quality Control Verification

Provider shall maintain a comprehensive preventive maintenance and quality control regime. Equipment calibrations, diagnostic sweeps, software patches, and environmental audits shall occur on a mandatory recurring schedule. Detailed maintenance logs shall be preserved in tamper-evident electronic format for at least ten (10) years and made available for Operator inspection upon request.

Section 18.03: Regulatory Inspections, Statutory Reporting, and Audit Rights

Operator and its authorized independent auditors shall have unrestricted rights to inspect, audit, test, and evaluate Provider's facilities, records, telemetry streams, and operating procedures upon five (5) business days written notice. In the event of an unannounced inspection by a federal or state regulatory authority (e.g., FDA, FCC, SEC, EPA, OSHA), Provider shall notify Operator within two (2) hours of inspector arrival.

Section 18.04: Incident Escalation, Root Cause Analysis (RCA), and Corrective Action Plans

In the event of any operational breakdown, performance failure, security incident, or SLA breach, Provider shall initiate immediate emergency response protocols. Provider shall provide a preliminary incident notification within fifteen (15)

minutes, contain the issue within thirty (30) minutes, and submit a comprehensive Root Cause Analysis (RCA) report within forty-eight (48) hours detailing permanent Corrective and Preventive Actions (CAPA).

Section 18.05: Subcontractor Oversight and Vendor Qualification Rules

Provider shall not subcontract, delegate, or assign any primary operational duties under this Agreement without Operator's express prior written approval. All approved subcontractors must be bound by written agreements enforcing quality control, non-disclosure, cybersecurity, and insurance standards at least as stringent as those set forth herein. Provider remains fully liable for all subcontractor acts and omissions.

Section 18.06: Environmental Sustainability, Energy Efficiency, and Waste Disposal

Provider shall execute all operational activities in compliance with environmental protection regulations. Provider shall implement energy-efficient practices, minimize hazardous waste generation, and provide certified waste disposition documentation to Operator annually.

ARTICLE 19: OPERATIONAL GOVERNANCE, AUDIT AND COMPLIANCE - SECTION 14

Section 19.01: Detailed Operational Protocols in 5G Telecommunications Operations

Provider shall operate and manage all infrastructure, equipment, processes, software tools, and personnel engaged in 5G Telecommunications Operations in accordance with established industry standards, strict safety protocols, and statutory requirements. All operational workflows shall be documented in standard operating procedures (SOPs) approved in writing by Operator prior to commercial execution.

Section 19.02: Preventive Maintenance and Quality Control Verification

Provider shall maintain a comprehensive preventive maintenance and quality control regime. Equipment calibrations, diagnostic sweeps, software patches, and environmental audits shall occur on a mandatory recurring schedule. Detailed maintenance logs shall be preserved in tamper-evident electronic format for at least ten (10) years and made available for Operator inspection upon request.

Section 19.03: Regulatory Inspections, Statutory Reporting, and Audit Rights

Operator and its authorized independent auditors shall have unrestricted rights to inspect, audit, test, and evaluate Provider's facilities, records, telemetry streams, and operating procedures upon five (5) business days written notice. In the event of an unannounced inspection by a federal or state regulatory authority (e.g., FDA, FCC, SEC, EPA, OSHA), Provider shall notify Operator within two (2) hours of inspector arrival.

Section 19.04: Incident Escalation, Root Cause Analysis (RCA), and Corrective Action Plans

In the event of any operational breakdown, performance failure, security incident, or SLA breach, Provider shall initiate immediate emergency response protocols. Provider shall provide a preliminary incident notification within fifteen (15) minutes, contain the issue within thirty (30) minutes, and submit a comprehensive Root Cause Analysis (RCA) report within forty-eight (48) hours detailing permanent Corrective and Preventive Actions (CAPA).

Section 19.05: Subcontractor Oversight and Vendor Qualification Rules

Provider shall not subcontract, delegate, or assign any primary operational duties under this Agreement without Operator's express prior written approval. All approved subcontractors must be bound by written agreements enforcing quality control, non-disclosure, cybersecurity, and insurance standards at least as stringent as those set forth herein. Provider remains fully liable for all subcontractor acts and omissions.

Section 19.06: Environmental Sustainability, Energy Efficiency, and Waste Disposal

Provider shall execute all operational activities in compliance with environmental protection regulations. Provider shall implement energy-efficient practices, minimize hazardous waste generation, and provide certified waste disposition documentation to Operator annually.

ARTICLE 20: OPERATIONAL GOVERNANCE, AUDIT AND COMPLIANCE - SECTION 15

Section 20.01: Detailed Operational Protocols in 5G Telecommunications Operations

Provider shall operate and manage all infrastructure, equipment, processes, software tools, and personnel engaged in 5G Telecommunications Operations in accordance with established industry standards, strict safety protocols, and statutory requirements. All operational workflows shall be documented in standard operating procedures (SOPs) approved in writing by Operator prior to commercial execution.

Section 20.02: Preventive Maintenance and Quality Control Verification

Provider shall maintain a comprehensive preventive maintenance and quality control regime. Equipment calibrations, diagnostic sweeps, software patches, and environmental audits shall occur on a mandatory recurring schedule. Detailed maintenance logs shall be preserved in tamper-evident electronic format for at least ten (10) years and made available for Operator inspection upon request.

Section 20.03: Regulatory Inspections, Statutory Reporting, and Audit Rights

Operator and its authorized independent auditors shall have unrestricted rights to inspect, audit, test, and evaluate Provider's facilities, records, telemetry streams, and operating procedures upon five (5) business days written notice. In the event of an unannounced inspection by a federal or state regulatory authority (e.g., FDA, FCC, SEC, EPA, OSHA), Provider shall notify Operator within two (2) hours of inspector arrival.

Section 20.04: Incident Escalation, Root Cause Analysis (RCA), and Corrective Action Plans

In the event of any operational breakdown, performance failure, security incident, or SLA breach, Provider shall initiate immediate emergency response protocols. Provider shall provide a preliminary incident notification within fifteen (15) minutes, contain the issue within thirty (30) minutes, and submit a comprehensive Root Cause Analysis (RCA) report within forty-eight (48) hours detailing permanent Corrective and Preventive Actions (CAPA).

Section 20.05: Subcontractor Oversight and Vendor Qualification Rules

Provider shall not subcontract, delegate, or assign any primary operational duties under this Agreement without Operator's express prior written approval. All approved subcontractors must be bound by written agreements enforcing quality control, non-disclosure, cybersecurity, and insurance standards at least as stringent as those set forth herein. Provider remains fully liable for all subcontractor acts and omissions.

Section 20.06: Environmental Sustainability, Energy Efficiency, and Waste Disposal

Provider shall execute all operational activities in compliance with environmental protection regulations. Provider shall implement energy-efficient practices, minimize hazardous waste generation, and provide certified waste disposition documentation to Operator annually.

SCHEDULE A: NETWORK TOPOLOGY AND FACILITY LOCATIONS

- 1. **Regional 5G Core Hubs (12 Locations):** Dallas TX, Ashburn VA, Chicago IL, Santa Clara CA, Atlanta GA, Seattle WA, Denver CO, New York NY, Toronto ON, Montreal QC, Miami FL, Phoenix AZ.
- 2. **Multi-access Edge Computing Nodes (96 Facilities):** Co-located within Tier-3 internet exchange data centers across top 48 US/Canada metropolitan markets, equipped with dual 100Gbps redundant backhaul links.
- 3. **gNodeB Cell Site Distribution (14,500 Sites):**
 - C-Band Macro Sites (3.7 - 3.98 GHz): 9,200 Sites
 - mmWave Small Cells (28 / 39 GHz): 3,800 Sites
 - CBRS Shared Spectrum Nodes (3.55 - 3.7 GHz): 1,500 Sites

SCHEDULE B: COMPREHENSIVE KPI PERFORMANCE AND CREDIT MATRIX

Metric Code	KPI Target Name	Target Value	Minor SLA Credit %	Major SLA Credit %	Severe SLA Credit %	Monetary Penalty
TEL-01	5G Core Uptime	99.999%	5.0%	12.0%	25.0%	\$75,000 / hr outage
TEL-02	gNodeB Availability	99.950%	3.0%	8.0%	15.0%	\$500 / site / hr
TEL-03	URLLC Air Latency	< 4.00 ms	2.5%	6.0%	12.0%	\$15,000 / event
TEL-04	MEC Compute Latency	< 5.00 ms	2.0%	5.0%	10.0%	\$10,000 / event
TEL-05	Handover Success Rate	99.850%	2.0%	5.0%	10.0%	\$5,000 / % drop
TEL-06	Slice Isolation Guarantee	100.000%	15.0%	25.0%	35.0%	\$150,000 / leak

Metric Code	KPI Target Name	Target Value	Minor SLA Credit %	Major SLA Credit %	Severe SLA Credit %	Monetary Penalty
TEL-07	Packet Loss Ratio	< 0.001%	1.5%	4.0%	8.0%	\$8,000 / event
TEL-08	Cyber Threat Containment	<= 15.0 min	\$5,000 / event	\$15,000 / event	\$50,000 / event	\$100,000 / breach
TEL-09	Severity 1 Incident MTTR	<= 15.0 min	\$10,000 / event	\$25,000 / event	\$50,000 / event	\$25,000 / hr over
TEL-10	Severity 2 Incident MTTR	<= 45.0 min	\$2,500 / event	\$7,500 / event	\$15,000 / event	\$5,000 / hr over
TEL-11	Edge Facility PUE	<= 1.220	1.0%	3.0%	5.0%	Power forfeit
TEL-12	Billing Data Accuracy	99.990%	2.0%	5.0%	10.0%	\$20,000 / event

SIGNATURE PAGE

IN WITNESS WHEREOF, the Parties hereto have executed this Master 5G Infrastructure and Edge Cloud Managed Services Agreement by their duly authorized representatives as of the Effective Date written above.

APEX TELECOM GLOBAL, INC.

By: _____
Name: Marcus V. Vance
Title: Chief Technology Officer
Date: October 1, 2027

NETWORK EDGE INFRASTRUCTURE CORP.

By: _____
Name: Eleanor R. Brooks
Title: President & Chief Operating Officer
Date: October 1, 2027