Sambit Automation Test


11/10/2026, 01:13:28 · 32.0s · 1 worker

env `Dev_Test`

1 of 1 test failed

0%	0	1	1
PASS RATE	PASSED	FAILED	TOTAL

Pass rate



Failed **1**

Environment

Playwright	1.64.0
Node	v24.12.0
OS	Windows_NT 10.0.26200 (x64)
Browsers	chromium
Workers	4
Commit	7548ceb · sambittmohapatra · Add comment to example.spec.ts
Branch	main

Test analytics

Outcomes by priority

Stacked pass / fail / flaky / skipped for each priority tier.




Failure categories

What kinds of failures are hurting the suite.



Duration distribution

How the durations of the tests that ran are spread.



Pass rate trend by priority

How each priority tier trends over the last runs.

Not enough data yet. Add meta({ priority }) or run the suite once more.

Owner leaderboard

Failures and flakes ranked by owner. Add meta({owner:...}) to see this.

Not enough data yet. Add meta({ priority }) or run the suite once more.

Failure analysis

1 failed or flaky · 0 new since 11 Oct

Failure clusters 1 distinct error

1 test

Test timed out The whole test took longer than 30s.

```
Test timeout of 30000ms exceeded.
```

› NewLogin Test

By owner 1 owner to ping

unassigned 1 failed
NewLogin Test

1 failed or flaky tests

TEST	SPEC	PRIORITY	OWNER	TICKET	ATTEMPTS	SINCE	HISTORY	
NewLogin Test Test timeout of 30000ms exceeded.	login page.spec.ts				1	11 Oct		30.2s

All test cases

#	TEST	SPEC	STATUS	DURATION
1	NewLogin Test	login page.spec.ts	Timed out	30.2s

Failure evidence

NewLogin Test Timed out

tests/login page.spec.ts:7 · 30.2s

Test timed out

The whole test took longer than 30s.

Find the slow step in the Steps list below. Raise timeout in playwright.config.ts only if the flow is really that long.

```
Test timeout of 30000ms exceeded.
```