RunAutoBill

Execution Environment

Host name 00139711 - L210605145W10.MAYBANK-MY.MBB.DIR

Local OS Windows 10 64bit

Katalon version 8.5.1.208 Browser null

Summary

ID Test Suites/RunAutoBill

Description

Total 2

Passed 1 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2022-12-20 14:33:47 End 2022-12-20 14:34:30

Elapsed 42.879s

| # | ID | Description | Status |
|---|--|-------------|--------|
| 1 | Test Cases/B. QuickRun | | PASSED |
| 2 | Test Cases/Sprint 9/Sprint 9 - AutoDebit Transaction | | FAILED |

B. QuickRun

Information

ID Test Cases/B. QuickRun

Description

Tag

Start 2022-12-20 14:33:48 End 2022-12-20 14:34:06

Elapsed 17.821s Status PASSED

Details

| # | Description | Elapsed | Status |
|---|---|---------|---------|
| 1 | callTestCase(findTestCase("A. Start"), ["ID":1], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/A. Start' successfully | 17.308s | PASSED |
| 2 | callTestCase(findTestCase("Sprint 2-4/1. Entry Point"), ["ID":1], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("Sprint 2-4/1. Entry Point"), ["ID":1], CONTINUE_ON_FAILURE) | 0.002s | NOT_RUN |
| 3 | callTestCase(findTestCase("Sprint 2-4/1a. DuitNowRequest - Validation"), ["ID":1], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("Sprint 2-4/1a. DuitNowRequest - Validation"), ["ID":1], CONTINUE_ON_FAILURE) | 0.001s | NOT_RUN |
| 4 | callTestCase(findTestCase("Sprint 2-4/2a. Fav Transaction"), [:], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("Sprint 2-4/2a. Fav Transaction"), [:], CONTINUE_ON_FAILURE) | 0.001s | NOT_RUN |
| 5 | callTestCase(findTestCase("Sprint 9/Sprint 9 - AutoDebit Entry"), [:], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("Sprint 9/Sprint 9 - AutoDebit Entry"), [:], CONTINUE_ON_FAILURE) | 0.001s | NOT_RUN |

Information

ID Test Cases/Sprint 9/Sprint 9 - AutoDebit Transaction

Description

Tag

Start 2022-12-20 14:34:06 End 2022-12-20 14:34:30

Elapsed 24.723s Status FAILED

Details

| # | Description | Elapsed | Status |
|---|------------------|---------|--------|
| 1 | tap set autobill | 10.861s | FAILED |

Object Object Repository/Text not found

| | on | Elapsed | Status |
|------------|--|---------|--------|
| set up aut | o billing via duitnow autodebit | 10.294s | FAILE |
| Unable to | verify equal between actual object 'null' and expected object 'Set Up Auto Billing | | |
| | www.AutoDebit' (Root cause: com.kms.katalon.core.exception.StepFailedException: | | |
| | ect 'null' and expected object 'Set Up Auto Billing via DuitNow AutoDebit' are not | | |
| equal | <u> </u> | | |
| | at com.kms.katalon.core.keyword.builtin. | | |
| | alKeyword\$_verifyEqual_closure1.doCall(VerifyEqualKeyword.groovy:58) | | |
| | at com.kms.katalon.core.keyword.builtin. | | |
| | alKeyword\$_verifyEqual_closure1.call(VerifyEqualKeyword.groovy) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword | | |
| | Main.groovy:74) | | |
| | at com.kms.katalon.core.keyword.builtin.VerifyEqualKeyword.verifyEqual | | |
| | ıalKeyword.groovy:63) | | |
| | at com.kms.katalon.core.keyword.builtin.VerifyEqualKeyword.execute | | |
| | ialKeyword.groovy:44) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | eywordForPlatform(KeywordExecutor.groovy:74) | | |
| groovy:14 | at com.kms.katalon.core.keyword.BuiltinKeywords.verifyEqual(BuiltinKeywords. | | |
| | at Sprint 9 - AutoDebit Transaction.run(Sprint 9 - AutoDebit Transaction:28) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| java:119) | 3. 00 | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| java:448) | | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| java:439) | | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| | Executor.java:418) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| • | Executor.java:410) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:285) | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| | Executor.java:65) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | Executor.java:151) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| 106) | | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| 185) | | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| Source) | | | |
| | at TempTestSuite1671518024872.run(TempTestSuite1671518024872.groovy:36) | | |
|) | | | |
| | | | |

3 takeScreenshot("Screenshot/AutoBill/")


1.201s

PASSED

Description Elapsed Status

| Descripti | on | Elapsed | Statu |
|------------|---|---------|-------|
| Please fil | in merchants details | 1.582s | FAILE |
| Unable to | verify equal between actual object 'null' and expected object 'Please fill in | | |
| | 's details' (Root cause: com.kms.katalon.core.exception.StepFailedException: | | |
| | ject 'null' and expected object 'Please fill in merchant's details' are not equal | | |
| | at com.kms.katalon.core.keyword.builtin. | | |
| VerifyEqu | nalKeyword\$_verifyEqual_closure1.doCall(VerifyEqualKeyword.groovy:58) | | |
| | at com.kms.katalon.core.keyword.builtin. | | |
| VerifyEqu | alKeyword\$_verifyEqual_closure1.call(VerifyEqualKeyword.groovy) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword | | |
| (Keyword | Main.groovy:74) | | |
| | at com.kms.katalon.core.keyword.builtin.VerifyEqualKeyword.verifyEqual | | |
| (VerifyEq | ualKeyword.groovy:63) | | |
| | at com.kms.katalon.core.keyword.builtin.VerifyEqualKeyword.execute | | |
| (VerifyEq | ualKeyword.groovy:44) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| executeK | eywordForPlatform(KeywordExecutor.groovy:74) | | |
| aroo nu 1 | at com.kms.katalon.core.keyword.BuiltinKeywords.verifyEqual(BuiltinKeywords. | | |
| groovy:14 | at Sprint 9 - AutoDebit Transaction.run(Sprint 9 - AutoDebit Transaction:34) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| java:119) | at contains. Ratalon.core. main.conptengine. ranconptrortaw real (conptengine. | | |
| java.rioj | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| java:448) | | | |
| , | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| java:439) | | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| (TestCas | eExecutor.java:418) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| (TestCas | eExecutor.java:410) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:285) | | | |
| (0 | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| (Commor | Executor.java:65) | | |
| (ToetSuite | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase eExecutor.java:151) | | |
| (Testouit | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| 106) | at contains. Ratalon.core. main. restoute Executor. executo (restoute Executor. java. | | |
| 100) | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| 185) | · · · · · · · · · · · · · · · · · · · | | |
| / | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| Source) | | | |
| | at TempTestSuite1671518024872.run(TempTestSuite1671518024872.groovy:36) | | |
|) | | | |
| | | | |
| | | | |

Sprint 9 - AutoDebit Transaction



| Description | Elapsed | Status |
|---|--|--|
| takeAreaScreenshot(findTestObject(findTestObject("Text", ["Verify":"Be Right Back!"])), CONTINUE_ON_FAILURE) | 0.136s | ERROR |
| Test Cases/Sprint 9/Sprint 9 - AutoDebit Transaction FAILED. Reason: | | |
| groovy.lang.MissingMethodException: No signature of method: static com.kms.katalon.core. testobject.ObjectRepository.findTestObject() is applicable for argument types: (com.kms. katalon.core.testobject.MobileTestObject) values: [TestObject - 'Object Repository/Text'] | | |
| | | |
| at Sprint 9 - AutoDebit Transaction.run(Sprint 9 - AutoDebit Transaction:37) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| java:119) | | |
| java:448) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| 106) | | |
| 185) | | |
| Source) | | |
| | takeAreaScreenshot(findTestObject(findTestObject("Text", ["Verify":"Be Right Back!"])), CONTINUE_ON_FAILURE) Test Cases/Sprint 9/Sprint 9 - AutoDebit Transaction FAILED. Reason: groovy.lang,MissingMethodException: No signature of method: static com.kms.katalon.core. testobject.ObjectRepository.findTestObject() is applicable for argument types: (com.kms. katalon.core.testobject.MobileTestObject) values: [TestObject - 'Object Repository/Text'] Possible solutions: findTestObject(java.lang.String), findTestObject(java.lang.String, java. util.Map) at Sprint 9 - AutoDebit Transaction.run(Sprint 9 - AutoDebit Transaction:37) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.unScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) | takeAreaScreenshot(findTestObject(findTestObject("Text", ["Verify":"Be Right Back!"])), CONTINUE_ON_FAILURE) Test Cases/Sprint 9/Sprint 9 - AutoDebit Transaction FAILED. Reason: groovy.lang.MissingMethodException: No signature of method: static com.kms.katalon.core. testobject.ObjectRepository.findTestObject() is applicable for argument types: (com.kms. katalon.core.testobject.MobileTestObject) values: [TestObject - Object Repository/Text'] Possible solutions: findTestObject(java.lang.String), findTestObject(java.lang.String, java. util.Map) at Sprint 9 - AutoDebit Transaction.run(Sprint 9 - AutoDebit Transaction:37) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:418) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.phase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(DestCaseMain.java: 185) |

at TempTestSuite1671518024872.run(TempTestSuite1671518024872.groovy:36)