RunAutoBill

Execution Environment

Host name 00139711 - L210605145W10.MAYBANK-MY.MBB.DIR

Local OS Windows 10 64bit

Katalon version 8.5.1.208 Browser null

Summary

ID Test Suites/RunAutoBill

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2022-12-20 14:11:46 End 2022-12-20 14:13:22

Elapsed 1m - 36.128s

ID Description Status

1 Test Cases/B. QuickRun FAILED

B. QuickRun

Information

ID Test Cases/B. QuickRun

Description

Tag

Start 2022-12-20 14:11:46 End 2022-12-20 14:13:22

Elapsed 1m - 35.770s

Status FAILED

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("A. Start"), ["ID":1], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/A. Start' successfully	21.182s	PASSED
2	callTestCase(findTestCase("Sprint 2-4/1. Entry Point"), ["ID":1], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("Sprint 2-4/1. Entry Point"), ["ID":1], CONTINUE_ON_FAILURE)	0.005s	NOT_RUN
3	callTestCase(findTestCase("Sprint 2-4/1a. DuitNowRequest - Validation"), ["ID":1], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("Sprint 2-4/1a. DuitNowRequest - Validation"), ["ID":1], CONTINUE_ON_FAILURE)	0.003s	NOT_RUN
4	callTestCase(findTestCase("Sprint 2-4/2a. Fav Transaction"), [:], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("Sprint 2-4/2a. Fav Transaction"), [:], CONTINUE_ON_FAILURE)	0.002s	NOT_RUN

B. QuickRun

Description	Elapsed	Status
callTestCase(findTestCase("Sprint 9/Sprint 9 - AutoDebit Entry"), [:],	1m - 14.014s	FAILED
CONTINUE_ON_FAILURE)	17.0173	, AILLD
Unable to call Test Case 'Test Cases/Sprint 9/Sprint 9 - AutoDebit Entry' (Root cause: com.		
kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Sprint 9/Sprint		
9 - AutoDebit Entry' failed at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)		
at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:74)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
(CallTestCaseKeyword.groovy:81)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
(CallTestCaseKeyword.groovy:44)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
groovy:334)		
at B. QuickRun.run(B. QuickRun:28)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
$at\ com. kms. katalon. core. main. Test Suite Executor. access Test Suite Main Phase$		
(TestSuiteExecutor.java:151)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1671516702520.run(TempTestSuite1671516702520.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Object Object		
Repository/Text not found		
at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:39)		
at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed		
(MobileKeywordMain.groovy:40)		
at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.		
doCall(TapKeyword.groovy:79)		
at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.call		
(TapKeyword.groovy)		
at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
runKeyword(MobileKeywordMain groovy:21)		

runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.tap(TapKeyword.

B. QuickRun

Status

```
Description
                                                                                               Elapsed
groovy:84)
          at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.execute
(TapKeyword.groovy:68)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.mobile.keyword.MobileBuiltlnKeywords.tap
(MobileBuiltInKeywords.groovy:1490)
          at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords$tap$1.call
(Unknown Source)
          at Sprint 9 - AutoDebit Entry.run(Sprint 9 - AutoDebit Entry:42)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at\ com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.pt) \\
java:448)
          at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)
java:439)
          at\ com. kms. katalon. core. main. Test Case Executor. process Execution Phase
(TestCaseExecutor.java:418)
          at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
```

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.

 $at\ com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:$

CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)

(TestCaseExecutor.java:410)

... 20 more

at com.kms.katalon.core.keyword.builtin.

java:285)

142)