Understanding current text generation techniques

Sambuddha Roy

March 26, 2020

Contents

- Why inequalities?
- Used in: almost everywhere..

Contents

- ▶ Why inequalities?
- ▶ Used in: almost everywhere..
  - ▸ Approximation Algorithms

Contents

- Why inequalities?
- Used in: almost everywhere..
  - Approximation Algorithms
  - Optimization

Contents

- Why inequalities?
- Used in: almost everywhere..
  - ▶ Approximation Algorithms
  - ▶ Optimization

Contents

- ▶ Why inequalities?
- ▶ Used in: almost everywhere..
  - ▶ Approximation Algorithms
  - ▶ Optimization
  - ▶ (Can almost be called the backbone of mathematics..)

Facts

- $\sum_{v \in V} d(v) = 2|A|$
- $\sum_{v \in V} i(v) = |A|$

- Have: $\sum_{v \in V} d(v) \cdot \frac{i(v)}{d(v)} = |A|$
- Want to have: $\sum_{v \in V_1} d(v) \geqslant |A|/3$.

Facts

- $\sum_{v \in V} d(v) = 2|A|$
- $\sum_{v \in V} i(v) = |A|$

- Have: $\sum_{v \in V} d(v) \cdot \frac{i(v)}{d(v)} = |A|$
- Want to have: $\sum_{v \in V_1} d(v) \geqslant |A|/3$.
- Separate out the vertices as $v \in V_1$ and $v \in V \setminus V_1$.

Facts

- $\sum_{v \in V} d(v) = 2|A|$
- $\sum_{v \in V} i(v) = |A|$

- Have: $\sum_{v \in V} d(v) \cdot \frac{i(v)}{d(v)} = |A|$
- Want to have: $\sum_{v \in V_1} d(v) \geqslant |A|/3$.
- Separate out the vertices as $v \in V_1$ and $v \in V \setminus V_1$.
- For $v \in V \setminus V_1$, $i(v)/d(v) < 1/3$. For $v \in V_1$, $i(v)/d(v) \leqslant 1$.
- $|A| = \sum_{v \in V} d(v) \cdot \frac{i(v)}{d(v)} \leqslant \sum_{v \in V_1} d(v) + \sum_{v \in V \setminus V_1} d(v)/3$

THANK YOU