Deployment of Privacy-Preserving Machine Learning for Political Polling in the 2024 Presidential Election

Sam Buxbaum

Lucas M. Tassis, Lucas Boschelli, Giovanni Comarela, Mayank Varia, Mark Crovella, Dino P. Christenson

PPML Workshop

August 17, 2025

Sam Buxbaum

Lucas M. Tassis

Lucas Boschelli

Giovanni Comarela

Mayank Varia

Mark Crovella

Dino P. Christenson

Traditional Political Polling

Traditional Political Polling

- Data collection takes time

Traditional Political Polling

- Data collection takes time
- Data collection is human-intensive

Traditional Political Polling

- Data collection takes time
- Data collection is human-intensive
- Poor geographic and temporal coverage

Traditional Political Polling

- Data collection takes time
- Data collection is human-intensive
- Poor geographic and temporal coverage

West Virginia 2024 Presidential Election Polls

Harris vs. Trump

Source	Date	Sample	Harris	Trump	Other
Research America	8/30/2024	400 LV ±4.9%	34%	61%	5%

Traditional Political Polling

- Data collection takes time
- Data collection is human-intensive
- Poor geographic and temporal coverage

West Virginia 2024 Presidential Election Polls

Harris vs. Trump

Source	Date	Sample	Harris	Trump	Other
Research America	8/30/2024	400 LV ±4.9%	34%	61%	5%

Michigan 2024 Presidential Election Polls

Instantly compare a poll to prior one by same pollster

Harris vs. Trump

Source	Date	Sample	Harris	Trump	Other
Average of 23 Polls†			**48.6%**	**46.8%**	-
FAU / Mainstreet	11/04/2024	713 LV	49%	47%	4%
Emerson College	11/04/2024	790 LV ±3.4%	50%	48%	2%
Research Co.	11/04/2024	450 LV ±4.6%	49%	47%	4%
InsiderAdvantage	11/03/2024	800 LV ±3.7%	47%	47%	6%
Trafalgar Group	11/03/2024	1,079 LV ±2.9%	47%	48%	5%
MIRS / Mich. News Source	11/03/2024	585 LV ±4%	50%	48%	2%
NY Times / Siena College	11/03/2024	998 LV ±3.7%	47%	47%	6%
Morning Consult	11/03/2024	1,108 LV ±3%	49%	48%	3%
AtlasIntel	11/02/2024	1,198 LV ±3%	48%	50%	2%
Redfield & Wilton	11/01/2024	1,731 LV ±2.2%	47%	47%	6%
The Times (UK) / YouGov	11/01/2024	942 LV ±3.9%	48%	45%	7%
EPIC-MRA	11/01/2024	600 LV ±4%	48%	45%	7%
Marist Poll	11/01/2024	1,214 LV ±3.5%	51%	48%	1%
AtlasIntel	10/31/2024	1,136 LV ±3%	49%	49%	2%
Echelon Insights	10/31/2024	600 LV ±4.4%	48%	48%	4%
MIRS / Mich. News Source	10/31/2024	1,117 LV ±2.5%	47%	49%	4%
UMass Lowell	10/31/2024	600 LV ±4.5%	49%	45%	6%
Washington Post	10/31/2024	1,003 LV ±3.7%	47%	46%	7%
Fox News	10/30/2024	988 LV ±3%	49%	49%	2%
CNN	10/30/2024	726 LV ±4.7%	48%	43%	9%
Suffolk University	10/30/2024	500 LV ±4.4%	47%	47%	6%

Web Browsing for Political Polling

Web Browsing for Political Polling

- Can website visits predict political leanings?

Web Browsing for Political Polling

- Can website visits predict political leanings?
- Example - news websites

Web Browsing for Political Polling

- Can website visits predict political leanings?
- Example - news websites





Web Browsing for Political Polling

- Can website visits predict political leanings?
- Example - news websites
- More data





Web Browsing for Political Polling

- Can website visits predict political leanings?
- Example - news websites
- More data
- Fully automated





Prior Work

Prior Work

- Web browsing behavior can predict voting results

Prior Work

- Web browsing behavior can predict voting results
- Quantifying the 'Comey letter' (Comarela et al.)

Prior Work

- Web browsing behavior can predict voting results
- Quantifying the 'Comey letter' (Comarela et al.)



Figure 8: Impact of the 'Comey letter' at the state level.

Prior Work

- Web browsing behavior can predict voting results
- Quantifying the 'Comey letter' (Comarela et al.)
- Social media referrals are the best signal



Figure 8: Impact of the 'Comey letter' at the state level.

Two Approaches to Political Polling

Two Approaches to Political Polling

Traditional Polling

- Slow
- Expensive
- Coarse-grained insights

Two Approaches to Political Polling

Traditional Polling

- Slow
- Expensive
- Coarse-grained insights

VS

Web Behavior Analysis

- Immediate
- Cheap
- Fine-grained insights

Two Approaches to Political Polling

Traditional Polling

- Slow
- Expensive
- Coarse-grained insights

VS

Web Behavior Analysis

- Immediate
- Cheap
- Fine-grained insights

What about privacy?

Our Contributions

Our Contributions

- We built a system for securely predicting political preferences from web browsing data

Our Contributions

- We built a system for securely predicting political preferences from web browsing data
- We collected and analyzed data from almost 8000 unique users

Our Contributions

- We built a system for securely predicting political preferences from web browsing data
- We collected and analyzed data from almost 8000 unique users
- All analysis took place under MPC

Learning from Label Proportions (LLP)

Learning from Label Proportions (LLP)

- Each user uploads an *unlabeled* 1,034-element vector every day

Learning from Label Proportions (LLP)

- Each user uploads an *unlabeled* 1,034-element vector every day
  - Number of visits to the top 517 sites

Learning from Label Proportions (LLP)

- Each user uploads an *unlabeled* 1,034-element vector every day
  - Number of visits to the top 517 sites
  - Number of times referred to the top 517 sites

Learning from Label Proportions (LLP)

- Each user uploads an *unlabeled* 1,034-element vector every day
  - Number of visits to the top 517 sites
  - Number of times referred to the top 517 sites
- Unlabeled vectors are grouped by state

Learning from Label Proportions (LLP)

- Each user uploads an *unlabeled* 1,034-element vector every day
  - Number of visits to the top 517 sites
  - Number of times referred to the top 517 sites
- Unlabeled vectors are grouped by state
- Each state has a ground-truth label

Learning from Label Proportions (LLP)

- Each user uploads an *unlabeled* 1,034-element vector every day
  - Number of visits to the top 517 sites
  - Number of times referred to the top 517 sites
- Unlabeled vectors are grouped by state
- Each state has a ground-truth label



Learning from Label Proportions (LLP)

- Each user uploads an *unlabeled* 1,034-element vector every day
  - Number of visits to the top 517 sites
  - Number of times referred to the top 517 sites
- Unlabeled vectors are grouped by state
- Each state has a ground-truth label
- Train on aggregate ground truth



System Design



System Design

Client Plugin



System Design

Client Plugin

Webserver



System Design

Client Plugin

Webserver

MPC Backend



System Design

Client Plugin

Webserver

MPC Backend



Client Plugin



Client Plugin

- Custom-built Chrome plugin to monitor browsing



Client Plugin

- Custom-built Chrome plugin to monitor browsing
- Daily data uploads of secret-shared histograms



Client Plugin

- Custom-built Chrome plugin to monitor browsing
- Daily data uploads of secret-shared histograms
- Client-side secret sharing and encryption



Client Plugin

- Custom-built Chrome plugin to monitor browsing
- Daily data uploads of secret-shared histograms
- Client-side secret sharing and encryption
- Implementation is open source



Webserver


JS
node
Webserver
Computing Party
Computing Party
Computing Party

Webserver

- Simplifies interaction with clients



Webserver

- Simplifies interaction with clients
- Collects basic metadata



Webserver

- Simplifies interaction with clients
- Collects basic metadata
- Never sees any private data



MPC Backend


JS
node
Webserver
Computing Party
Computing Party
Computing Party

MPC Backend

- Three party computation with an honest majority



MPC Backend

- Three party computation with an honest majority
- We used and augmented the CrypTen library



MPC Backend

- Three party computation with an honest majority
- We used and augmented the CrypTen library
- We implemented an algorithm for LLP under MPC



The Plaintext Algorithm

The Plaintext Algorithm



The Plaintext Algorithm



Implementation in MPC



Implementation in MPC

- Initial label assignment can be performed in plaintext



Implementation in MPC

- Initial label assignment can be performed in plaintext
- Training a logistic regression model is supported by CrypTen



Implementation in MPC

- Initial label assignment can be performed in plaintext
- Training a logistic regression model is supported by CrypTen
- Computing thresholds requires oblivious sorting



Implementation in MPC

- Initial label assignment can be performed in plaintext
- Training a logistic regression model is supported by CrypTen
- Computing thresholds requires oblivious sorting
- Updated label assignment and convergence checking use secure comparisons



Implementation in MPC

- Initial label assignment can be performed in plaintext
- Training a logistic regression model is supported by CrypTen
- Computing thresholds requires oblivious sorting
- Updated label assignment and convergence checking use secure comparisons

- Training took 70 minutes



Implementation in MPC

- Initial label assignment can be performed in plaintext
- Training a logistic regression model is supported by CrypTen
- Computing thresholds requires oblivious sorting
- Updated label assignment and convergence checking use secure comparisons

- Training took 70 minutes
- Code will be open source in the future



Preliminary Results



Lessons Learned and Future Directions

Data Integrity Matters

Data Integrity Matters

- Initial trouble with dishonest location reporting

Data Integrity Matters

- Initial trouble with dishonest location reporting
- Validation with IP addresses and geolocation

Data Integrity Matters

- Initial trouble with dishonest location reporting
- Validation with IP addresses and geolocation
- Results were mixed

Data Integrity Matters

- Initial trouble with dishonest location reporting
- Validation with IP addresses and geolocation
- Results were mixed
  - Fully verified 15% of users

Data Integrity Matters

- Initial trouble with dishonest location reporting
- Validation with IP addresses and geolocation
- Results were mixed
  - Fully verified 15% of users
- Digging deeper on the data

Data Integrity Matters

- Initial trouble with dishonest location reporting
- Validation with IP addresses and geolocation
- Results were mixed
  - Fully verified 15% of users
- Digging deeper on the data
  - Users in the sample for longer are more honest

Data Integrity Matters

- Initial trouble with dishonest location reporting
- Validation with IP addresses and geolocation
- Results were mixed
  - Fully verified 15% of users
- Digging deeper on the data
  - Users in the sample for longer are more honest



Data Integrity Matters

- Initial trouble with dishonest location reporting
- Validation with IP addresses and geolocation
- Results were mixed
  - Fully verified 15% of users
- Digging deeper on the data
  - Users in the sample for longer are more honest
  - Honest users contribute much richer data



Data Integrity Matters

- Initial trouble with dishonest location reporting
- Validation with IP addresses and geolocation
- Results were mixed
  - Fully verified 15% of users
- Digging deeper on the data
  - Users in the sample for longer are more honest
  - Honest users contribute much richer data





Data Integrity Matters

- Initial trouble with dishonest location reporting
- Validation with IP addresses and geolocation
- Results were mixed
  - Fully verified 15% of users
- Digging deeper on the data
  - Users in the sample for longer are more honest
  - Honest users contribute much richer data



Lesson: Validating and enforcing user honesty should be a priority in future deployments.



Data Integrity Matters

- Initial trouble with dishonest location reporting
- Validation with IP addresses and geolocation
- Results were mixed
  - Fully verified 15% of users
- Digging deeper on the data
  - Users in the sample for longer are more honest
  - Honest users contribute much richer data



Lesson: Validating and enforcing user honesty should be a priority in future deployments.

Lesson: Our data is surprisingly robust to dishonest users.



Strengthening the Threat Model

Strengthening the Threat Model

- AWS as a single point of failure

Strengthening the Threat Model

- AWS as a single point of failure
- Reduce or eliminate trust in the core computation

Strengthening the Threat Model

- AWS as a single point of failure
- Reduce or eliminate trust in the core computation
- Anonymous payments

Thank You!

sambux@bu.edu