REACT NATIVE ACTIVITY – REACT CALCULATOR APP



FOLDER STRUCTURE:



App in Phone :



Web App:

New
BCSE
calc-
localhost:8081
Chat
webdev
UI
DJAM
TUF
A2Z
0
C
%
Tax +
/
*
7
8
9
-
4
5
6
+
1
2
3
0
.
=

Cmd:

```
PS C:\Users\s\CODING JOURNEY\ReactDemoClass\calc-native> npx expo start
Starting project at C:\Users\s\CODING JOURNEY\ReactDemoClass\calc-native
Starting Metro Bundler
Networking has been disabled
Unable to reach well-known versions endpoint. Using local dependency map expo/bundledNativeModules.json for version validation
Dependency validation is unreliable in offline-mode

› Metro waiting on exp://10.29.250.26:8081
› Scan the QR code above with Expo Go (Android) or the Camera app (iOS)

› Web is waiting on http://localhost:8081

› Using Expo Go
› Press s | switch to development build

› Press a | open Android
› Press w | open web

› Press j | open debugger
› Press r | reload app
› Press m | toggle menu
› shift+m | more tools
› Press o | open project code in your editor
```

app.js

```
import React, { useState } from "react";
import { View, Text, TouchableOpacity } from "react-native";

export default function App() {

  const [input, setInput] = useState("");

  const handleClick = (value) => {
    setInput(input + value);
  };

  const clearDisplay = () => {
    setInput("");
  };

  const calculate = () => {
    try {
      setInput(eval(input).toString());
    } catch {
      setInput("Error");
    }
  };

  const addGST = () => {
```

```
  try {
    const value = eval(input);
    const gstValue = value + (value * 0.18);
    setInput(gstValue.toFixed(2).toString());
  } catch {
    setInput("Error");
  }
};

const percentage = () => {
  try {
    const value = eval(input);
    setInput((value / 100).toString());
  } catch {
    setInput("Error");
  }
};

const styles = {
  container: {
    flex: 1,
    backgroundColor: "#222",
    paddingTop: 100,
  },

  display: {
    width: "95%",
    height: 70,
    alignSelf: "center",
    backgroundColor: "#000",
    justifyContent: "center",
    alignItems: "flex-end",
    padding: 15,
    borderRadius: 10,
    marginBottom: 15
  },

  displayText: {
    color: "#0f0",
    fontSize: 30
  },

  grid: {
    flexDirection: "row",
    flexWrap: "wrap",
    justifyContent: "space-between",
    paddingHorizontal: 10
```

```
  },

  button: {
    width: "22%",
    height: 60,
    marginVertical: 6,
    justifyContent: "center",
    alignItems: "center",
    borderRadius: 10
  },

  lastRow: {
    flexDirection: "row",
    justifyContent: "flex-end",
    width: "100%",
    paddingHorizontal: 5,
    gap: 15
  },

  numBtn: {
    backgroundColor: "#444"
  },

  opBtn: {
    backgroundColor: "orange"
  },

  equalBtn: {
    backgroundColor: "green"
  },

  clearBtn: {
    backgroundColor: "red"
  },

  btnText: {
    color: "white",
    fontSize: 18
  }
};

return (
  <View style={styles.container}>

    {/* Display */}
    <View style={styles.display}>
      <Text style={styles.displayText}>
```

```
        {input || "0"}
      </Text>
    </View>

    {/* Buttons */}
    <View style={styles.grid}>

      <TouchableOpacity style={[styles.button, styles.clearBtn]} onPress={clearDisplay}>
        <Text style={styles.btnText}>C</Text>
      </TouchableOpacity>

      <TouchableOpacity style={[styles.button, styles.opBtn]} onPress={percentage}>
        <Text style={styles.btnText}>%</Text>
      </TouchableOpacity>

      <TouchableOpacity style={[styles.button, styles.opBtn]} onPress={addGST}>
        <Text style={styles.btnText}>Tax +</Text>
      </TouchableOpacity>

      <TouchableOpacity style={[styles.button, styles.opBtn]} onPress={() =>
handleClick("/")}>
        <Text style={styles.btnText}>/</Text>
      </TouchableOpacity>

      <TouchableOpacity style={[styles.button, styles.opBtn]} onPress={() =>
handleClick("*")}>
        <Text style={styles.btnText}>*</Text>
      </TouchableOpacity>

      {/* Row 2 */}
      <TouchableOpacity style={[styles.button, styles.numBtn]} onPress={() =>
handleClick("7")}>
        <Text style={styles.btnText}>7</Text>
      </TouchableOpacity>

      <TouchableOpacity style={[styles.button, styles.numBtn]} onPress={() =>
handleClick("8")}>
        <Text style={styles.btnText}>8</Text>
      </TouchableOpacity>

      <TouchableOpacity style={[styles.button, styles.numBtn]} onPress={() =>
handleClick("9")}>
        <Text style={styles.btnText}>9</Text>
      </TouchableOpacity>

      <TouchableOpacity style={[styles.button, styles.opBtn]} onPress={() => handleClick("-
")}>
```

```
        <Text style={styles.btnText}>-</Text>
      </TouchableOpacity>

      {/* Row 3 */}
      <TouchableOpacity style={[styles.button, styles.numBtn]} onPress={() =>
handleClick("4")}>
        <Text style={styles.btnText}>4</Text>
      </TouchableOpacity>

      <TouchableOpacity style={[styles.button, styles.numBtn]} onPress={() =>
handleClick("5")}>
        <Text style={styles.btnText}>5</Text>
      </TouchableOpacity>

      <TouchableOpacity style={[styles.button, styles.numBtn]} onPress={() =>
handleClick("6")}>
        <Text style={styles.btnText}>6</Text>
      </TouchableOpacity>

      <TouchableOpacity style={[styles.button, styles.opBtn]} onPress={() =>
handleClick("+")}>
        <Text style={styles.btnText}>+</Text>
      </TouchableOpacity>

      {/* Row 4 */}
      <TouchableOpacity style={[styles.button, styles.numBtn]} onPress={() =>
handleClick("1")}>
        <Text style={styles.btnText}>1</Text>
      </TouchableOpacity>

      <TouchableOpacity style={[styles.button, styles.numBtn]} onPress={() =>
handleClick("2")}>
        <Text style={styles.btnText}>2</Text>
      </TouchableOpacity>

      <TouchableOpacity style={[styles.button, styles.numBtn]} onPress={() =>
handleClick("3")}>
        <Text style={styles.btnText}>3</Text>
      </TouchableOpacity>

    </View>

    {/* LAST ROW (RIGHT ALIGNED) */}
    <View style={styles.lastRow}>

      <TouchableOpacity style={[styles.button, styles.numBtn]} onPress={() =>
handleClick("0")}>
```

```
        <Text style={styles.btnText}>0</Text>
      </TouchableOpacity>

      <TouchableOpacity style={[styles.button, styles.numBtn]} onPress={() =>
handleClick(".")}>
        <Text style={styles.btnText}>.</Text>
      </TouchableOpacity>

      <TouchableOpacity style={[styles.button, styles.equalBtn]} onPress={calculate}>
        <Text style={styles.btnText}>=</Text>
      </TouchableOpacity>

    </View>

  </View>
 );
}
```