


' 191B8;F 1 ;EDFH

Aug 10, 2021 9:51:22 AM









PASSED - 1  
FAILED - 4  
SKIPPED - 0




PASSED - 38  
FAILED - 23  
SKIPPED - 0




PASSED - 89  
FAILED - 1  
SKIPPED - 62







1	<u>GudSho Home Page</u>				17	<b>16</b>
2	<u>Paywall Scenarios</u>				9	<b>7</b>
3	<u>Footer Links &amp; Profile Hover elements Redirection Scenarios</u>				13	<b>13</b>
4	<u>Sho Detail Page Scenarios</u>				10	<b>2</b>
5	<u>Studio Detail page Scenarios</u>				12	<b>0</b>
					<b>1</b>	<b>0</b>
					<b>11 m 11.895 s</b>	
					<b>12 m 40.409 s</b>	
					<b>4 m 17.437 s</b>	
					<b>21 m 17.288 s</b>	
					<b>24 m 22.254 s</b>	




1	<u>GudSho Home Page</u>	<u>Notification Page Redirection</u>		3	3	0	0
2	<u>GudSho Home Page</u>	<u>User Profile</u>		2	2	0	0
3	<u>GudSho Home Page</u>	<u>Home page Banner Redirection</u>		1	1	0	0
4	<u>GudSho Home Page</u>	<u>Promo Card Redirection</u>		2	2	0	0
5	<u>GudSho Home Page</u>	<u>Sho Card Redirection</u>		1	1	0	0
6	<u>GudSho Home Page</u>	<u>Studio Card Redirection</u>		1	1	0	0
7	<u>GudSho Home Page</u>	<u>This test is to verify the follow button from home</u>		1	1	0	0
8	<u>GudSho Home Page</u>	<u>This test is to verify the added sho in addto watchlist</u>		2	2	0	0
9	<u>GudSho Home Page</u>	<u>This test is to verify the share button on sho card</u>		2	2	0	0
10	<u>GudSho Home Page</u>	<u>This test is to verify the share button on sho card from see all page</u>		3	3	0	0




11	<u>GudSho Home Page</u>	<i>This test is to verify the share button on sho card from see all page</i>	2	2	0	0
12	<u>GudSho Home Page</u>	<i>This test is to verify the sho detail page redirection from home continue watching</i>	3	3	0	0
13	<u>GudSho Home Page</u>	<i>This test is to verify the added sho in addto watchlist from see all</i>	4	2	1	1
14	<u>GudSho Home Page</u>	<i>This test is to verify the sho redirection from see all page</i>	2	2	0	0
15	<u>GudSho Home Page</u>	<i>This test is to verify the share button on promo card</i>	2	2	0	0
16	<u>GudSho Home Page</u>	<i>This test is to verify the share button on promo card from see all page</i>	3	3	0	0
17	<u>GudSho Home Page</u>	<i>This test is to verify the sho detail page redirection from promo player</i>	2	2	0	0




18	<u>Paywall Scenarios</u>	<u>Watch List Popup</u>		3	3	0	0
19	<u>Paywall Scenarios</u>	<u>Promo icon Gud Popup</u>		4	4	0	0
20	<u>Paywall Scenarios</u>	<u>Buy Button Popup</u>		3	3	0	0
21	<u>Paywall Scenarios</u>	<u>Sho Page Social Media Icons Redirection</u>		3	3	0	0
22	<u>Paywall Scenarios</u>	<u>Sho Page Social Media Icons Redirection</u>		3	0	0	3
23	<u>Paywall Scenarios</u>	<u>Promo Player Social Media Icons Redirection</u>		2	2	0	0
24	<u>Paywall Scenarios</u>	<u>Promo Player Social Media Icons Redirection</u>		2	0	0	2
25	<u>Paywall Scenarios</u>	<u>Follow Studio PopUp</u>		3	3	0	0
26	<u>Paywall Scenarios</u>	<u>Studio Page Social Media Icons Redirection</u>		3	3	0	0




27	<u>Footer Links &amp; Profile Hover elements</u> <u>Redirection Scenarios</u>	<u>gudsho logo</u>		3	3	0	0
28	<u>Footer Links &amp; Profile Hover elements</u> <u>Redirection Scenarios</u>	<u>About us page redirection</u>		1	1	0	0
29	<u>Footer Links &amp; Profile Hover elements</u> <u>Redirection Scenarios</u>	<u>Help&amp;support page redirection</u>		1	1	0	0
30	<u>Footer Links &amp; Profile Hover elements</u> <u>Redirection Scenarios</u>	<u>Submit your film page redirection</u>		1	1	0	0
31	<u>Footer Links &amp; Profile Hover elements</u> <u>Redirection Scenarios</u>	<u>Blog page redirection</u>		1	1	0	0
32	<u>Footer Links &amp; Profile Hover elements</u> <u>Redirection Scenarios</u>	<u>Terms page redirection</u>		1	1	0	0
33	<u>Footer Links &amp; Profile Hover elements</u> <u>Redirection Scenarios</u>	<u>Privacy page redirection</u>		1	1	0	0



34	<u>Footer Links &amp; Profile Hover elements Redirection Scenarios</u>	<u>Sell your movies &amp; series on gudsho page redirection</u>	1	1	0	0	6.614 s
35	<u>Footer Links &amp; Profile Hover elements Redirection Scenarios</u>	<u>PlayStore App Redirection</u>	1	1	0	0	10.894 s
36	<u>Footer Links &amp; Profile Hover elements Redirection Scenarios</u>	<u>App Store Redirection</u>	1	1	0	0	7.515 s
37	<u>Footer Links &amp; Profile Hover elements Redirection Scenarios</u>	<u>Social Links Redirection</u>	5	5	0	0	28.697 s
38	<u>Footer Links &amp; Profile Hover elements Redirection Scenarios</u>	<u>Check all profile hover elements redirections</u>	8	8	0	0	30.673 s
39	<u>Footer Links &amp; Profile Hover elements Redirection Scenarios</u>	<u>Verify Mobile Number and Name on profile</u>	3	3	0	0	24.019 s
40	<u>Sho Detail Page Scenarios</u>	<u>Sho-Purchase &amp; Payment</u>	3	3	0	0	42.010 s
41	<u>Sho Detail Page Scenarios</u>	<u>Promo Gud</u>	3	3	0	0	44.187 s
42	<u>Sho Detail Page Scenarios</u>	<u>Sho Watchlist</u>	3	0	0	3	1 m 6.899 s



43	<u>Sho Detail Page Scenarios</u>	<u>Studio Link Redirection</u>		2	0	0	2
44	<u>Sho Detail Page Scenarios</u>	<u>Continue Watching</u>		4	0	0	4
45	<u>Sho Detail Page Scenarios</u>	<u>Sho detail info</u>		3	0	0	3
46	<u>Sho Detail Page Scenarios</u>	<u>Sho detail info</u>		3	0	0	3
47	<u>Sho Detail Page Scenarios</u>	<u>Sho Card Watchlist and Redirection</u>		2	0	0	2
48	<u>Sho Detail Page Scenarios</u>	<u>More like this Share popup</u>		2	0	0	2
49	<u>Sho Detail Page Scenarios</u>	<u>More like this sho card Functionality</u>		3	0	0	3
50	<u>Studio Detail page Scenarios</u>	<u>Studio Share</u>		3	0	0	3
51	<u>Studio Detail page Scenarios</u>	<u>Studio Share</u>		3	0	0	3
52	<u>Studio Detail page Scenarios</u>	<u>Studio Banner Redirection</u>		2	0	0	2



53	<u>Studio Detail page Scenarios</u>	<u>Studio Banner Redirection</u>		2	0	0	2
54	<u>Studio Detail page Scenarios</u>	<u>Follow Studio</u>		3	0	0	3
55	<u>Studio Detail page Scenarios</u>	<u>Promo Card Redirection</u>		3	0	0	3
56	<u>Studio Detail page Scenarios</u>	<u>Sho Card Redirection</u>		2	0	0	2
57	<u>Studio Detail page Scenarios</u>	<u>Sho Card Genre Redirection</u>		2	0	0	2
58	<u>Studio Detail page Scenarios</u>	<u>UnFollow Studio</u>		4	0	0	4
59	<u>Studio Detail page Scenarios</u>	<u>WatchFree Tab Card functionality</u>		3	0	0	3
60	<u>Studio Detail page Scenarios</u>	<u>Genre which doesnot have any sho or series</u>		3	0	0	3
61	<u>Studio Detail page Scenarios</u>	<u>Check sharepopup of sho cards</u>		4	0	0	4

!)"# \* I :2>D +DB ; 07=;

<b>FAILED</b>	<b>DURATION - 11 m 11.895 s</b>	Scenarios Total - 17 Pass - 16 Fail - 1 Skip - 0		Steps Total - 36 Pass - 34 Fail - 1 Skip - 1	
/ 8:48:37.264 AM // 8:59:49.159 AM /					

!2"# / DH?<97H?DC 07=; 1 ; :?F;9H?DC

<b>PASSED</b>	<b>DURATION - 28.192 s</b>	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:48:37.273 AM // 8:49:05.465 AM /					
GudSho Home Page					
@HomePage					

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
1	Given verify notification tab	PASSED	2.286 s
2	When verify notification page redirected to correct page	PASSED	0.358 s
3	Then Click on notifications link and it should redirect to notifications tab	PASSED	2.432 s


!2"# 4G;F OFD<?A;

<b>PASSED</b>	<b>DURATION - 23.024 s</b>	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 8:49:05.499 AM // 8:49:28.523 AM /					
GudSho Home Page					
@HomePage					

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
1	Given verify user profile icon	PASSED	0.353 s


	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
2	Then verify profile icon page	PASSED	0.815 s

!2"#" +DB ; E7=; &7CC;F 1 ; ::?F;9H?DC





	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given Select first card from home banner and check sho detail page redirection	PASSED	1.675 s

!2"#" OFDBD '7F: 1 ; ::?F;9H?DC




	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given Select first promo card from promo row	PASSED	9.792 s
2	Then verify redirection of promo player	PASSED	3.067 s

**!2"#" 2>D ' 7F: 1 ; :?F; 9H?DC**

PASSED	DURATION - 23.178 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 8:50:43.437 AM // 8:51:06.615 AM /				
GudSho Home Page				
@HomePage				


	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( 1F7H?DC
1	Given Click on sho card from any row and verify its redirected to correct sho detail page	PASSED	1.090 s

**!2"#" 2H1 :?D ' 7F: 1 ; :?F; 9H?DC**

PASSED	DURATION - 32.805 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 8:51:06.624 AM // 8:51:39.429 AM /				
GudSho Home Page				
@HomePage				


	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( 1F7H?DC
1	Given Click on studio card from studio row and verify its redirected to correct studio detail page	PASSED	11.107 s

**!2"#" 3>?G H;GH ?G HD J;F?<L H>; <DAADK 8 IHHDC <FDB >DB ;**

PASSED	DURATION - 32.075 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 8:51:39.443 AM // 8:52:11.518 AM /				
GudSho Home Page				
@HomePage				

	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given From home page click onfollow button and verify the button changes	PASSED	10.824 s

!2"#" 3>?G H;GH ?G HD J;F?<L H>; 7 : : ; : G>D ?C 7 : :HD K7H9>A?GH

PASSED	DURATION - 36.854 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 8:52:11.546 AM // 8:52:48.400 AM /				
GudSho Home Page				
@HomePage				


	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given From home page click on add to watchlist in vada chennai title card	PASSED	9.448 s
2	When check card availability on my watchlist row	PASSED	5.922 s

!2"#" 3>?G H;GH ?G HD J;F?<L H>; G>7F; 8IHHDC DC G>D 97F:

PASSED	DURATION - 33.771 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 8:52:48.407 AM // 8:53:22.178 AM /				
GudSho Home Page				
@HomePage				


	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given From home page click on share button in kaithi title card	PASSED	13.169 s
2	When Click on share button from the card and verify share popup	PASSED	0.831 s

!2"#" 3>?G H;GH ?G HD J ;F?<L H>; G>7F; 8 IHHDC DC G>D 97F: <FDB G; ; 7AA E7=;




	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given From home page click on sho type row see all hyperlink	PASSED	2.022 s
2	When From home page click on share button in vada chennai title card	PASSED	8.749 s
3	And Click on share button from the card and verify share popup	PASSED	0.435 s

!2"#" 3>?G H;GH ?G HD J ;F?<L H>; G>7F; 8 IHHDC DC G>D 97F: <FDB G; ; 7AA E7=;




	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given From home page click on promo type row see all hyperlink	PASSED	9.373 s
2	And Close promo player Two Years Of Kaala - The Masterpiece _ Rajinikant and verify redirection	PASSED	23.846 s

!2"#" 3>?G H;GH ?G HD J;F?<L H>; G>D :;H7%A E7=; F; :?F;9H?DC <FDB >DB ; 9DCH?C I ; K7H9>?C=



	2H;E \$ +DD@ ( ;H7%AG	2H7H1G	( IF7H?DC
1	Given Search any scidue and verify its redirected to correct page	PASSED	5.367 s
2	When Play watch free content and close the player	PASSED	11.878 s
3	And Navigate to gudsho home and click on sho name hyperlink from continue watching and verify redirection	PASSED	1.163 s

!2"#" 3>?G H;GH ?G HD J;F?<L H>; 7 : : ; : G>D ?C 7 : :HD K7H9>A?GH <FDB G ; ; 7AA



	2H;E \$ +DD@ ( ;H7%AG	2H7H1G	( IF7H?DC
1	Given From home page click on sho type row see all hyperlink	PASSED	1.942 s
2	When Hover and click on click on add to watchlist in Transformer: The Age Of Extinction title card	PASSED	6.814 s
3	And Navigate back and Transformer: The Age Of Extinction availability on my watchlist row  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//app-gud-shocial[@class='ng-star-inserted']/div/div/app-gud-slider/div/div[2]/swiper/div/app-gud-card"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:55539}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss	FAILED 46.627 s	

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	<p>and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e99da678ce1bb5a940e25fce522e10e1 *** Element info: {Using&gt;xpath, value=/app-gud-shocial[@class='ng-star-inserted']/div/div/app-gud-slider/div/div[2]/swiper/div/app-gud-card}</p> <pre> at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at Pageobjects.frontend.commonlocatorsandmethods.WatchlistRowonHomePage(commonlocatorsandmethods.java:188) at steps.frontend.Homepagesteps.navigate_back_and_availbility_on_my_watchlist_row(Homepagesteps.java:230) at ?.Navigate back and Transformer: The Age Of Extinction availbility on my watchlist row(file:///C:/Users/user/gitdemo/GudSho-WEBAutomation/WebAutomation/src/test/resources/Features/frontend/Homepage.feature:69) * Not displayable characters are replaced by '?'.</pre>		
4	<p>Then Remove from watchlit</p> <p>AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)</p> <p>image</p> 	SKIPPED	0.004 s
		PASSED	1.264 s

!2"#" 3>?G H;GH ?G HD J;F?<L H>; G>D F; :?F; 9H?DC <FDB G; ; 7AA E7=;

PASSED	DURATION - 33.531 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/8:56:04.294 AM // 8:56:37.825 AM /				
GudSho Home Page				
@HomePage				



	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given From home page click on sho type row see all hyperlink	PASSED	1.941 s
2	When From see all page click on sho card vada chennai and verif redirection	PASSED	7.785 s

!2"#" 3>?G H;GH ?G HD J;F?<L H>; G>7F; 8IHHDC DC EFDBD 97F:

PASSED	DURATION - 36.851 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/8:56:37.830 AM // 8:57:14.681 AM /				
GudSho Home Page				
@HomePage				

	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given From home page hover on Two Years Of Kaala - The Masterpiece _ Rajinikant promo card	PASSED	13.668 s
2	When Click on share button from the card and verify share popup	PASSED	1.931 s

!2"#" 3>?G H;GH ?G HD J;F?<L H>; G>7F; 8 IHHDC DC EFDBD 97F: <FDB G;; 7AA E7=;

PASSED	DURATION - 46.261 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:57:14.686 AM // 8:58:00.947 AM /				
GudSho Home Page				
@HomePage				


	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given From home page click on promo type row see all hyperlink	PASSED	11.489 s
2	When From home page hover on Two Years Of Kaala - The Masterpiece _ Rajinikant promo card	PASSED	11.511 s
3	And Click on share button from the card and verify share popup	PASSED	1.793 s

!2"#" 3>?G H;GH ?G HD J;F?<L H>; G>D :;H7?A E7=; F; :?F;9H?DC <FDB EFDBD EA7L;F


PASSED	DURATION - 54.103 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 8:58:00.953 AM // 8:58:55.056 AM /				
GudSho Home Page				
@HomePage				

	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given From home page hover on Two Years Of Kaala - The Masterpiece _ Rajinikant promo card and close the player	PASSED	24.332 s
2	Then On home page check liked Two Years Of Kaala - The Masterpiece _ Rajinikant is showing in my gud promos	PASSED	9.354 s

## !)"# 07LK7AA 29;C7F?DG




## !2)"# 6 7H9&gt; -?GH ODEIE



	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
1	Given Search any Talent and verify its redirected to correct page	PASSED	5.539 s
2	And From show detail page click on add to watchlist	PASSED	2.378 s
3	Then Validate Signin Popup	PASSED	1.678 s

## !2)"# 0FDDBD ?9DC \* I : ODEIE



	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
1	Given Search any Talent and verify its redirected to correct page	PASSED	5.596 s

	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
2	And From sho detail page click on any promo	PASSED	0.352 s
3	When while playing click on create gud button	PASSED	3.408 s
4	Then Vaildate Signin Popup	PASSED	1.334 s

## !2"#" &IL &IHDC ODEIE

PASSED	DURATION - 11.674 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:00:18.788 AM // 9:00:30.462 AM /				
Paywall Scenarios				
@Paywall				


	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given Search any Talent and verify its redirected to correct page	PASSED	5.895 s
2	And From sho detail page click on Buy button	PASSED	0.212 s
3	Then Vaildate Signin Popup	PASSED	1.553 s

## !2"#" 2>D 07=; 2D9?7A . ; :?7 ,9DCG 1 ; :?F;9H?DC

PASSED	DURATION - 10.647 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:00:30.468 AM // 9:00:41.115 AM /				
Paywall Scenarios				
@Paywall				

	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given Search any Talent and verify its redirected to correct page	PASSED	5.666 s
2	When Click on Share button	PASSED	0.190 s
3	Then Check share popup is displayed with social ions	PASSED	0.368 s

!2"#" 2>D 07=; 2D9?7A . ; :?7 ,9DCG 1 ; :?F;9H?DC




	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( 1F7H?DC
	<p>BEFORE - steps.Hooks.launchdriverandapplication()</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=92.0.4515.131) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:52198}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9d87f2428138c3696bc314f0a79a91af     at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)     at java.lang.reflect.Constructor.newInstance(Unknown Source)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277)     at Resources.BaseSetup.intilializedriver(BaseSetup.java:56)     at steps.Hooks.launchdriverandapplication(Hooks.java:28)</pre>	FAILED	1 m 26.799 s
	<p>BEFORE - steps.Hooks.Closecookie()</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='cursor']"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir:</pre>	FAILED	20.056 s

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	C:\Users\user\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:52198}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9d87f2428138c3696bc314f0a79a91af *** Element info: {Using>xpath, value=/span[@class='cursor']} at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.Closecookie(Hooks.java:36)		
	BEFORE - steps.Hooks.loginapplication()  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='user-navigation']/button"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:52198}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9d87f2428138c3696bc314f0a79a91af *** Element info: {Using>xpath, value=/div[@class='user-navigation']/button} at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)	FAILED	20.039 s

	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.loginapplication(Hooks.java:46)		
1	Given Search any Talent and verify its redirected to correct page	SKIPPED	0.000 s
2	When Click on Share button	SKIPPED	0.000 s
3	Then Share the shoshare using all social icons	SKIPPED	0.000 s
	AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.431 s
	image 		

!2"# OFDBD 0A7L;F 2D9?7A . ; :?7 ,9DCG 1 ; :?F; 9H?DC



	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given Search any Talent and verify its redirected to correct page	PASSED	5.498 s
2	Then Share Vakeel Sab Theatrical Trailer and verify share popup and share icons are displayed	PASSED	1.553 s

!2"#" OFDBD 0A7L;F 2D9?7A . ; :?7 ,9DCG 1 ; :?F; 9H?DC




	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( 1F7H?DC
	<p>BEFORE - steps.Hooks.launchdriverandapplication()</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=92.0.4515.131) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome. ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:62595}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 19a8e8ab48f46f9cc6f069269f2ea488 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at Resources.BaseSetup.intilializedriver(BaseSetup.java:56) at steps.Hooks.launchdriverandapplication(Hooks.java:28)</pre>	FAILED	1 m 26.438 s
	<p>BEFORE - steps.Hooks.Closecookie()</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='cursor']"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir:</pre>	FAILED	20.043 s

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	C:\Users\user\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:62595}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 19a8e8ab48f46f9cc6f069269f2ea488 *** Element info: {Using>xpath, value=/span[@class='cursor']}		
	<pre> at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.Closecookie(Hooks.java:36) </pre>	FAILED	20.017 s



	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.loginapplication(Hooks.java:46)		
1	Given Search any Talent and verify its redirected to correct page	SKIPPED	0.000 s
2	Then Hover on Vakeel Sab Theatrical Trailer card and share promo promoshare using all shares	SKIPPED	0.001 s
	AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.418 s
	image 		

## !2"#" )DAADK 2H1 :?D 0DE4E




	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
1	Given Search any studio santii's studio and verify it should redirected to correct page	PASSED	5.939 s
2	And From studio detail page click on follow button	PASSED	0.174 s
3	Then Validate Signin Popup	PASSED	1.581 s

!2"#" 2H :?D 07=; 2D9?7A . ; :?7 ,9DCG 1 ; :?F;9H?DC



PASSED	DURATION - 14.867 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:01:09.768 AM // 9:01:24.635 AM /				
Paywall Scenarios				
@Paywall				

	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given Search any studio Sameer and verify it should redirected to correct page	PASSED	5.488 s
2	When Click studio share icon	PASSED	0.384 s
3	Then Check share popup is displayed with social ions	PASSED	0.863 s

!) "# )DDH;F -?C@G 0FD<@; +DJ;F ;@; B ;CHG 1 ; :?F;9H?DC 29;C7F?DG

PASSED	DURATION - 4 m 17.437 s	Scenarios Total - 13 Pass - 13 Fail - 0 Skip - 0	Steps Total - 28 Pass - 28 Fail - 0 Skip - 0		
/ 9:01:24.738 AM // 9:05:42.175 AM /					


!2"#" =I :G>D AD=D

PASSED	DURATION - 20.304 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:01:24.739 AM // 9:01:45.043 AM /				
Footer Links & Profile Hover elements Redirection Scenarios				
@Footer @Paywall				

	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Then verify gudsho logo	PASSED	9.811 s


	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
2	And verify footer paragraph text	PASSED	2.237 s
3	And Verify Footer headings	PASSED	0.244 s

!2"# %8DIH IG E7=; F; :?F; 9H?DC

PASSED	DURATION - 7.812 s	 / 9:01:45.066 AM // 9:01:52.878 AM /	Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
Footer Links & Profile Hover elements Redirection Scenarios				
@Footer @Paywall				



	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given click about us link and verify it should redirected to correct page	PASSED	3.709 s

!2"# + ;AE GIEEDFH E7=; F; :?F; 9H?DC

PASSED	DURATION - 1 m 13.309 s	 / 9:01:52.883 AM // 9:03:06.192 AM /	Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
Footer Links & Profile Hover elements Redirection Scenarios				
@Footer @Paywall				



	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given click help&support link and verify it should redirected to correct page	PASSED	1 m 8.090 s

**!2"#" 218B?H LD1F<?AB E7=; F; :?F; 9H?DC**

PASSED	DURATION - 27.890 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 9:03:06.196 AM // 9:03:34.086 AM /				
Footer Links & Profile Hover elements Redirection Scenarios				
@Footer @Paywall				



	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given click Submit your film link and verify it should redirected to correct page	PASSED	4.628 s

**!2"#" &AD= E7=; F; :?F; 9H?DC**

PASSED	DURATION - 7.545 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 9:03:34.091 AM // 9:03:41.636 AM /				
Footer Links & Profile Hover elements Redirection Scenarios				
@Footer @Paywall				



	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given click blog link and verify it should redirected to correct page	PASSED	2.974 s

**!2"#" 3;FBG E7=; F; :?F; 9H?DC**

PASSED	DURATION - 6.840 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 9:03:41.641 AM // 9:03:48.481 AM /				
Footer Links & Profile Hover elements Redirection Scenarios				
@Footer @Paywall				



	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given click terms link and verify it should redirected to correct page	PASSED	1.557 s

!2"# OF?J79L E7=; F; :?F;9H?DC

PASSED	DURATION - 5.193 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 9:03:48.486 AM // 9:03:53.679 AM /				
Footer Links & Profile Hover elements Redirection Scenarios				
@Footer @Paywall				


	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given click privacy link and verify it should redirected to correct page	PASSED	0.771 s

!2"# 2;AM LDIF BDJ?;G G;F?;G DC =I :G>D E7=; F; :?F;9H?DC

PASSED	DURATION - 6.614 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 9:03:53.684 AM // 9:04:00.298 AM /				
Footer Links & Profile Hover elements Redirection Scenarios				
@Footer @Paywall				


	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given click Sell your movies & series on gudsho link and verify it should redirected to correct page	PASSED	1.672 s

**!2"#" 0A7L2HDF; %EE 1 ; :?F; 9H?DC**

PASSED	DURATION - 10.894 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 9:04:00.302 AM // 9:04:11.196 AM /				
Footer Links & Profile Hover elements Redirection Scenarios				
@Footer @Paywall				


	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( 1F7H?DC
1	Given Check Play store App redirection	PASSED	2.453 s

**!2"#" %EE 2HDF; 1 ; :?F; 9H?DC**

PASSED	DURATION - 7.515 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 9:04:11.228 AM // 9:04:18.743 AM /				
Footer Links & Profile Hover elements Redirection Scenarios				
@Footer @Paywall				


	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( 1F7H?DC
1	Given Check App store App redirection	PASSED	3.235 s

**!2"#" 2D9?7A -?C@G 1 ; :?F; 9H?DC**

PASSED	DURATION - 28.697 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 9:04:18.746 AM // 9:04:47.443 AM /				
Footer Links & Profile Hover elements Redirection Scenarios				
@Footer @Paywall				


	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
1	Given Check Facebook redirection	PASSED	10.299 s
2	And Check Twitter redirection	PASSED	1.779 s
3	And Check Instagram redirection	PASSED	2.369 s
4	And Check Linkedin redirection	PASSED	1.995 s
5	And Check Youtube redirection	PASSED	4.219 s

!2"# '>;9@ 7AA EFD<?A; >DJ;F ;A; B ;CHG F; :?F; 9H?DCG




	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
1	Given Hover on profile	PASSED	0.171 s
2	Then Click on support menu and verify redirection	PASSED	0.986 s
3	Given Hover on profile	PASSED	0.175 s
4	Then Click on Friends menu and verify redirection	PASSED	1.862 s
5	Given Hover on profile	PASSED	0.217 s
6	Then Click on Account and settings menu and verify redirection	PASSED	1.432 s
7	Given Hover on profile	PASSED	0.204 s
8	Then Click on Signout and check toaster	PASSED	2.359 s

!2"# 5;F?L . D8?A; / I B8;F 7C: /7B ; DC EFD<?A;




	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given Hover on profile	PASSED	0.211 s
2	Then Click on Account and settings menu and verify redirection	PASSED	1.624 s
3	And capture name and profile and verify with name and number	PASSED	0.810 s

!)"# 2>D ( ;H7?A 07=; 29;C7F?DG




!2"# 2>D#0 IF9>7G; 07LB ;Ch





	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given Search any Talent and verify its redirected to correct page	PASSED	5.929 s
2	When Buy the sho using Card with Success	PASSED	11.777 s
3	Then Verify after payment Talent is playing and close the player	PASSED	3.283 s

## !2"#" OFDBD \* | :

PASSED	DURATION - 44.187 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:06:24.204 AM // 9:07:08.391 AM /				
Sho Detail Page Scenarios				
@ShodetailPage				

	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
1	Given Search any Talent and verify its redirected to correct page	PASSED	5.670 s
2	When Play Vakeel Sab Theatrical Trailer and like promo	PASSED	6.739 s
3	Then On home page check liked Vakeel Sab Theatrical Trailer is showing in my gud promos	PASSED	10.738 s

## !2"#" 2&gt;D 6 7H9&gt;A?GH


FAILED	DURATION - 1 m 6.899 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 9:07:08.395 AM // 9:08:15.294 AM /				
Sho Detail Page Scenarios				
@ShodetailPage				

	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
BEFORE - steps.Hooks.Closecookie()	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/span[@class='cursor']"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:65159}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 110d182cac24bfaa7918cd0f03b899 *** Element info: {Using=xpath, value=/span[@class='cursor']}	FAILED	20.040 s

	2H;E \$ +DD@ ( ;H7AG	2H7HIG	( IF7H?DC
	<pre> at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.Closecookie(Hooks.java:36) </pre>		
	<p>BEFORE - steps.Hooks.loginapplication()</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='user-navigation']/button"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:65159}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 110d182cac24bfaaecd7918cd0f03b899 *** Element info: {Using&gt;xpath, value=/div[@class='user-navigation']/button} at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) </pre>	FAILED	20.034 s

	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.loginapplication(Hooks.java:46)		
1	Given Search any Talent and verify its redirected to correct page	SKIPPED	0.001 s
2	When Add Talent in to watchlist and check the toaster message	SKIPPED	0.002 s
3	Then On home page check the added watchlist Talent	SKIPPED	0.000 s
	AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.435 s
	image  +		

!2"#! 2H1 :?D -?C@ 1 ; :?F; 9H?DC




	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
	BEFORE - steps.Hooks.launchdriverandapplication()  org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=92.0.4515.131) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:63478}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8c8750bf6e25abbe13e9e86b98c231ed at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)	FAILED	1 m 26.643 s

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	<pre> at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at Resources.BaseSetup.intilializedriver(BaseSetup.java:56) at steps.Hooks.launchdriverandapplication(Hooks.java:28) </pre>		
	<p>BEFORE - steps.Hooks.Closecookie()</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='cursor']"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2...}, userDataDir: C:\Users\user\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:63478}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8c8750bf6e25abbe13e9e86b98c231ed *** Element info: {Using=xpath, value=/span[@class='cursor']} at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.Closecookie(Hooks.java:36) </pre>	FAILED	20.057 s

	2H; E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
	BEFORE - steps.Hooks.loginapplication()  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='user-navigation']/button"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:63478}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8c8750bf6e25abbe13e9e86b98c231ed *** Element info: {Using>xpath, value://div[@class='user-navigation']/button} at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.loginapplication(Hooks.java:46)	FAILED	20.022 s
1	Given Search any Talent and verify its redirected to correct page	SKIPPED	0.000 s
2	Then Click on Studio link and check redirected to studio detail page	SKIPPED	0.000 s
	AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)  image  +	PASSED	0.417 s

!2"#" ' DCH?C1 ; 6 7H9>?C=




	2H;E \$ +DD@ ( ;H7AG	2H7H1G	( 1F7H?DC
	<p>BEFORE - steps.Hooks.launchdriverandapplication()</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=92.0.4515.131) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome. ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:63131}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cb286d8ed3abdb4d0b788afbc8380a9     at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)     at java.lang.reflect.Constructor.newInstance(Unknown Source)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277)     at Resources.BaseSetup.intilializedriver(BaseSetup.java:56)     at steps.Hooks.launchdriverandapplication(Hooks.java:28)</pre>	FAILED	1 m 26.574 s
	<p>BEFORE - steps.Hooks.Closecookie()</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='cursor']"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir:</pre>	FAILED	20.089 s

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	<pre>C:\Users\user\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:63131}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cb286d8ed3abdb4d0b788afbce8380a9 *** Element info: {Using=xpath, value=/span[@class='cursor']}     at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)     at java.lang.reflect.Constructor.newInstance(Unknown Source)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)     at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)     at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at com.sun.proxy.\$Proxy23.click(Unknown Source)     at steps.Hooks.Closecookie(Hooks.java:36)</pre>		
	<p>BEFORE - steps.Hooks.loginapplication()</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='user-navigation']/button"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:63131}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cb286d8ed3abdb4d0b788afbce8380a9 *** Element info: {Using=xpath, value=/div[@class='user-navigation']/button}     at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)     at java.lang.reflect.Constructor.newInstance(Unknown Source)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</pre>	FAILED	20.074 s

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.loginapplication(Hooks.java:46)		
1	Given Search any Paytm and verify its redirected to correct page	SKIPPED	0.002 s
2	When Play watch free content and close the player	SKIPPED	0.000 s
3	And On show detail page verify watch now button should change to resume	SKIPPED	0.000 s
4	Then On Home Page check continue watching is showing Paytm	SKIPPED	0.000 s
	AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.422 s
	image 		

## !2"#" 2&gt;D : ;H7?A ?C&lt;D




	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	BEFORE - steps.Hooks.launchdriverandapplication()  org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=92.0.4515.131) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.	FAILED	1 m 26.476 s

	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
	<pre>ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:60486}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: df7f79efc68dc679fe892bb4aa2b462a at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at Resources.BaseSetup.intilializedriver(BaseSetup.java:56) at steps.Hooks.launchdriverandapplication(Hooks.java:28)</pre>		
	<p>BEFORE - steps.Hooks.Closecookie()</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='cursor']"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:60486}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: df7f79efc68dc679fe892bb4aa2b462a *** Element info: {Using=xpath, value=//span[@class='cursor']}</pre> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)</p> <p>at java.lang.reflect.Constructor.newInstance(Unknown Source)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)</p>	FAILED	20.064 s

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	<pre>at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.Closecookie(Hooks.java:36)</pre>		
	<p>BEFORE - steps.Hooks.loginapplication()</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='user-navigation']/button"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:60486}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: df7f79efc68dc679fe892bb4aa2b462a *** Element info: {Using&gt;xpath, value://div[@class='user-navigation']/button}  at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.loginapplication(Hooks.java:46)</pre>	FAILED	20.057 s
1	Given Search any Narappa and verify its redirected to correct page	SKIPPED	0.000 s
2	When Check all sho detail info and check seemore popup if Yes	SKIPPED	0.000 s
3	Then check About section if about tab Yes	SKIPPED	0.000 s
	AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.428 s
	image		

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	+ 		

!2"# 2>D : ;H7?A ?C<D




	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	BEFORE - steps.Hooks.launchdriverandapplication() <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=92.0.4515.131) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:62105}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2b4fa2fe55663c82cd55fa0e63e21fa at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at Resources.BaseSetup.intilizedriver(BaseSetup.java:56)</pre>	FAILED	1 m 26.650 s

	2H;E \$ +DD@ ( ;H7?AG at steps.Hooks.launchdriverandapplication(Hooks.java:28)	2H7HIG FAILED	( IF7H?DC 20.049 s
BEFORE - steps.Hooks.Closecookie()	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='cursor']"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2...), userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:62105}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2b4bfa2fe55663c82cd55fa0e63e21fa *** Element info: {Using>xpath, value=/span[@class='cursor']}		
BEFORE - steps.Hooks.loginapplication()	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='user-navigation']/button"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2...), userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:62105}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2b4bfa2fe55663c82cd55fa0e63e21fa *** Element info: {Using>xpath, value=/div[@class='user-navigation']/button}	FAILED	20.051 s

	2H;E \$ +DD@ ( ;H7AG	2H7HIG	( IF7H?DC
	<pre> at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.loginapplication(Hooks.java:46) </pre>		
1	Given Search any Paytm and verify its redirected to correct page	SKIPPED	0.000 s
2	When Check all sho detail info and check seemore popup if No	SKIPPED	0.001 s
3	Then check About section if about tab No	SKIPPED	0.000 s
	AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.368 s
	image 		

!2"# 2>D ' 7F: 6 7H9>?GH 7C: 1 ; :?F; 9H?DC




	2H; E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
	<p>BEFORE - steps.Hooks.launchdriverandapplication()</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=92.0.4515.131) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:52546}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0e3177e3683933a01dc751a2668b76a2 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at Resources.BaseSetup.intilializedriver(BaseSetup.java:56) at steps.Hooks.launchdriverandapplication(Hooks.java:28)</pre>	FAILED	1 m 26.613 s
	<p>BEFORE - steps.Hooks.Closecookie()</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='cursor']"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:52546}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0e3177e3683933a01dc751a2668b76a2 *** Element info: {Using&gt;xpath, value=/span[@class='cursor']} at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</pre>	FAILED	20.022 s

	2H; E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.Closecookie(Hooks.java:36)</pre>		
	<p>BEFORE - steps.Hooks.loginapplication()</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='user-navigation']/button"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:52546}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0e3177e3683933a01dc751a2668b76a2 *** Element info: {Using&gt;xpath, value://div[@class='user-navigation']/button}  at sun.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.loginapplication(Hooks.java:46)</pre>	FAILED	20.024 s
1	Given Search any narappa and verifiy its redirected to correct page	SKIPPED	0.000 s
2	Then Check redirection of card and watchlist functionality of sho card on home page	SKIPPED	0.000 s
	AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.467 s

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
image	+ 		


!2"#! . DF; A?@; H>?G 2>7F; EDEIE



	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
BEFORE - steps.Hooks.launchdriverandapplication()	<pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=92.0.4515.131) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:64528}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b769bd27865ae5c19d37943a94546716     at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)     at java.lang.reflect.Constructor.newInstance(Unknown Source)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277)</pre>	FAILED	1 m 26.567 s

	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
	at Resources.BaseSetup.intializedriver(BaseSetup.java:56) at steps.Hooks.launchdriverandapplication(Hooks.java:28)		
	BEFORE - steps.Hooks.Closecookie()  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='cursor']"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:64528}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b769bd27865ae5c19d37943a94546716 *** Element info: {Using>xpath, value=/span[@class='cursor']}	FAILED	20.028 s
	at sun.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.Closecookie(Hooks.java:36)		
1	Given Search any narappa and verifiy its redirected to correct page	SKIPPED	0.000 s
2	Then Click on shareicon from shocard and verify share popup	SKIPPED	0.000 s
	AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)  image  +	PASSED	0.417 s

!2"#! . DF; A?@; H>?G G>D 97F: ) | C9H?DC7A?HL




	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( 1F7H?DC
	<p>BEFORE - steps.Hooks.launchdriverandapplication()</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=92.0.4515.131) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:51492}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5ddb92d662eb81leaf909bf90ea894e31 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at Resources.BaseSetup.intilializedriver(BaseSetup.java:56) at steps.Hooks.launchdriverandapplication(Hooks.java:28)</pre>	FAILED	1 m 26.636 s
	<p>BEFORE - steps.Hooks.Closecookie()</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='cursor']"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir:</pre>	FAILED	20.055 s


	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
	C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:51492}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5ddb92d662eb81eaf909bf90ea894e31 *** Element info: {Using>xpath, value=/span[@class='cursor']}		
	at sun.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.Closecookie(Hooks.java:36)	FAILED	20.064 s

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.loginapplication(Hooks.java:46)		
1	Given Search any narappa and verfiy its redirected to correct page	SKIPPED	0.000 s
2	Then click on more like this link and check watchlist toaster	SKIPPED	0.000 s
3	And Check redirection of sho card	SKIPPED	0.000 s
	AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.472 s
	image  +		

!)"# 2H1 :?D ( ;H7?A E7=; 29;C7F?DG



!2"#" 2H1 :?D 2>7F;




	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( 1F7H?DC
	<p>BEFORE - steps.Hooks.launchdriverandapplication()</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=92.0.4515.131) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome. ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:52978}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0016adf50ace915e81d9d5152ba6a3c6     at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)     at java.lang.reflect.Constructor.newInstance(Unknown Source)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277)     at Resources.BaseSetup.intilializedriver(BaseSetup.java:56)     at steps.Hooks.launchdriverandapplication(Hooks.java:28)</pre>	FAILED	1 m 29.512 s
	<p>BEFORE - steps.Hooks.Closecookie()</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='cursor']"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir:</pre>	FAILED	20.035 s

	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
	C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:52978}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0016adf50ace915e81d9d5152ba6a3c6 *** Element info: {Using>xpath, value=/span[@class='cursor']}		
	<pre> at sun.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.Closecookie(Hooks.java:36) </pre>	FAILED	20.046 s

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.loginapplication(Hooks.java:46)		
1	Given Search any studio Sameer and verify it should redirected to correct page	SKIPPED	0.000 s
2	When Click studio share icon	SKIPPED	0.001 s
3	Then Share the shoshare using all social icons	SKIPPED	0.000 s
	AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.442 s
	image  +		
			

!2"#" 2H1 :?D 2>7F;



	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	BEFORE - steps.Hooks.launchdriverandapplication()  org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=92.0.4515.131) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome. ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:58145}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:	FAILED	1 m 26.610 s

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1ead5f879f9ba4910e3045fa381ae42e at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at Resources.BaseSetup.intilizedriver(BaseSetup.java:56) at steps.Hooks.launchdriverandapplication(Hooks.java:28)		
	<p>BEFORE - steps.Hooks.Closecookie()</p> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/span[@class='cursor']"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDatumDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:58145}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy}, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1ead5f879f9ba4910e3045fa381ae42e *** Element info: {Using>xpath, value=/span[@class='cursor']} at sun.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)	FAILED	20.051 s

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.Closecookie(Hooks.java:36)		
	BEFORE - steps.Hooks.loginapplication()  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='user-navigation']/button"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:58145}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1ead5f879f9ba4910e3045fa381ae42e *** Element info: {Using>xpath, value=/div[@class='user-navigation']/button} at sun.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.loginapplication(Hooks.java:46)	FAILED	20.039 s
1	Given Search any studio Sameer and verify it should redirected to correct page	SKIPPED	0.003 s
2	When Click studio share icon	SKIPPED	0.000 s
3	Then Share the shoshare using all social icons	SKIPPED	0.001 s
	AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.478 s
	image		

	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
	+ 		

!2"#" 2H1 :?D &7CC;F 1 ; :?F;9H?DC


FAILED	DURATION - 2 m 7.104 s		Steps Total - 2 Pass - 0 Fail - 0 Skip - 2	
/ 9:29:09.559 AM // 9:31:16.663 AM /	Studio Detail page Scenarios	@StudioPage		

	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
	<p>BEFORE - steps.Hooks.launchdriverandapplication()</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=92.0.4515.131) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:54641}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: aeba5443fb6da02c980ddbd51d34d1a3 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at Resources.BaseSetup.intilizedriver(BaseSetup.java:56)</pre>	FAILED	1 m 26.530 s

	2H;E \$ +DD@ ( ;H7?AG at steps.Hooks.launchdriverandapplication(Hooks.java:28)	2H7HIG BEFORE - steps.Hooks.Closecookie()	( IF7H?DC FAILED 20.042 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='cursor']"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2...}, userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:54641}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: aeba5443fb6da02c980ddbd51d34d1a3 *** Element info: {Using>xpath, value=/span[@class='cursor']}	at sun.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.Closecookie(Hooks.java:36)	
	BEFORE - steps.Hooks.loginapplication() org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='user-navigation']/button"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2...}, userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:54641}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: aeба5443fb6da02c980ddbd51d34d1a3 *** Element info: {Using>xpath, value=/div[@class='user-navigation']/button}	at sun.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)	FAILED 20.084 s

	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
	<pre>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.loginapplication(Hooks.java:46)</pre>		
1	Given Search any studio Sameer and verify it should redirected to correct page	SKIPPED	0.000 s
2	Then Click on Banner image and verify redirection to correct sho detail page	SKIPPED	0.001 s
	AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.435 s
	image 		

!2"#" 2H1 :?D &7CC;F 1 ; :?F;9H?DC




	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
	BEFORE - steps.Hooks.launchdriverandapplication()	FAILED	1 m 26.799 s

	2H;E \$ +DD@ ( ;H7AG	2H7HIG	( IF7H?DC
	<pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=92.0.4515.131) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:63301}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 752c5aa77463d72fc8c6692bcf32044 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at Resources.BaseSetup.intillizedriver(BaseSetup.java:56) at steps.Hooks.launchdriverandapplication(Hooks.java:28)</pre>		
	<p>BEFORE - steps.Hooks.Closecookie()</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/span[@class='cursor']"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:63301}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 752c5aa77463d72fc8c6692bcf32044 *** Element info: {Using=xpath, value=/span[@class='cursor']}</pre>	FAILED	20.021 s

	2H; E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.Closecookie(Hooks.java:36)		
	BEFORE - steps.Hooks.loginapplication()	FAILED	20.043 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='user-navigation']/button"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:63301}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 752c5aa77463d72fcda8c6692bcf32044 *** Element info: {Using>xpath, value=/div[@class='user-navigation']/button} at sun.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.loginapplication(Hooks.java:46)		
1	Given Search any studio Sameer and verify it should redirected to correct page	SKIPPED	0.000 s
2	Then Click on Banner image and verify redirection to correct sho detail page	SKIPPED	0.000 s
	AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.410 s
	image		

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	+ 		

## !2"# )DAADK 2H1 :?D





	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	BEFORE - steps.Hooks.launchdriverandapplication()  <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=92.0.4515.131) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:52868}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f1aa8b65518f34fdaf222fae306b3886f at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at Resources.BaseSetup.intilizedriver(BaseSetup.java:56)</pre>	FAILED	1 m 26.624 s

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	at steps.Hooks.launchdriverandapplication(Hooks.java:28)		
	BEFORE - steps.Hooks.Closecookie()	FAILED	20.014 s
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='cursor']"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2...}, userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:52868}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f1aa8b65518f34fd... *** Element info: {Using=xpath, value=//span[@class='cursor']}}  at sun.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.Closecookie(Hooks.java:36)</pre>		
	BEFORE - steps.Hooks.loginapplication()	FAILED	20.020 s
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='user-navigation']/button"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: https://www.seleniumhq.org/ exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2...}, userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:52868}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f1aa8b65518f34fd... *** Element info: {Using=xpath, value=//div[@class='user-navigation']/button}  at sun.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)</pre>		

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	<pre>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.loginapplication(Hooks.java:46)</pre>		
1	Given Search any studio Trail Studio and verify it should redirected to correct page	SKIPPED	0.000 s
2	When Click on Follow button	SKIPPED	0.000 s
3	Then check toaster message and verify following text	SKIPPED	0.000 s
	AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.490 s
	image 		

!2"#! OFDBD '7F: 1 ; :?F; 9H?DC

FAILED	DURATION - 2 m 7.034 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 9:37:38.323 AM // 9:39:45.357 AM /				
Studio Detail page Scenarios				
@StudioPage				

	2H; E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
	<p>BEFORE - steps.Hooks.launchdriverandapplication()</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=92.0.4515.131) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:64792}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e00c44a8d009ceb344584c94132e00af at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at Resources.BaseSetup.intilializedriver(BaseSetup.java:56) at steps.Hooks.launchdriverandapplication(Hooks.java:28)</pre>	FAILED	1 m 26.494 s
	<p>BEFORE - steps.Hooks.Closecookie()</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='cursor']"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:64792}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e00c44a8d009ceb344584c94132e00af *** Element info: {Using=xpath, value=//span[@class='cursor']} at sun.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</pre>	FAILED	20.062 s

	2H; E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.Closecookie(Hooks.java:36)		
	BEFORE - steps.Hooks.loginapplication()	FAILED	20.068 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='user-navigation']/button"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:64792}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e00c44a8d009ceb344584c94132e00af *** Element info: {Using>xpath, value=/div[@class='user-navigation']/button} at sun.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.loginapplication(Hooks.java:46)		
1	Given Search any studio Sameer and verify it should redirected to correct page	SKIPPED	0.000 s
2	When verfiy promo player	SKIPPED	0.001 s
3	Then close player	SKIPPED	0.000 s
	AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.396 s

	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
image	+ 		

!2"#! 2>D ' 7F: 1 ; :?F; 9H?DC




	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
	<p>BEFORE - steps.Hooks.launchdriverandapplication()</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=92.0.4515.131) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:62035}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 09dcf7a9ac2cd073bfb9c7fb9cd15adb     at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)     at java.lang.reflect.Constructor.newInstance(Unknown Source)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277)</pre>	FAILED	1 m 26.408 s

	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
	at Resources.BaseSetup.intializedriver(BaseSetup.java:56) at steps.Hooks.launchdriverandapplication(Hooks.java:28)		
	BEFORE - steps.Hooks.Closecookie()  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='cursor']"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:62035}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 09dcf7a9ac2cd073bfb9c7fb9cd15adb *** Element info: {Using=xpath, value=//span[@class='cursor']} at sun.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.Closecookie(Hooks.java:36)	FAILED	20.058 s
	BEFORE - steps.Hooks.loginapplication()  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='user-navigation']/button"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:62035}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 09dcf7a9ac2cd073bfb9c7fb9cd15adb *** Element info: {Using=xpath, value=//div[@class='user-navigation']/button}	FAILED	20.045 s

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	<pre>at sun.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.loginapplication(Hooks.java:46)</pre>		
1	Given Search any studio Sameer and verify it should redirected to correct page	SKIPPED	0.000 s
2	When click sho card and verify its redirected sho detail page	SKIPPED	0.001 s
	AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.399 s
	image 		

!2"#" 2>D ' 7F: \* ;CF; 1 ; :?F;9H?DC




	2H; E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
	<p>BEFORE - steps.Hooks.launchdriverandapplication()</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=92.0.4515.131) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:58057}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8c8d93e15fc52fe91de3b6e2dfed5e09 at sun.reflect.GeneratedConstructorAccessor31.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at Resources.BaseSetup.intilializedriver(BaseSetup.java:56) at steps.Hooks.launchdriverandapplication(Hooks.java:28)</pre>	FAILED	1 m 26.416 s
	<p>BEFORE - steps.Hooks.Closecookie()</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/span[@class='cursor']"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:58057}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8c8d93e15fc52fe91de3b6e2dfed5e09 *** Element info: {Using&gt;xpath, value=/span[@class='cursor']} at sun.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</pre>	FAILED	20.060 s

	2H; E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.Closecookie(Hooks.java:36)</pre>		
	BEFORE - steps.Hooks.loginapplication()	FAILED	20.011 s
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='user-navigation']/button"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:58057}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8c8d93e15fc52fe91de3b6e2dfed5e09 *** Element info: {Using&gt;xpath, value=/div[@class='user-navigation']/button}  at sun.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.loginapplication(Hooks.java:46)</pre>		
1	Given Search any studio Trail Studio and verify it should redirected to correct page	SKIPPED	0.000 s
2	When click Drama and verify sho card redirection	SKIPPED	0.000 s
	AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.370 s
	image		

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	+ 		

## !2"# 4C)DAADK 2H1 :?D


FAILED	DURATION - 2 m 7.097 s  / 9:43:59.165 AM // 9:46:06.262 AM /		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
Studio Detail page Scenarios	@StudioPage			

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	BEFORE - steps.Hooks.launchdriverandapplication()  org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=92.0.4515.131) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:60527}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b46f657a1fb36ee6fe2d327fc58fcada at sun.reflect.GeneratedConstructorAccessor31.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at Resources.BaseSetup.intilializedriver(BaseSetup.java:56) at steps.Hooks.launchdriverandapplication(Hooks.java:28)	FAILED	1 m 26.444 s

	2H; E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
	<p>BEFORE - steps.Hooks.Closecookie()</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='cursor']"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:60527}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b46f657a1fb36ee6fe2d327fc58fcada *** Element info: {Using&gt;xpath, value=/span[@class='cursor']}</pre> <p>at sun.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)  at java.lang.reflect.Constructor.newInstance(Unknown Source)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)  at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)  at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at com.sun.proxy.\$Proxy23.click(Unknown Source)  at steps.Hooks.Closecookie(Hooks.java:36)</p>	FAILED	20.064 s
	<p>BEFORE - steps.Hooks.loginapplication()</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='user-navigation']/button"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: https://www.seleniumhq.org/ exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:60527}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b46f657a1fb36ee6fe2d327fc58fcada *** Element info: {Using&gt;xpath, value=/div[@class='user-navigation']/button}</pre> <p>at sun.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)</p>	FAILED	20.074 s

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	<pre>at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.loginapplication(Hooks.java:46)</pre>		
1	Given Search any studio Trail Studio and verify it should redirected to correct page	SKIPPED	0.004 s
2	When Click on Follow button	SKIPPED	0.000 s
3	Then From popup check unfollow studio and check toaster	SKIPPED	0.001 s
4	And check studio info	SKIPPED	0.000 s
	AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)  image  +	PASSED	0.503 s


!2"#! 6 7H9>)F; ; 378 '7F: <IC9H?DC7A?HL



	2H; E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
	<p>BEFORE - steps.Hooks.launchdriverandapplication()</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=92.0.4515.131) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:50849}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e3a2d88630f3f5fed06ad3a54780112b at sun.reflect.GeneratedConstructorAccessor31.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at Resources.BaseSetup.intilizedriver(BaseSetup.java:56) at steps.Hooks.launchdriverandapplication(Hooks.java:28)</pre>	FAILED	1 m 26.290 s
	<p>BEFORE - steps.Hooks.Closecookie()</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/span[@class='cursor']"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:50849}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e3a2d88630f3f5fed06ad3a54780112b *** Element info: {Using=xpath, value=/span[@class='cursor']} at sun.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</pre>	FAILED	20.046 s

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.Closecookie(Hooks.java:36)		
1	Given Search any studio Sameer and verify it should redirected to correct page	SKIPPED	0.005 s
2	When click on watch free tab	SKIPPED	0.000 s
3	Then Check redirection of sho card from watch free tab	SKIPPED	0.000 s
	AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.355 s
	image  +		

!2"#" \* ;C;F; K>?9> :D;GCDH >7J; 7CL G>D DF G;F?;G




	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	BEFORE - steps.Hooks.launchdriverandapplication()  org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_TIMED_OUT (Session info: chrome=92.0.4515.131) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome. ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:53191}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:	FAILED	1 m 26.329 s

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
	Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a75d10c1ddd2d3751aff97d663e4dd78 at sun.reflect.GeneratedConstructorAccessor31.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at Resources.BaseSetup.intilizedriver(BaseSetup.java:56) at steps.Hooks.launchdriverandapplication(Hooks.java:28)		
	<p>BEFORE - steps.Hooks.Closecookie()</p> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@class='cursor']"} (Session info: chrome=92.0.4515.131) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:53191}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a75d10c1ddd2d3751aff97d663e4dd78 *** Element info: {Using=xpath, value==//span[@class='cursor']} at sun.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source)	FAILED	20.076 s

	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
	at steps.Hooks.Closecookie(Hooks.java:36)		
1	Given Search any studio Trail Studio and verify it should redirected to correct page	SKIPPED	0.007 s
2	When Click Comedy which doesnot have any shos	SKIPPED	0.000 s
3	Then Click on studio home and verify its redirection to home	SKIPPED	0.001 s
	AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.336 s
	image +		
			

!2"# ' >;9@ G>7F;EDEIE D< G>D 97F:G

FAILED	DURATION - 1 m 42.022 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 9:49:39.728 AM // 9:51:21.750 AM /				
Studio Detail page Scenarios				
@StudioPage @Paywall				

	2H;E \$ +DD@ ( ;H7?AG	2H7H1G	( IF7H?DC
	BEFORE - steps.Hooks.Closecookie()  org.openqa.selenium.NoSuchElementException: Cannot locate an element using xpath="//span[@class='cursor'] For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:327) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy23.click(Unknown Source) at steps.Hooks.Closecookie(Hooks.java:36)	FAILED	17.719 s
1	Given Search any studio Trail Studio and verify it should redirected to correct page	SKIPPED	0.000 s

	2H;E \$ +DD@ ( ;H7?AG	2H7HIG	( IF7H?DC
2	Then Share sho card from home and verify popup	SKIPPED	0.001 s
3	Then Click Drama share sho card and verify popup	SKIPPED	0.000 s
4	Then Verify share popup on watch free tab sho card	SKIPPED	0.000 s
	AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)  org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=92.0.4515.131) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-EAOH4SP', ip: '10.212.134.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_291' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.131, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:54234}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9ec9bcb92979067714ea9c7274c1f991 at sun.reflect.GeneratedConstructorAccessor31.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source) at java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:295) at steps.Hooks.teardown(Hooks.java:61)	FAILED	12.139 s

(Step) AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)

(S) This test is to verify the added sho in addto watchlist from see all

(F) GudSho Home Page




The screenshot shows the GudSho homepage with a dark theme. At the top, there's a navigation bar with 'gudSho' and 'Home' buttons, along with search and notifications icons. Below the header is a large grid of video thumbnails. Each thumbnail includes a title like 'Two Years Of Trolls - The Movie...', a play button icon, and some statistics such as '600 Views' and '3 Likes'. At the bottom of the page, there are links for 'Quick Test', 'Connect with us', and 'Download App'.

(Step) AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)

(S) Sho Page Social Media Icons  
Redirection

(F) Paywall Scenarios



(Step) AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)

**(S) Promo Player Social Media Icons**  
Redirection

**(F) Paywall Scenarios**

(Step) AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)

**(S) Sho Watchlist**

**(F) Sho Detail Page Scenarios**

**This site can't be reached**

qa.gudsho.com took too long to respond.

Try:

- Checking the connection
- Checking the proxy and the firewall
- Running Windows Network Diagnostics

ERR\_CONNECTION\_TIMED\_OUT

Reload

Details


**Your connection was interrupted**

A network change was detected.


ERR\_NETWORK\_CHANGED

Reload

(Step) AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)
<u>(S) Studio Link Redirection</u>
<u>(F) Sho Detail Page Scenarios</u>



(Step) AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)
<u>(S) Continue Watching</u>
<u>(F) Sho Detail Page Scenarios</u>



(Step) AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)

(S) Sho detail info

(F) Sho Detail Page Scenarios

(Step) AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)

(S) Sho detail info

(F) Sho Detail Page Scenarios



This site can't be reached

qa.gudsho.com took too long to respond.

Try:

- Checking the connection
- Checking the proxy and the firewall
- Running Windows Network Diagnostics

ERR\_CONNECTION\_TIMED\_OUT

Reload

Details



This site can't be reached

qa.gudsho.com took too long to respond.

Try:

- Checking the connection
- Checking the proxy and the firewall
- Running Windows Network Diagnostics

ERR\_CONNECTION\_TIMED\_OUT

Reload

Details

(Step) AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)

(S) Sho Card Watchist and Redirection

(F) Sho Detail Page Scenarios

(Step) AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)

(S) More like this Share popup

(F) Sho Detail Page Scenarios



#### This site can't be reached

qa.gudsho.com took too long to respond.

Try:

- Checking the connection
- Checking the proxy and the firewall
- Running Windows Network Diagnostics

ERR\_CONNECTION\_TIMED\_OUT

Reload

Details



#### This site can't be reached

qa.gudsho.com took too long to respond.

Try:

- Checking the connection
- Checking the proxy and the firewall
- Running Windows Network Diagnostics

ERR\_CONNECTION\_TIMED\_OUT

Reload

Details

(Step) AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)

(S) More like this sho card Functionality

(F) Sho Detail Page Scenarios

(Step) AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)

(S) Studio Share

(F) Studio Detail page Scenarios



#### This site can't be reached

qa.gudsho.com took too long to respond.

Try:

- Checking the connection
- Checking the proxy and the firewall
- Running Windows Network Diagnostics

ERR\_CONNECTION\_TIMED\_OUT

Reload

Details



#### This site can't be reached

qa.gudsho.com took too long to respond.

Try:


- Checking the connection
- Checking the proxy and the firewall
- Running Windows Network Diagnostics

ERR\_CONNECTION\_TIMED\_OUT


Reload

Details

(Step) AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)
<u>(S) Studio Share</u>
<u>(F) Studio Detail page Scenarios</u>



(Step) AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)
<u>(S) Studio Banner Redirection</u>
<u>(F) Studio Detail page Scenarios</u>



(Step) AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)

(S) Studio Banner Redirection

(F) Studio Detail page Scenarios

(Step) AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)

(S) Follow Studio

(F) Studio Detail page Scenarios



#### This site can't be reached

qa.gudsho.com took too long to respond.

Try:

- Checking the connection
- Checking the proxy and the firewall
- Running Windows Network Diagnostics

ERR\_CONNECTION\_TIMED\_OUT

Reload

Details



#### This site can't be reached

qa.gudsho.com took too long to respond.

Try:

- Checking the connection
- Checking the proxy and the firewall
- Running Windows Network Diagnostics

ERR\_CONNECTION\_TIMED\_OUT

Reload

Details

(Step) AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)

(S) Promo Card Redirection

(F) Studio Detail page Scenarios

(Step) AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)

(S) Sho Card Redirection

(F) Studio Detail page Scenarios



#### This site can't be reached

qa.gudsho.com took too long to respond.

Try:

- Checking the connection
- Checking the proxy and the firewall
- Running Windows Network Diagnostics

ERR\_CONNECTION\_TIMED\_OUT

Reload

Details



#### This site can't be reached

qa.gudsho.com took too long to respond.

Try:


- Checking the connection
- Checking the proxy and the firewall
- Running Windows Network Diagnostics

ERR\_CONNECTION\_TIMED\_OUT


Reload

Details

(Step) AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)
<u>(S) Sho Card Genre Redirection</u>
<u>(F) Studio Detail page Scenarios</u>



(Step) AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)
<u>(S) UnFollow Studio</u>
<u>(F) Studio Detail page Scenarios</u>



(Step) AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)

(S) WatchFree Tab Card functionality

(F) Studio Detail page Scenarios

(Step) AFTER - steps.Hooks.teardown(io.cucumber.java.Scenario)

(S) Genere which doesnot have any show or series

(F) Studio Detail page Scenarios



#### This site can't be reached

qa.gudsho.com took too long to respond.

Try:

- Checking the connection
- Checking the proxy and the firewall
- Running Windows Network Diagnostics

ERR\_CONNECTION\_TIMED\_OUT

Reload

Details



#### This site can't be reached

qa.gudsho.com took too long to respond.

Try:

- Checking the connection
- Checking the proxy and the firewall
- Running Windows Network Diagnostics

ERR\_CONNECTION\_TIMED\_OUT

Reload

Details