

Assignment 13.2

Sameera Anjum

2303A52466

Batch 40

Task Description -1 (Refactoring – Eliminating Repetitive Logic)

- Task: Use AI-assisted coding techniques to restructure a Python program that performs repeated calculations, transforming it into a reusable and maintainable design.

Instructions:

- Ask AI to locate repeated computations within the program.
- Encapsulate repeated logic into reusable functions.
- Verify that program output remains unchanged after refactoring.
- Add proper docstrings to all defined functions.

Sample Code:

```
length = 8
width = 4

print("Area:", length * width)
print("Perimeter:", 2 * (length + width))

length = 12
width = 6

print("Area:", length * width)
print("Perimeter:", 2 * (length + width))
```

Expected Output:

A refactored Python script that uses a single reusable function to compute area and perimeter without repeating code.

Prompt and Code

```
# transform the following repeated logic code into reusable functions to calculate the area and perimeter of a rectangle.
def calculate_area(length, width):
    |   return length * width

def calculate_perimeter(length, width):
    |   return 2 * (length + width)
length = 10
width = 5
print("Area of rectangle:", calculate_area(length, width))
print("Perimeter of rectangle:", calculate_perimeter(length, width))
```

Task Description -2 (Refactoring – Modularizing Inline

Calculations)

- Task: Use AI to refactor a Python script by extracting repeated inline calculations into reusable and well-documented functions.

Instructions:

- Identify repeated calculation patterns in the code.
- Convert them into reusable functions.
- Ensure readability and proper documentation.

Sample Code:

```
amount = 1000

discount = amount * 0.10

final_amount = amount - discount

print("Final Amount:", final_amount)

amount = 2000

discount = amount * 0.10

final_amount = amount - discount

print("Final Amount:", final_amount)
```

Expected Output:

A modular Python program that uses a reusable function to compute final amounts for different inputs.

Prompt and Code:

```
# convert the following into reusable functions by extracting repeated inline code
def calculate_final_amount(amount):
    |   discount = amount * 0.10
    |   return amount - discount

print("Final Amount:", calculate_final_amount(1000))
print("Final Amount:", calculate_final_amount(2000))
```

Task Description -3 (Refactoring – Improving Loop and

Conditional Performance)

- Task: Apply AI-based suggestions to enhance the performance of Python code that relies on nested loops and repeated conditional checks.

Instructions:

- Use AI to recommend more efficient data structures or logic simplifications.
- Replace inefficient constructs while preserving program behavior.
- Compare execution efficiency before and after refactoring.

Sample Code:

```
students = ["Anil", "Bhavya", "Charan", "Divya"]
```

```
check_list = ["Charan", "Esha", "Bhavya"]
```

```
for name in check_list:
```

```
exists = False
```

```
for student in students:
```

```
if name == student:
```

```
exists = True
```

```
if exists:
```

```
print(name, "found")
```

```
else:
```

```
print(name, "not found")
```

Expected Output:

An optimized Python program that performs faster lookups using efficient logic, along with execution performance comparison.

Prompt and Code:

```
# refactor the following code to use a function that checks if a name exists in a list of students, and then use that function to check for multiple names.
def is_student_present(students_list, name):
    | return name in students_list

students = ["Anil", "Bhavya", "Charan", "Divya"]
check_list = ["Charan", "Esha", "Bhavya"]

for name in check_list:
    | if is_student_present(students, name):
    |     print(name, "found")
    | else:
    |     print(name, "not found")
```

Task Description -4 (Refactoring – Replacing Hardcoded Values with Constants)

- Task: Utilize AI assistance to improve maintainability by replacing hardcoded numerical values with named constants.

Instructions:

- Detect hardcoded numeric values used directly in expressions.
- Define descriptive constants at the beginning of the program.

- Update calculations to use these constants without changing results.

Sample Code:

```
print("Simple Interest:", (1000 * 2 * 5) / 100)
```

```
print("Simple Interest:", (2000 * 2 * 5) / 100)
```

Expected Output:

A revised Python program using constants such as RATE and TIME for clearer and maintainable calculations..

Prompt and Code

```
# improve maintainability by replacing hardcoded numerical values with named constants.
PRINCIPAL_1 = 1000
PRINCIPAL_2 = 2000
RATE = 2
TIME = 5
print("Simple Interest:", (PRINCIPAL_1 * RATE * TIME) / 100)
print("Simple Interest:", (PRINCIPAL_2 * RATE * TIME) / 100)
```

Task Description -5 (Re factoring – Enhancing Variable Naming and Code Clarity)

- Task: Apply AI tools to improve code readability by renaming unclear variables and adding meaningful comments..

Instructions:

- Replace non-descriptive variable names with meaningful identifiers.
- Add inline comments where the logic may be unclear.
- Ensure program output remains the same.

Sample Code:

```
x = 50
```

```
y = 30
```

```
z = x + y
```

```
print(z)
```

Expected Output:

A Python program with clear variable names and explanatory comments

that improve readability without altering functionality.

Prompt and Code

```
# improve code readability by using meaningful variable names and adding comments to explain the purpose of each section of the code.  
# Define two numbers to be added  
number1 = 50  
number2 = 30  
# Calculate the sum of the two numbers  
result = number1 + number2  
# Print the result  
print(result)
```