

MERIDIAN INDUSTRIAL SUPPLY CO.

4821 Lakeview Commerce Dr., Suite 200 | Houston, TX 77084 | Tel: (713) 555-0194 | vendor@meridian-supply.com

PACKING LIST / SHIPPING MANIFEST

DOC NO.	SHP-20241118-003	ISSUE DATE	November 18, 2024
PURCHASE ORDER	PO-2024-08847	SHIP DATE	November 18, 2024
SHIPPER	Meridian Industrial Supply Co.	CARRIER	Falcon Freight Lines, LLC
CONSIGNEE	Olvera Manufacturing LLC 2290 Industrial Pkwy, Laredo, TX 78041	PRO / TRACKING #	FFL-20241118-88321
INCOTERMS	DAP - Delivered at Place (Laredo, TX)	PAYMENT TERMS	Net 30 from receipt

CONTAINER SUMMARY

Container	Seal No.	Gross Weight	Dimensions (L×W×H)	Contents
CTN-001	SL-774821	286 lbs	48" × 40" × 36"	Hex bolts M8×25 316SS (1,200 pcs, split qty), flange nuts M8 zinc, flat washers M8 SS, neoprene gaskets 4" Class 150, ball valves 1/2" NPT 316SS (24 pcs, partial fulfillment), SW couplings 1/2" 3000# A105
CTN-002	SL-774822	2,602 lbs	48" × 40" × 40"	Hex bolts M8×25 316SS (1,200 pcs, split qty), bracket weldments 3/16" A36 (48 pcs, see FN2), seamless tubing 1/2" OD 316L SS (10 coils × 20 ft, see FN4), sheet metal plate 18ga A366/A1008 36"×48" (75 pcs), sleeve bearings 25mm sintered bronze, SW/BW end caps 3/4" A105 (see FN5), studs M10×50 Gr. 8.8 HDG
CTN-003	SL-774823	2,074 lbs	48" × 40" × 40"	Brake brackets, manifold gaskets, metric bolts (M8-M12), crankshaft seals, ball bearings (3 sizes), filter elements (oil/air/fuel), coolant tubes, hose clamps, valve shims, O-rings, timing sprocket (28T), roll/dowel pins, brush sets, radiator/heater hoses

CTN-004 SL-774824 1,134 lbs 48" × 40" × 42"

Timing sprocket (56T), duplex roller chain (96-link), hardened flat washers (M8-M12), nyloc hex nuts (M8-M12), NPT pipe plugs (1/8-3/8), transmission spacers (10/15/20mm)

LINE ITEM DETAILS

ITEM	PART	DESCRIPTION	CTR	PO QTY	SHIPPED QTY	NOTES
1	HEX-7740-A	Hex Bolt, M8×25, 316 SS	CTN-0 01 CTN-002	2,400 pcs	2,400 pcs (1,200 + 1,200)	
2	FLG-3302-B	Flange Nut, M8, Zinc-Plated	CTN-0 01	2,400 pcs	2,400 pcs	
3	BRK-1155-C	Bracket Weldment, 3/16" A36	CTN-0 02	60 pcs	48 PCS	Fn2
4	WSH-4490-D	Flat Washer, M8, SAE, SS	CTN-0 01	4,800 pcs	4,800 pcs	
5	GSK-2271-E	Gasket, Neoprene, 4" Class 150	CTN-0 01	150 pcs	150 pcs	
6	VLV-8863-F	Ball Valve, 1/2" NPT, 316 SS, Full Port	CTN-0 01	30 pcs	24 pcs	FN 3
7	TBG-5512-G	Seamless Tubing, 1/2" OD × 0.065" Wall, 316L SS	CTN-0 02	200 ft	10 coils × 20 ft ea.	
8	CPL-9934-H	Coupling, 1/2" Socket-Weld, 3000#, A105	CTN-0 01	96 pcs	96 pcs	
9	PLT-0047-J	Sheet Metal Plate, 18 ga, A366/A1008, 36"×48"	CTN-0 02	75 pcs	75 pcs	
10	SLV-6628-K	Sleeve Bearing, 25mm ID, Sintered Bronze	CTN-0 02	36 pcs	36 pcs	
11	CAP-3317-L	End Cap, 3/4" Socket-Weld, 3000#, A105	CTN-0 02	144 pcs	120 pcs	FN5
12	CAP-3317-M	End Cap, 3/4" Butt-Weld, Sch. 40, A105	CTN-0 02		24 pcs	FN5
13	STD-7751-M	Stud, M10×50, Grade 8.8, HDG	CTN-0 02	480 pcs	480 pcs	

14	7745-BRK-02	Brake Caliper Bracket, Zinc-Plated Steel, M10	CTN-003	200	200
15	7745-BRK-03	Brake Caliper Bracket, Zinc-Plated Steel, M12	CTN-003	200	200
16	0391-GSK-11A	Exhaust Manifold Gasket, Graphite Composite	CTN-003	500	500
17	0391-GSK-11B	Intake Manifold Gasket, Graphite Composite	CTN-003	500	500
18	2281-BOLT-M8	Hex Head Bolt M8x25, Grade 10.9, Zinc	CTN-003	2000	2000
19	2281-BOLT-M10	Hex Head Bolt M10x30, Grade 10.9, Zinc	CTN-003	2000	2000
20	2281-BOLT-M12	Hex Head Bolt M12x40, Grade 10.9, Zinc	CTN-003	1500	1500
21	4402-SEAL-RD	Crankshaft Rear Main Seal, Viton, 85mm OD	CTN-003	300	300
22	4402-SEAL-FT	Crankshaft Front Seal, Viton, 72mm OD	CTN-003	300	300
23	5519-BRG-6204	Deep Groove Ball Bearing 6204-2RS, 20x47x14mm	CTN-003	400	400
24	5519-BRG-6205	Deep Groove Ball Bearing 6205-2RS, 25x52x15mm	CTN-003	400	400
25	5519-BRG-6206	Deep Groove Ball Bearing 6206-2RS, 30x62x16mm	CTN-003	350	350
26	8834-FLT-OIL	Oil Filter Element, Cellulose/Synthetic Blend	CTN-003	600	600
27	8834-FLT-AIR	Air Filter Element, Pleated Polyester	CTN-003	600	600
28	8834-FLT-FUEL	Fuel Filter Cartridge, 10 Micron	CTN-003	400	400

29	3310-TUBE-AL	Aluminum Coolant Tube, 3/4in OD, 12in L	CTN-003	250	250
30	3310-TUBE-SS	Stainless Steel Coolant Tube, 3/4in OD, 12in L	CTN-003	150	150
31	1127-CLMP-32	Hose Clamp, Worm Drive, 32mm, Stainless Band	CTN-003	1000	1000
32	1127-CLMP-48	Hose Clamp, Worm Drive, 48mm, Stainless Band	CTN-003	1000	1000
33	1127-CLMP-64	Hose Clamp, Worm Drive, 64mm, Stainless Band	CTN-003	800	800
34	6603-SHIM-025	Valve Shim, 25mm dia, 0.025in thickness, Tool Steel	CTN-003	700	700
35	6603-SHIM-030	Valve Shim, 25mm dia, 0.030in thickness, Tool Steel	CTN-003	700	700
36	6603-SHIM-035	Valve Shim, 25mm dia, 0.035in thickness, Tool Steel	CTN-003	700	700
37	9920-ORING-70	O-Ring, Buna-N, 70 Durometer, AS568-012	CTN-003	2000	2000
38	9920-ORING-90	O-Ring, Buna-N, 90 Durometer, AS568-012	CTN-003	2000	2000
39	9920-ORING-V70	O-Ring, Viton, 70 Durometer, AS568-016	CTN-003	1500	1500
40	7751-SPKT-28T	Timing Chain Sprocket, 28T, Case Hardened Steel	CTN-003	180	180
41	7751-SPKT-56T	Timing Chain Sprocket, 56T,	CTN-004	180	180

		Case Hardened Steel				
42	7751-CHAIN-96	Timing Chain, 96-Link, Duplex Roller	CTN-004	180	180	
43	4480-WSHR-M8	Hardened Flat Washer, M8, Grade F436, Zinc	CTN-004	3000	2750	
44	4480-WSHR-M10	Hardened Flat Washer, M10, Grade F436, Zinc	CTN-004	3000	3000	
45	4480-WSHR-M12	Hardened Flat Washer, M12, Grade F436, Zinc	CTN-004	2500	2500	
46	2256-NUT-M8	Nyloc Hex Nut, M8, Class 8, Zinc	CTN-004	2000	2000	
47	2256-NUT-M10	Nyloc Hex Nut, M10, Class 8, Zinc	CTN-004	2000	2000	
48	2256-NUT-M12	Nyloc Hex Nut, M12, Class 8, Zinc	CTN-004	1500	1300	FN5
49	5531-PLUG-1/8	Pipe Plug, 1/8in NPT, Steel, Hex Head	CTN-004	800	800	
50	5531-PLUG-1/4	Pipe Plug, 1/4in NPT, Steel, Hex Head	CTN-004	800	800	
51	5531-PLUG-3/8	Pipe Plug, 3/8in NPT, Steel, Hex Head	CTN-004	600	600	
52	3398-SPCER-10	Transmission Spacer, 10mm, 4140 Steel, OD 22mm	CTN-004	350	350	
53	3398-SPCER-15	Transmission Spacer, 15mm, 4140 Steel, OD 22mm	CTN-004	350	350	
54	3398-SPCER-20	Transmission Spacer, 20mm, 4140 Steel, OD 22mm	CTN-004	300	300	
55	8812-PIN-ROLL	Roll Pin, 4mm x 20mm, Spring Steel, Slotted	CTN-003	1500	1500	
56	8812-PIN-DOWL	Dowel Pin, 6mm x 16mm, Hardened	CTN-003	1200	1200	

		Steel, H7 Tolerance			
57	6671-BRSH-CRB	Carbon Brush Set, 12V Motor, 5mm x 8mm x 18mm	CTN-003	250	250
58	6671-BRSH-GRP	Graphite Brush Set, 24V Motor, 6mm x 10mm x 20mm	CTN-003	200	200
59	1143-HOSE-RAD	Radiator Hose, Upper, EPDM, 38mm ID x 400mm L	CTN-003	300	300
60	1143-HOSE-HTR	Heater Hose, EPDM, 19mm ID x 500mm L	CTN-003	300	300

FOOTNOTES & SHIPPING NOTATIONS

- FN. 1 All items shipped under Purchase Order PO-2024-08847 dated October 29, 2024. Partial shipments are permitted per PO terms, Section 4.2.
- FN 2. BRK-1155-C: 12 units (of 60 ordered) withheld at origin pending resolution of Inspection Waiver IW-2024-441, issued 2024-11-14. Withheld units to be shipped under separate cover upon waiver approval or corrective action closure. Shipped qty: 48 pcs.
- FN 3. VLV-8863-F: Shipped quantity reflects inventory available at time of order fulfillment cut-off.
- FN 4. TBG-5512-G: 200 linear feet shipped as 10 coils of 20 ft each. Coil dimensions: approx. 12" OD x 4" width. Weight: ~38 lbs/coil.
- FN 5. CAP-3317-L / CAP-3317-M: 24 units of CAP-3317-L (A105 SW) substituted with CAP-3317-M (A105 BW) per Approved Substitution Request SR-2024-089, dated 2024-11-03, approved by buyer's engineering contact D. Fuentes (dfuentes@olvera-mfg.com). Total end-cap count remains 144 pcs (120 x CAP-3317-L + 24 x CAP-3317-M).

Prepared by:	Authorized Signatory:	Carrier Receipt Confirmation
Rosa M. Delgado Warehouse Operations Mgr. Meridian Industrial Supply Co. Date: 11/18/2024	Kevin T. Shaughnessy VP, Customer Fulfillment Meridian Industrial Supply Co. Date: 11/18/2024	Carrier Representative Date: _____

MERIDIAN INDUSTRIAL SUPPLY CO.

4821 Lakeview Commerce Dr., Suite 200 Houston, TX 77084
Tel: (713) 555-0194
DUNS: 07-421-9983 | CAGE: 4TK52

COC No.: COC-2024-3847
Issue Date: November 18, 2024
PO No.: PO-2024-08847
Shipper Ref.: SHP-20241118-003
Consignee: Olvera Manufacturing LLC
Destination: Laredo, TX 78041

CERTIFICATION STATEMENT: Meridian Industrial Supply Co. hereby certifies that all items listed below were manufactured, tested, and inspected in accordance with the applicable specifications, standards, and purchase order requirements referenced herein. All materials conform to the chemical, mechanical, and dimensional requirements of the specifications cited. Supporting test reports and mill certificates are available upon request.

CERTIFIED LINE ITEMS

PART NO.	DESCRIPTION	QTY CERT.	UNIT	APPLICABLE SPEC / STANDARD	HEAT / LOT NO.	CERT. STATUS
HEX7740A	Hex Bolt, M8×25, 316 Stainless	2400	pcs	ASTM F738M / DIN 933	HT- 204417	CONFORMING
FLG3302B	Flange Nut, M8, Zinc- Plated	2400	pcs	ASME B18.2.2 / ASTM A563	LT- 88201	CONFORMING
WSH4490D	Flat Washer, M8, SAE, SS	4800	pcs	ASME B18.22.1	LT- 88209	CONFORMING
GSK2271E	Gasket, Neoprene, 4" Cl. 150	150	pcs	ASME B16.21 / ASTM D2000	LT- 91043	CONFORMING
VLV8863F	Ball Valve, 1/2" NPT, 316 SS	30	pcs	API 608 / ASTM A351 CF8M	HT- 316052	CONFORMING
CPL9934H	Coupling, 1/2" SW, 3000#, A105	96	pcs	ASME B16.11 / ASTM A105	HT- 105883	CONFORMING

TBG5512G	Seamless Tubing, 1/2" OD, 316L	10	coils	ASTM A269 / ASME B36.19M	HT- 316L-77	CONFORMING
STD7751M	Stud, M10×50, Grade 8.8, HDG	480	pcs	DIN 976-1 / ISO 898-1	LT- 88844	CONFORMING
BRK1155C	Bracket Weldment, 3/16" A36	60	pcs	ASTM A36 / AWS D1.1	HT-A36- 219	CONFORMING
PLT0047J	Sheet Metal Plate, 18ga, A366	75	pcs	ASTM A1008 / CS Type B	LT- 10088	CONFORMING
SLV6628K	Sleeve Bearing, 25mm, Sint. Bronze	36	pcs	ASTM B438 Grade 1 Type I	LT- 92310	CONFORMING
CAP3317L	End Cap, 3/4" SW, 3000#, A105	120	pcs	ASME B16.11 / ASTM A105	HT- 105889	CONFORMING
7745-BRK-02	Bracket, Brake Caliper, Zn-Plated Steel, M10 Mtg	200	ea	ASTM A653 / ISO 4042	HT- 2241-A	CONFORMING
7745-BRK-03	Bracket, Brake Caliper, Zn-Plated Steel, M12 Mtg	200	ea	ASTM A653 / ISO 4042	HT- 2241-B	CONFORMING
0391-GSK-11A	Gasket, Exhaust Manifold, Graphite Composite	500	ea	DIN 28091 / MIL-G-21164	LT- 8831- EX	CONFORMING
0391-GSK-11B	Gasket, Intake Manifold, Graphite Composite	500	ea	DIN 28091 / MIL-G-21164	LT- 8831-IN	CONFORMING
2281-BOLT-M8	Bolt, Hex Head, M8x25, Gr. 10.9, Zinc-Plated	2000	ea	ISO 4014 / ISO 898-1	LT- 5502-08	CONFORMING
2281-BOLT-M10	Bolt, Hex Head, M10x30, Gr. 10.9, Zinc-Plated	2000	ea	ISO 4014 / ISO 898-1	LT- 5502-10	CONFORMING

2281-BOLT-M12	Bolt, Hex Head, M12x40, Gr. 10.9, Zinc-Plated	1500	ea	ISO 4014 / ISO 898-1	LT-5502-12	CONFORMING
4402-SEAL-RD	Seal, Crankshaft Rear Main, Viton, 85mm OD	300	ea	SAE J946 / AMS 7276	LT-7703-RD	CONFORMING
4402-SEAL-FT	Seal, Crankshaft Front, Viton, 72mm OD	300	ea	SAE J946 / AMS 7276	LT-7703-FT	CONFORMING
5519-BRG-6204	Bearing, Ball, Deep Groove, 6204-2RS, 20x47x14mm	400	ea	ISO 15:2017 / ABMA Std 9	HT-3390-04	CONFORMING
5519-BRG-6205	Bearing, Ball, Deep Groove, 6205-2RS, 25x52x15mm	400	ea	ISO 15:2017 / ABMA Std 9	HT-3390-05	CONFORMING
5519-BRG-6206	Bearing, Ball, Deep Groove, 6206-2RS, 30x62x16mm	350	ea	ISO 15:2017 / ABMA Std 9	HT-3390-06	CONFORMING
8834-FLT-OIL	Filter Element, Oil, Cellulose/Synthetic Blend	600	ea	SAE J806 / ISO 4548-12	LT-6612-OL	CONFORMING
8834-FLT-AIR	Filter Element, Air, Pleated Polyester Media	600	ea	SAE J726 / ISO 5011	LT-6612-AR	CONFORMING
MTG-0092-PLT	Mounting Plate, 6mm, A36 Steel, 150x150mm	100	ea	ISO 15:2017 / ABMA Std 9	HT-3390-05	CONFORMING
8834-FLT-FUEL	Filter Cartridge, Fuel, 10 Micron Absolute	400	ea	SAE J1488 / ISO 16332	LT-6612-FL	CONFORMING
3310-TUBE-AL	Tube, Coolant, Aluminum, 3/4in OD x 12in L	250	ea	ASTM B210 / SAE J527	HT-1121-AL	CONFORMING
3310-TUBE-SS	Tube, Coolant, Stainless Steel, 3/4in OD x 12in L	150	ea	ASTM A269 / SAE J527	HT-1121-SS	CONFORMING

1127-CLMP-32	Clamp, Hose, Worm Drive, 32mm, Stainless Band	1000	ea	DIN 3017 / SAE J1508	LT-4450-32	CONFORMING
1127-CLMP-48	Clamp, Hose, Worm Drive, 48mm, Stainless Band	1000	ea	DIN 3017 / SAE J1508	LT-4450-48	CONFORMING
1127-CLMP-64	Clamp, Hose, Worm Drive, 64mm, Stainless Band	800	ea	DIN 3017 / SAE J1508	LT-4450-64	CONFORMING
6603-SHIM-025	Shim, Valve, 25mm dia, 0.025in thk, Tool Steel	700	ea	DIN 7349 / AMS 6442	HT-9981-025	CONFORMING
6603-SHIM-030	Shim, Valve, 25mm dia, 0.030in thk, Tool Steel	700	ea	DIN 7349 / AMS 6442	HT-9981-030	CONFORMING
6603-SHIM-035	Shim, Valve, 25mm dia, 0.035in thk, Tool Steel	700	ea	DIN 7349 / AMS 6442	HT-9981-035	CONFORMING
9920-ORING-70	O-Ring, Buna-N, 70 Duro, AS568-012	2000	ea	AS568B / MIL-P-5315	LT-2200-BN70	CONFORMING
9920-ORING-90	O-Ring, Buna-N, 90 Duro, AS568-012	2000	ea	AS568B / MIL-P-5315	LT-2200-BN90	CONFORMING
9920-ORING-V70	O-Ring, Viton, 70 Duro, AS568-016	1500	ea	AS568B / AMS 7276	LT-2200-VT70	CONFORMING
7751-SPKT-28T	Sprocket, Timing Chain, 28T, Case Hardened Steel	180	ea	ANSI B29.1 / AMS 2759/2	HT-6630-28	CONFORMING
7751-SPKT-56T	Sprocket, Timing Chain, 56T, Case Hardened Steel	180	ea	ANSI B29.1 / AMS 2759/2	HT-6630-56	CONFORMING
7751-CHAIN-96	Chain, Timing, 96-Link, Duplex Roller	180	ea	ANSI B29.1 / DIN 8187	LT-6630-CH	CONFORMING

4480-WSHR-M8	Washer, Flat, Hardened, M8, Gr. F436, Zinc	3000	ea	ASTM F436 / ISO 7089	LT-3310-08	CONFORMING
4480-WSHR-M10	Washer, Flat, Hardened, M10, Gr. F436, Zinc	3000	ea	ASTM F436 / ISO 7089	LT-3310-10	CONFORMING
4480-WSHR-M12	Washer, Flat, Hardened, M12, Gr. F436, Zinc	2500	ea	ASTM F436 / ISO 7089	LT-3310-12	CONFORMING
2256-NUT-M8	Nut, Nyloc Hex, M8, Cl. 8, Zinc-Plated	2000	ea	ISO 7042 / DIN 985	LT-5501-08	CONFORMING
2256-NUT-M10	Nut, Nyloc Hex, M10, Cl. 8, Zinc-Plated	2000	ea	ISO 7042 / DIN 985	LT-5501-10	CONFORMING
2256-NUT-M12	Nut, Nyloc Hex, M12, Cl. 8, Zinc-Plated	1500	ea	ISO 7042 / DIN 985	LT-5501-12	CONFORMING
5531-PLUG-1/8	Plug, Pipe, 1/8in NPT, Steel, Hex Head	800	ea	ASME B16.11 / SAE J476	LT-7720-08	CONFORMING
5531-PLUG-1/4	Plug, Pipe, 1/4in NPT, Steel, Hex Head	800	ea	ASME B16.11 / SAE J476	LT-7720-14	CONFORMING
5531-PLUG-3/8	Plug, Pipe, 3/8in NPT, Steel, Hex Head	600	ea	ASME B16.11 / SAE J476	LT-7720-38	CONFORMING
3398-SPCER-10	Spacer, Transmission, 10mm, 4140 Steel, 22mm OD	350	ea	ASTM A29 / AMS 6349	HT-8843-10	CONFORMING
3398-SPCER-15	Spacer, Transmission, 15mm, 4140 Steel, 22mm OD	350	ea	ASTM A29 / AMS 6349	HT-8843-15	CONFORMING
3398-SPCER-20	Spacer, Transmission, 20mm, 4140 Steel, 22mm OD	300	ea	ASTM A29 / AMS 6349	HT-8843-20	CONFORMING

8812-PIN-ROLL	Pin, Roll, 4mm x 20mm, Spring Steel, Slotted	1500	ea	ISO 8752 / DIN 1481	LT-4410-RL	CONFORMING
8812-PIN-DOWL	Pin, Dowel, 6mm x 16mm, Hardened Steel, H7	1200	ea	ISO 8734 / DIN 6325	LT-4410-DW	CONFORMING
6671-BRSH-CRB	Brush Set, Carbon, 12V Motor, 5x8x18mm	250	set	IEC 60136 / NEMA MG-1	LT-9900-CB12	CONFORMING
6671-BRSH-GRP	Brush Set, Graphite, 24V Motor, 6x10x20mm	200	set	IEC 60136 / NEMA MG-1	LT-9900-GP24	CONFORMING
1143-HOSE-RAD	Hose, Radiator, Upper, EPDM, 38mm ID x 400mm L	300	ea	SAE J20 / ASTM D2000	LT-5560-RD	CONFORMING
1143-HOSE-HTR	Hose, Heater, EPDM, 19mm ID x 500mm L	300	ea	SAE J20 / ASTM D2000	LT-5560-HT	CONFORMING

NOTES

- Quantities certified above represent the total quantities ordered under PO-2024-08847 as of certification date. Actual shipped quantities are reflected in accompanying Packing List / Shipping Manifest (ref. SHP-20241118-003).
- All fasteners (HEX7740A, FLG3302B, WSH4490D, STD7751M) meet RoHS Directive 2011/65/EU and REACH Regulation (EC) No 1907/2006 as applicable.
- Mill test reports (MTRs) for all pressure-bearing components (VLV8863F, CPL9934H, TBG5512G, CAP3317L) are on file and available upon request per ASME requirements.

Certified By:	Quality Assurance Manager:	Document Control No.:
Kevin T. Shaughnessy VP, Customer Fulfillment Date: 11/18/2024 Signature: _____	Patricia N. Howell QA Manager, Meridian Industrial Date: 11/18/2024 Signature: _____	COC-2024-3847 Rev: 00 File: QA/COC/2024/3847 Retention: 10 years