

DMS Administrator Manual

Document Management System — Admin Reference Guide

System	ALGT ERP — Document Management System (DMS)
Audience	System Administrators, DMS Administrators
Manual	Manual 1 of 2 — Administrator Reference
Version	1.0
Date	17 June 2026
Classification	Internal — Confidential

This manual covers all DMS administrative functions including: document categories, types, metadata definitions, tags, retention policies, AI intelligence administration, feature flag management, RLS security, and system-level configuration.

1. DMS Module Overview

The ALGT ERP Document Management System (DMS) is the central repository for all business documents. It provides secure document storage, AI-powered OCR and extraction, expiry tracking, compliance management, and full audit trails. As an administrator, you control the document taxonomy, access policies, AI features, and system health.

1.1 Admin Navigation

Access all admin functions at: **/admin/dms**

Route / URL	Description	Permission Required
/admin/dms	DMS Admin Overview dashboard	dms.admin
/admin/dms/categories	Document Categories CRUD	dms.admin
/admin/dms/document-types	Document Types CRUD	dms.admin
/admin/dms/metadata-definitions	Metadata Field Definitions	dms.admin
/admin/dms/tags	Global Tag Library	dms.admin
/admin/dms/retention-policies	Retention & Archive Policies	dms.admin
/admin/dms/intelligence	AI Intelligence Admin & Health Dashboard	dms.admin
/admin/settings/ai	AI Provider Configuration	settings.ai.manage

2. Document Categories

Document categories are the top-level groupings for document types. Every document type must belong to one category. Categories appear in the DMS upload interface to guide users in selecting the correct document type.

2.1 Managing Categories

- Go to `/admin/dms/categories`
- Click **New Category** to add a category
- Click the edit icon to rename or reorder an existing category
- Toggle **Active/Inactive** to hide categories without deleting them

2.2 Category Fields

Category Code	Unique uppercase code, e.g. IDENTITY, HR, LEGAL, FINANCE
Name (English)	Display name shown in UI dropdown
Name (Arabic)	Arabic display name for bilingual UI (optional)
Description	Brief description of what document types this category contains
Sort Order	Number controlling display order in lists (lower = first)
Is Active	Inactive categories are hidden from the upload interface

2.3 Recommended Category Structure

IDENTITY	Identity Documents	Emirates ID, Passport, Visa, Residence Permit
HR	Human Resources	Labor Contracts, Salary Certificates, Medical Fitness
LEGAL	Legal Documents	Contracts, Agreements, Power of Attorney, Court Orders
FINANCE	Finance Documents	Invoices, Bank Statements, VAT Certificates
COMPLIANCE	Compliance	Trade Licenses, Permits, Certifications
OPERATIONS	Operations	Technical Reports, Inspection Reports, Work Permits
GENERAL	General	Miscellaneous documents

3. Document Types

Document types define the specific kind of document (e.g. Trade License, Emirates ID, Tax Invoice). Each type belongs to a category and controls which metadata fields are collected during upload and review.

3.1 Managing Document Types

- Go to `/admin/dms/document-types`
- Click **New Document Type** and fill in the required fields
- Assign the type to an appropriate Category
- Enable **Requires Expiry Tracking** for documents that expire (IDs, licenses, permits)

3.2 Document Type Fields

Type Code	Unique uppercase code, e.g. TRADE_LICENSE, EMIRATES_ID
Name (English)	English display name
Name (Arabic)	Arabic display name (■■■■■■■■■■ ■■■■■■■■)
Category	Parent category this type belongs to
Description	Explains what this document type is used for
Requires Expiry Tracking	ON for IDs, licenses, permits that expire. Enables expiry alerts.
Expiry Alert Days	Days before expiry to start showing alerts (default: 30/60/90)
Default Confidentiality	internal / company / finance / hr / legal / executive
Is Active	Inactive types are hidden from the upload interface
Sort Order	Display order within the category

3.3 Built-in UAE Document Types

The following types are pre-seeded in the system (DMS ARABIC FIX.1):

EMIRATES_ID	■■■■■■ ■■■■■■ ■■■■■■■■■■■■	Yes	Biometric UAE ID card
PASSPORT	■■■■ ■■■■	Yes	International travel document
TRADE_LICENSE	■■■■ ■■■■■■	Yes	Commercial trade license
VISA_RESIDENCE	■■■■■■■ / ■■■■■■	Yes	UAE visa and residency permit
LABOR_CONTRACT_AR	■■■ ■■■	No	Employment contract (Arabic)
SALARY_CERTIFICATE_AR	■■■■■■ ■■■■	No	Salary/income certificate

EJARI_CONTRACT	■■■ ■■■■ ■■■■	Yes	EJARI registered tenancy
VAT_CERTIFICATE	■■■■ ■■■■■■	No	VAT registration certificate
TRN_CERTIFICATE	■■■■ ■■■■ ■■■■■■	No	Tax registration number cert
POWER_OF_ATTORNEY	■■■■ ■■■■■■	No	Legal power of attorney

4. Metadata Definitions

Metadata definitions specify which data fields are collected for each document type. When a user uploads a document, the AI extracts values for these fields automatically. The user reviews and confirms them during intake.

4.1 Managing Metadata Fields

- Go to **/admin/dms/metadata-definitions**
- Select a Document Type from the filter to see its fields
- Click **Add Field** to create a new metadata field for that type
- Drag to reorder fields — order controls display in the review form

4.2 Metadata Field Configuration

Field Code	Unique code within the document type, e.g. license_number
Label (English)	English label shown to the user
Label (Arabic)	Arabic label — ■■■■ ■■■■■■■■ (auto-seeded for common fields)
Field Type	text / date / number / boolean / select — controls the input widget
Is Required	If ON, document cannot be approved without this field
AI Field Hint	Instruction to the AI for extracting this specific field
Options JSON	For select type: [{label, value}] list of dropdown options
Is Active	Inactive fields are hidden from the intake review form
Sort Order	Display order within the document type form

4.3 Arabic Label Seeding

Common fields have Arabic labels pre-seeded (DMS ARABIC FIX.1). The following field codes have Arabic labels automatically:

- id_number → ■■■■ ■■■■■■■■
- expiry_date → ■■■■■■ ■■■■■■■■■■
- issue_date → ■■■■■■ ■■■■■■■■■■
- full_name → ■■■■■■ ■■■■■■■■
- nationality → ■■■■■■■■
- passport_number → ■■■■ ■■■■■■■■
- trn → ■■■■ ■■■■■■■■■■ ■■■■■■■■
- license_number → ■■■■ ■■■■■■■■
- employer_name → ■■■■■■ ■■■■■■■■
- job_title → ■■■■■■■■ ■■■■■■■■

5. Tags

Tags are free-form labels that can be applied to any document regardless of type. They enable flexible categorization and filtering. The AI Auto-Tags feature automatically suggests relevant tags from the tag library based on document content.

5.1 Managing Tags

- Go to `/admin/dms/tags`
- Click **New Tag** — enter tag name and optional color/category
- Tags are global — any document can use any tag
- Deactivate tags that are no longer relevant (preserves existing tag links)

5.2 AI Auto-Tags Feature

When `DMS_AUTO_TAGS` feature flag is enabled:

- After document content is extracted, AI suggests relevant tags from the tag library
 - Users see tag suggestions with confidence scores during document review
 - Users must explicitly Accept or Reject each suggestion
 - Auto-Tags never apply themselves — human confirmation required
- **Keep the tag library focused.** Too many tags reduce AI suggestion accuracy. Aim for 30-50 well-defined tags covering your key business areas.

6. Retention Policies

Retention policies define how long documents are kept before archiving or deletion. They ensure compliance with UAE data retention regulations and internal policies.

6.1 Managing Retention Policies

- Go to **/admin/dms/retention-policies**
- Create policies per document type or category
- Set retention period in days (e.g. Emirates ID: 3650 days = 10 years)
- Choose action after retention: Archive / Delete / Flag for Review

6.2 UAE Recommended Retention Periods

Emirates ID / Passport	7 years after employee departure
Labor Contracts	5 years after contract end
Trade Licenses	Keep active; archive 3 years after expiry
Tax Invoices / VAT	5 years (UAE FTA requirement)
Insurance Policies	Duration + 2 years
Tenancy Contracts	EJARI: keep for lease period + 1 year
Medical Fitness Records	2 years minimum
Work Permits	Duration + 2 years

- Always consult your legal team before setting Delete as the retention action. Archiving is the safer default.

7. DMS Feature Flags

Feature flags control which AI capabilities are active in the DMS. Access them at </admin/settings/ai> → Feature Flags section.

DMS_OCR	ON	OCR text extraction from uploaded files. Always keep ON.
DMS_CLASSIFICATION	ON	AI document type classification. Required for AI Fill.
DMS_EXTRACTION	ON	AI metadata field extraction. Required for AI Fill.
DMS_AI_REVIEW	ON	AI intake review queue. Required for Upload & AI Fill flow.
DMS_CONTENT_TEXT_SYNC	ON	Sync extracted text for full-text search.
DMS_AI_SUMMARY	ON	Generate AI document summaries. Recommended ON.
DMS_COMPLETENESS	ON	Calculate document completeness scores.
DMS_RISK_SCORE	ON	Calculate AI risk scores per document.
DMS_SEMANTIC_SEARCH	ON	Enable pgvector semantic similarity search.
DMS_AI_SEARCH	ON	Enable AI-powered intent-based document search.
DMS_AUTO_TAGS	ON	AI auto-suggest tags based on content.
DMS_SMART_LINKS	ON	AI suggest party/entity links from document content.
DMS_BATCH_INTAKE	ON	Enable multi-file batch upload to draft intake queue.
DMS_AI_ORCHESTRATION	OFF	Full AI pipeline auto-run after Upload & AI Fill. Enable for UAT.

8. AI Intelligence Admin Dashboard

The AI Intelligence Admin page at `/admin/dms/intelligence` provides bulk AI tools for maintaining document intelligence across the entire repository. Access requires the **dms.admin** permission.

8.1 Health Statistics Cards

The dashboard shows 10 health metrics:

- Total documents in the repository
- Documents with extracted text (content_text)
- Documents missing content text (need OCR backfill)
- Documents with AI summary generated
- Documents missing AI summary
- Documents with completeness score
- High-risk documents (risk level: high or critical)
- Critical-risk documents
- Pending tag suggestions awaiting review
- Pending link suggestions awaiting review

8.2 Bulk Operations

Content Text Backfill	Scans documents missing content_text and extracts from OCR data. Use after enabling DMS_CONTENT_TEXT_SYNC. Supports dry-run mode.
AI Summary Bulk	Generates AI summaries for all documents missing them. AI cost applies. Supports batch size (default 20), resume from last document ID, dry-run.
Intelligence Bulk	Runs completeness + risk evaluation across all documents. No AI cost — deterministic only. Supports batch 50, resume, dry-run.
OCR Backfill / Repair	Re-runs OCR on documents where OCR completed but no text was extracted. Useful for scanned Arabic PDFs.
Semantic Embedding Bulk	Generates pgvector embeddings for documents missing them. AI cost (text-embedding-3-small). Required for semantic search to work on all documents.

8.3 Bulk Operation Best Practices

- Always run in **Dry Run** mode first to see what would be processed
- Use small batch sizes (10-20) during business hours to avoid API rate limits
- Note the **Resume from Document ID** so you can continue if interrupted
- Run large bulk operations outside business hours to minimize cost impact
- Monitor `erp_ai_usage_logs` table for token usage and cost tracking

9. AI Provider Configuration

Manage AI providers at `/admin/settings/ai`.

9.1 Required Providers

DEFAULT_CHAT	OpenAI GPT-4.1 — used for AI classification, extraction, summaries, QA
DEFAULT_DMS_CLASSIFIER	Alias for classification — can point to DEFAULT_CHAT
DEFAULT_DMS_EXTRACTOR	Alias for extraction — can point to DEFAULT_CHAT
DEFAULT_EMBEDDING	OpenAI text-embedding-3-small — required for semantic search
ARABIC_OCR_AZURE	Azure Document Intelligence — optional, provides superior Arabic OCR

9.2 Setting API Keys

- Click **Set Secret** on a provider row
 - Enter the API key — it is masked immediately (only first 4 chars visible)
 - The key is NOT stored in the database — only the environment variable name (Secret Ref)
 - The actual key must be set in the server **.env.local** file as the Secret Ref variable
- Never share API keys. If a key is compromised, rotate it immediately in the provider dashboard (OpenAI / Azure) and update the environment variable.

10. DMS Permission Reference

All DMS permissions are checked server-side via RLS. The following codes are used:

dms.documents.view	View documents in the repository
dms.documents.upload	Upload new documents
dms.documents.edit	Edit document metadata, links, tags
dms.documents.ai.run	Trigger OCR, AI analysis, summaries, embeddings
dms.documents.delete	Soft-delete documents
dms.admin	Full DMS admin access — all operations
settings.ai.view	View AI settings (providers, flags)
settings.ai.manage	Modify AI settings (add providers, toggle flags)

10.1 Role Assignments (Recommended)

system_admin	All DMS permissions + all other ERP permissions
group_admin	dms.admin + all document permissions
company_admin	dms.documents.view + dms.documents.upload + dms.documents.edit
Regular User	dms.documents.view + dms.documents.upload (as needed)

11. Security and RLS

11.1 Row Level Security

All DMS tables have RLS (Row Level Security) ENABLED and FORCED. This means users can only see documents they are permitted to see based on their role and permission codes.

11.2 Document Confidentiality Levels

internal	All authenticated users can view
company	Company-level users and above
finance	Finance team and above
hr	HR team and above — dms.admin required for AI operations
legal	Legal team and above — dms.admin required for AI operations
executive	Senior management only — dms.admin required for AI operations

11.3 Storage Buckets

dms-documents	Active document files — private bucket, access via signed URLs only
dms-temp	Temporary files during upload — cleaned after 24 hours

■ Never make storage buckets public. All file access goes through signed URLs generated server-side after permission verification.

12. Expiry and Renewals Management

12.1 Expiry Dashboard

- Access at: **/dms/expiring**
- Shows 9 summary cards: Expired, Expiring 90/60/30/14/7/1 days, Missing Expiry, Total
- Four tabs: Expired / Expiring Soon / Missing Expiry Date / Renewal Requests

12.2 Reminder Schedule

For documents with expiry tracking enabled, the system generates reminders at:

- 90 days before expiry — Early warning
- 60 days before expiry — Planning phase
- 30 days before expiry — Action required
- 14 days before expiry — Urgent
- 7 days before expiry — Critical
- 1 day before expiry — Final warning
- Day of expiry — Expired

12.3 Generating Reminders

- Open any document → Expiry tab → Click **Generate Reminder Schedule**
- Or use **Generate Reminders Bulk** from the Expiry Dashboard for all documents
- Reminders appear in **/dms/notifications** for relevant users

12.4 Renewal Workflow

- From the Expiry Dashboard → click **Start Renewal** on an expiring document
- Renewal status: draft → requested → in_progress → renewed / cancelled
- Upload the renewed document and link it to the entity

13. Monthly Admin Health Checklist

1	■ Review AI Intelligence health dashboard — check for missing content_text/summaries
2	■ Run Intelligence Bulk evaluation to refresh completeness and risk scores
3	■ Review expired documents — archive or delete per retention policy
4	■ Review pending tag/link suggestions — approve or reject aged suggestions
5	■ Verify AI provider Test Connection is passing for all active providers
6	■ Review <code>erp_ai_usage_logs</code> for unusual token usage or costs
7	■ Check <code>DMS_SEMANTIC_SEARCH</code> — run Embedding Bulk if many documents missing embeddings
8	■ Review <code>dms_document_types</code> — deactivate types that are no longer in use
9	■ Audit user permissions — remove DMS access for departed employees
10	■ Test Upload & AI Fill with a sample Arabic document to verify OCR quality
11	■ Review <code>DMS_AI_ORCHESTRATION</code> flag status — enable/disable per UAT schedule
12	■ Backup retention policy review — confirm policies match current legal requirements