Merge Sort

Madhavan Mukund

https://www.cmi.ac.in/~madhavan

Programming, Data Structures and Algorithms using Python

Week 2

Beating the $O(n^2)$ barrier

- Both selection sort and insertion sort take time $O(n^2)$
- This is infeasible for $n > 10000$

Beating the $O(n^2)$ barrier

- Both selection sort and insertion sort take time $O(n^2)$
- This is infeasible for $n > 10000$
- How can we bring the complexity below $O(n^2)$?

Beating the $O(n^2)$ barrier

- Both selection sort and insertion sort take time $O(n^2)$
- This is infeasible for $n > 10000$
- How can we bring the complexity below $O(n^2)$?

Strategy 3

- Divide the list into two halves

Beating the $O(n^2)$ barrier

- Both selection sort and insertion sort take time $O(n^2)$
- This is infeasible for $n > 10000$
- How can we bring the complexity below $O(n^2)$?

Strategy 3

- Divide the list into two halves
- Separately sort the left and right half

Beating the $O(n^2)$ barrier

- Both selection sort and insertion sort take time $O(n^2)$
- This is infeasible for $n > 10000$
- How can we bring the complexity below $O(n^2)$?

Strategy 3

- Divide the list into two halves
- Separately sort the left and right half
- Combine the two sorted halves to get a fully sorted list

Combining two sorted lists

- Combine two sorted lists `A` and `B` into a single sorted list `C`

Combining two sorted lists

- Combine two sorted lists `A` and `B` into a single sorted list `C`
  - Compare first elements of `A` and `B`

Combining two sorted lists

- Combine two sorted lists `A` and `B` into a single sorted list `C`
  - Compare first elements of `A` and `B`
  - Move the smaller of the two to `C`

Combining two sorted lists

- Combine two sorted lists `A` and `B` into a single sorted list `C`
  - Compare first elements of `A` and `B`
  - Move the smaller of the two to `C`
  - Repeat till you exhaust `A` and `B`

Combining two sorted lists

- Combine two sorted lists `A` and `B` into a single sorted list `C`
  - Compare first elements of `A` and `B`
  - Move the smaller of the two to `C`
  - Repeat till you exhaust `A` and `B`

32 74 89

21 55 64

Combining two sorted lists

- Combine two sorted lists `A` and `B` into a single sorted list `C`
  - Compare first elements of `A` and `B`
  - Move the smaller of the two to `C`
  - Repeat till you exhaust `A` and `B`

32 74 89

~~21~~ 55 64

21

Combining two sorted lists

- Combine two sorted lists `A` and `B` into a single sorted list `C`
  - Compare first elements of `A` and `B`
  - Move the smaller of the two to `C`
  - Repeat till you exhaust `A` and `B`

~~32~~ 74 89

~~21~~ 55 64

21 32

Combining two sorted lists

- Combine two sorted lists `A` and `B` into a single sorted list `C`
  - Compare first elements of `A` and `B`
  - Move the smaller of the two to `C`
  - Repeat till you exhaust `A` and `B`

~~32~~ 74 89

~~21~~ ~~55~~ 64

21 32 55

Combining two sorted lists

- Combine two sorted lists `A` and `B` into a single sorted list `C`
  - Compare first elements of `A` and `B`
  - Move the smaller of the two to `C`
  - Repeat till you exhaust `A` and `B`

~~32~~ 74 89

~~21~~ ~~55~~ ~~64~~

21 32 55 64

Combining two sorted lists

- Combine two sorted lists `A` and `B` into a single sorted list `C`
  - Compare first elements of `A` and `B`
  - Move the smaller of the two to `C`
  - Repeat till you exhaust `A` and `B`

~~32~~ ~~74~~ 89

~~21~~ ~~55~~ ~~64~~

21 32 55 64 74

Combining two sorted lists

- Combine two sorted lists `A` and `B` into a single sorted list `C`
  - Compare first elements of `A` and `B`
  - Move the smaller of the two to `C`
  - Repeat till you exhaust `A` and `B`

~~32~~ ~~74~~ ~~89~~

~~21~~ ~~55~~ ~~64~~

21 32 55 64 74 89

Combining two sorted lists

- Combine two sorted lists `A` and `B` into a single sorted list `C`
  - Compare first elements of `A` and `B`
  - Move the smaller of the two to `C`
  - Repeat till you exhaust `A` and `B`
- Merging `A` and `B`

~~32~~ ~~74~~ ~~89~~

~~21~~ ~~55~~ ~~64~~

21 32 55 64 74 89

Merge sort

- Let `n` be the length of L

Merge sort

- Let `n` be the length of L
- Sort `A[:n//2]`

Merge sort

- Let `n` be the length of L
- Sort `A[:n//2]`
- Sort `A[n//2:]`

Merge sort

- Let `n` be the length of L
- Sort `A[:n//2]`
- Sort `A[n//2:]`
- Merge the sorted halves into `B`

Merge sort

- Let `n` be the length of L
- Sort `A[:n//2]`
- Sort `A[n//2:]`
- Merge the sorted halves into `B`
- How do we sort `A[:n//2]` and `A[n//2:]`?

Merge sort

- Let `n` be the length of L
- Sort `A[:n//2]`
- Sort `A[n//2:]`
- Merge the sorted halves into `B`
- How do we sort `A[:n//2]` and `A[n//2:]`?
  - Recursively, same strategy!

Merge sort

- Let `n` be the length of L
- Sort `A[:n//2]`
- Sort `A[n//2:]`
- Merge the sorted halves into `B`
- How do we sort `A[:n//2]` and `A[n//2:]`?
  - Recursively, same strategy!

43	32	22	78	63	57	91	13

Merge sort

- Let `n` be the length of L
- Sort `A[:n//2]`
- Sort `A[n//2:]`
- Merge the sorted halves into `B`
- How do we sort `A[:n//2]` and `A[n//2:]`?
  - Recursively, same strategy!



Merge sort

- Let `n` be the length of L
- Sort `A[:n//2]`
- Sort `A[n//2:]`
- Merge the sorted halves into `B`
- How do we sort `A[:n//2]` and `A[n//2:]`?
  - Recursively, same strategy!



Merge sort

- Let `n` be the length of L
- Sort `A[:n//2]`
- Sort `A[n//2:]`
- Merge the sorted halves into `B`
- How do we sort `A[:n//2]` and `A[n//2:]`?
  - Recursively, same strategy!



Merge sort

- Let `n` be the length of L
- Sort `A[:n//2]`
- Sort `A[n//2:]`
- Merge the sorted halves into `B`
- How do we sort `A[:n//2]` and `A[n//2:]`?
  - Recursively, same strategy!



Merge sort

- Let `n` be the length of L
- Sort `A[:n//2]`
- Sort `A[n//2:]`
- Merge the sorted halves into `B`
- How do we sort `A[:n//2]` and `A[n//2:]`?
  - Recursively, same strategy!



Merge sort

- Let `n` be the length of L
- Sort `A[:n//2]`
- Sort `A[n//2:]`
- Merge the sorted halves into `B`
- How do we sort `A[:n//2]` and `A[n//2:]`?
  - Recursively, same strategy!



Merge sort

- Let `n` be the length of L
- Sort `A[:n//2]`
- Sort `A[n//2:]`
- Merge the sorted halves into `B`
- How do we sort `A[:n//2]` and `A[n//2:]`?
  - Recursively, same strategy!



Merge sort

- Let `n` be the length of L
- Sort `A[:n//2]`
- Sort `A[n//2:]`
- Merge the sorted halves into `B`
- How do we sort `A[:n//2]` and `A[n//2:]`?
  - Recursively, same strategy!



Merge sort

- Let `n` be the length of L
- Sort `A[:n//2]`
- Sort `A[n//2:]`
- Merge the sorted halves into `B`
- How do we sort `A[:n//2]` and `A[n//2:]`?
  - Recursively, same strategy!



Merge sort

- Let `n` be the length of L
- Sort `A[:n//2]`
- Sort `A[n//2:]`
- Merge the sorted halves into `B`
- How do we sort `A[:n//2]` and `A[n//2:]`?
  - Recursively, same strategy!



Merge sort

- Let `n` be the length of L
- Sort `A[:n//2]`
- Sort `A[n//2:]`
- Merge the sorted halves into `B`
- How do we sort `A[:n//2]` and `A[n//2:]`?
  - Recursively, same strategy!



Merge sort

- Let `n` be the length of L
- Sort `A[:n//2]`
- Sort `A[n//2:]`
- Merge the sorted halves into `B`
- How do we sort `A[:n//2]` and `A[n//2:]`?
  - Recursively, same strategy!



Merge sort

- Let `n` be the length of L
- Sort `A[:n//2]`
- Sort `A[n//2:]`
- Merge the sorted halves into `B`
- How do we sort `A[:n//2]` and `A[n//2:]`?
  - Recursively, same strategy!



Merge sort

- Let `n` be the length of L
- Sort `A[:n//2]`
- Sort `A[n//2:]`
- Merge the sorted halves into `B`
- How do we sort `A[:n//2]` and `A[n//2:]`?
  - Recursively, same strategy!

Merge sort

- Let `n` be the length of L
- Sort `A[:n//2]`
- Sort `A[n//2:]`
- Merge the sorted halves into `B`
- How do we sort `A[:n//2]` and `A[n//2:]`?
  - Recursively, same strategy!

Merge sort

- Let `n` be the length of L
- Sort `A[:n//2]`
- Sort `A[n//2:]`
- Merge the sorted halves into `B`
- How do we sort `A[:n//2]` and `A[n//2:]`?
  - Recursively, same strategy!

Divide and Conquer

- Break up the problem into disjoint parts
- Solve each part separately
- Combine the solutions efficiently

Merging sorted lists

- Combine two sorted lists `A` and `B` into `C`

Merging sorted lists

- Combine two sorted lists `A` and `B` into `C`
  - If `A` is empty, copy `B` into `C`

Merging sorted lists

- Combine two sorted lists `A` and `B` into `C`
  - If `A` is empty, copy `B` into `C`
  - If `B` is empty, copy `A` into `C`

Merging sorted lists

- Combine two sorted lists `A` and `B` into `C`
  - If `A` is empty, copy `B` into `C`
  - If `B` is empty, copy `A` into `C`
  - Otherwise, compare first elements of `A` and `B`
    - Move the smaller of the two to `C`

Merging sorted lists

- Combine two sorted lists `A` and `B` into `C`
  - If `A` is empty, copy `B` into `C`
  - If `B` is empty, copy `A` into `C`
  - Otherwise, compare first elements of `A` and `B`
    - Move the smaller of the two to `C`
  - Repeat till all elements of `A` and `B` have been moved

Merging sorted lists

- Combine two sorted lists `A` and `B` into `C`
  - If `A` is empty, copy `B` into `C`
  - If `B` is empty, copy `A` into `C`
  - Otherwise, compare first elements of `A` and `B`
    - Move the smaller of the two to `C`
  - Repeat till all elements of `A` and `B` have been moved

```
def merge(A,B):
  (m,n) = (len(A),len(B))
  (C,i,j,k) = ([],0,0,0)
  while k < m+n:
    if i == m:
      C.extend(B[j:])
      k = k + (n-j)
    elif j == n:
      C.extend(A[i:])
      k = k + (n-i)
    elif A[i] < B[j]:
      C.append(A[i])
      (i,k) = (i+1,k+1)
    else:
      C.append(B[j])
      (j,k) = (j+1,k+1)
  return(C)
```

Merge sort

- To sort `A` into `B`, both of length n

Merge sort

- To sort `A` into `B`, both of length n
- If $n \leq 1$, nothing to be done

Merge sort

- To sort `A` into `B`, both of length n
- If $n \leq 1$, nothing to be done
- Otherwise

Merge sort

- To sort `A` into `B`, both of length n
- If $n \leq 1$, nothing to be done
- Otherwise
  - Sort `A[:n//2]` into `L`

Merge sort

- To sort `A` into `B`, both of length n
- If $n \leq 1$, nothing to be done
- Otherwise
  - Sort `A[:n//2]` into `L`
  - Sort `A[n//2:]` into `R`

Merge sort

- To sort `A` into `B`, both of length n
- If $n \leq 1$, nothing to be done
- Otherwise
  - Sort `A[:n//2]` into `L`
  - Sort `A[n//2:]` into `R`
  - Merge `L` and `R` into `B`

Merge sort

- To sort `A` into `B`, both of length n
- If $n \leq 1$, nothing to be done
- Otherwise
  - Sort `A[:n//2]` into `L`
  - Sort `A[n//2:]` into `R`
  - Merge `L` and `R` into `B`

```
def mergesort(A):
  n = len(A)

  if n <= 1:
     return(A)

  L = mergesort(A[:n//2])
  R = mergesort(A[n//2:])

  B = merge(L,R)

  return(B)
```

Summary

- Merge sort using divide and conquer to sort a list

Summary

- Merge sort using divide and conquer to sort a list
- Divide the list into two halves

Summary

- Merge sort using divide and conquer to sort a list
- Divide the list into two halves
- Sort each half

Summary

- Merge sort using divide and conquer to sort a list
- Divide the list into two halves
- Sort each half
- Merge the sorted halves

Summary

- Merge sort using divide and conquer to sort a list
- Divide the list into two halves
- Sort each half
- Merge the sorted halves
- Next, we have to check that the complexity is less than $O(n^2)$