
SAM ELECTRONICS L.L.C · DEIRA · DUBAI · SINCE 2003

ROUND 4

Director's Edition

Every section written as a film:
shot by shot · light · shadow · feeling

The hero and the teardown are finished.
Every other section gets built like them.



To: Claude Design
From: the owner, Sam Electronics
Date: 11 October 2026 · replaces the 08 October version
Read this entire document before you touch a single pixel.
Every instruction here is a requirement, not a suggestion.

SECTION 0 · READ THIS FIRST

Why this edition exists

This replaces the 08 October Round 4 order. The requirements are the same; what changed is **how they are written**.

The teardown finally came out right, and the reason was simple: it was described like a **film**, shot by shot, with timings, camera moves, the exact light, the exact shadows, the materials, and how the moment should **feel**. Vague lines like "make it premium" produced generic work. Precise direction produced the best section on the site.

So every section in this edition is written the same way. Read each one as a director's script. Build exactly what the script describes, frame by frame. When the script gives a time, a colour, an easing or a size, that is the value. When it describes a feeling, every visual decision you make on your own must serve that feeling.

> **Non-negotiable:** do not "interpret" a script into something easier. Do not skip a shot because it is hard. Do not replace a shot with your own idea without telling me. If something is technically impossible in the design tool, **say so explicitly, propose the closest equivalent, and wait**. Silently delivering less is not acceptable. If you improve something, tell me in one line what you changed and why.

0.1 The benchmarks: the hero and the teardown

The **home hero** is finished and approved, and the **teardown's realism** (its parts, lighting and studio) is approved; its motion is being upgraded in Issue 1. Together they are the bar. Before you show me any section, put it next to them and answer honestly:

1. Does every object look like a **studio product photograph**, as real as the iPad and phone in the hero and the exploded phone in the teardown?
2. Is it **alive**? Does something always move, even when nobody touches anything?
3. Is it **lit**? Is there a key light, a rim light, soft shadows that follow the real shapes, and reflections?
4. Is it **rich**? Is every part of the screen worth looking at, with no dead empty zones?
5. Is it **branded**? Does it feel like Sam Electronics, not a template?
6. Is it **clean**? No clipped text, no overlaps, no leftovers, no zeros, nothing under the nav bar?

If any answer is no, the section is not done. Do not report it as done.

0.2 How to read a script in this document

Every issue page uses the same blocks, in this order:

Block	What it means
STATUS	What is approved, what is locked, what must be built.
THE FEELING	How the customer must feel in this section. Every decision serves this.
WHAT IS WRONG NOW	What I saw in the current version. Every point must be gone.
THE SET	The environment: background colour values, light positions, materials, shadows, atmosphere. This is the photograph before anything moves.
THE FILM	A shot list. Each row has a time (seconds for time-based scenes, scroll % or steps for scroll-driven scenes), a shot name and exactly what the customer sees.
INTERACTION	What happens on hover, click, drag.
IDLE LIFE	What keeps moving forever when nobody touches anything.

Block	What it means
DO NOT	Forbidden. Any one of these means the section is rejected.
DONE WHEN	Every box must be true. Confirm each by name.
CAPTURE	The exact frames I need to see.

0.3 The motion vocabulary (so we mean the same thing)

Word	Meaning
expo-out	Fast start, long soft landing. Default for anything entering. CSS: cubic-bezier(0.16, 1, 0.3, 1).
ease-in-out	Soft start and soft end. For camera moves, glides and scroll travel.
settle	The object overshoots its final position by 2–6px or 2–4°, then comes back. Gives weight. Never more than one bounce.
stagger	Elements in a group start one after another with a fixed gap (e.g. 60ms).
mask reveal	Text rises from behind an invisible edge, as if cut out by a blade. No fade, no bounce.
blur to sharp	Starts at 8–12px blur, 0% opacity, 12–20px lower; arrives sharp. Like a camera racking focus.
light sweep	A soft diagonal band of light glides across glass or metal once. 20–30% white, soft edges, never a hard bar.
camera push	The whole scene scales up 2–4% slowly, as if the camera moves closer.
hold	Nothing new enters, but idle life continues. Never a frozen frame.

0.4 How we work (strictly)

1. **One batch at a time**, in the order of Section S. Start a **new chat for each batch** and read CLAUDE.md first.
2. Build each section in its **own preview page** ("Preview [Section].dc.html"). Never work on the full home page until batch 10.
3. Capture at **1440×900 and 1366×768**. A still image of an animated section is never proof: send the frames named in CAPTURE.
4. **Finish every section you start.** If you hit your limit, stop only at the end of a numbered issue and tell me exactly what is done and what is not started. Never leave a section half-built.
5. For every section, answer each DONE WHEN box by name, yes or no, honestly.
6. After a section is approved, write it into CLAUDE.md as LOCKED so no future round changes it.

0.5 Things I will reject immediately

- A plain white section, or plain flat yellow with nothing designed in it.
- Any product drawn as a flat rectangle, a cartoon, a bar, a stick, a blob or a grey slab.
- Any visible light **shape**: spotlight cones, triangles, trapezoids, hard bars of light, LED bars sliding up and down.
- A hard horizon line where a floor meets a wall. Square or rectangular shadows. Black blocks under objects. Dark ellipse "floors".
- Pitch-black stages. Our darks are **graphite**, never black.
- Dot grids, stripe textures, tiled patterns or busy circuit wallpaper behind content.
- Dust shaped like hair or fibres, dust outside the light, or big white dots.
- Text inside a device screen that touches the screen's edges, or yellow glow blobs behind on-screen text or logos.
- Any circuit touching or crossing text, buttons, cards or images (24px clearance).

- Any leftover: "browse files", "No reviews yet", repeated "coming soon", blank shapes, clipped words, "0 in stock", "AED 0".
- Anything sitting under the nav bar or cut off at the bottom of the screen.
- Any section where nothing moves. Any airport, travel, passport or boarding theme.

SECTION G · GLOBAL RULES · APPLY EVERYWHERE, ALWAYS

Global rules

These apply to every section, page and state, and override anything older that contradicts them. G11–G15 are new: they are the lessons that made the teardown work. Read them twice.

G1. Realism

- Every object (phones, parts, tools, cartons, boards, devices) is a **studio product photograph**: real proportions, real corner radii, real materials (glass, satin and brushed metal, PCB with solder mask, foil, corrugated cardboard, matte plastic), key light, rim light, contact shadow, reflections.
- Real 3D where needed (Three.js, bevelled rounded geometry, physical materials, an environment map built in code, ACES tone mapping, full device pixel ratio).
- Small parts are **matte** where real parts are matte. Shine only where real objects shine (glass, polished metal).
- No real assets exist yet and none will be supplied for the design. Everything must look real **by itself**. Where a photo will come later (shop, team, Google reviews), build a tasteful placeholder frame, never a blank card or cartoon.

G2. Motion: three layers in every section

- **Entrance:** every section has an opening film when it enters the viewport (headline by mask reveal or blur to sharp, objects arriving with weight). **No plain fades:** every entrance combines at least two of movement, scale, blur, mask and light.
- **Idle life:** something always moves on its own (current flowing, light breathing ±3% over 6s, an object turning on a slow turntable, numbers ticking, dust falling).
- **Interaction:** every interactive element reacts on hover and click.
- Everything **replays** when scrolling back. Nothing stops dead; nothing freezes. Animate transform and opacity; pause everything off-screen; target 60fps; static fallbacks for reduced motion.

G3. Circuits

- **Keep the circuits** as decoration, in the hero's spirit. **Keep the nav progress line.**
- No single bus forced down the page. Each section designs its own circuits where they fit; some sections may carry one long circuit through empty space.
- Current is **soft flowing light streaks** (80–160px gradient dashes at different speeds), never dots; a brighter surge when something happens nearby.
- Background circuits at 8–12% opacity, empty space only. **24px clearance** from all text, buttons, cards, images and icons. No exceptions.

G4. Palette

Colour	Value	Role
Signal Yellow	#F7C032	Energy, highlights, primary buttons, current, active states. A full field only where the Environment Map says so.
Amber core	#C98A12	Only inside warm light blooms (the centre of a glow fading out to Signal Yellow).
Graphite	#26282B / #3D3E3F	Dark environments and cards. Stages range #2A2C2F (edges) to #3E4044 (lit centre). Never black.
White	#FFFFFF	Cards, text on dark.
Fog	#F2F3F4	Light environments, always with grain and light, never flat.
Status green / amber / red		ONLY for the open / closing soon / closed status dots and error states.

- Nothing off-palette in decoration (no random green ticks, blue globes, brown cartoon cartons, red stamps, blue sketch lines).

G5. Typography

- Space Grotesk headings, Inter body, JetBrains Mono for data and eyebrows, IBM Plex Sans Arabic.
- Every section uses the **hero's exact type scale, buttons, cards, chips and pills**. Copy the hero's components; do not invent new ones.
- Headlines always enter with motion. Brand names appear each in its own wordmark style where they are shown as brands.

G6. No leftovers

- No upload widgets in public view, no "No reviews yet" (hide the rating instead), no repeated "coming soon" lists, no blank grey shapes, no clipped chips or tickers (fade masks on empty space), no outdated models, no data that contradicts itself.

G7. Status dot (everywhere)

- Light green softly pulsing = Open · Amber = closing within 30 minutes · Red = Closed. Never grey or black. Nav pill, Visit-us card, footer, everywhere.

G8. The "Ask Samsoom" launcher (every page)

- A pill launcher: Samsoom's face + text. The pill's width always fits its current message exactly (it animates its width), and the text is vertically and horizontally centred.
- Cycle (every 15–20s): collapsed circle, Samsoom waves and smiles → the pill extends with "Ask Samsoom" → collapses, Samsoom blinks → extends with a different message for the page and time ("Need a screen?", "Open till 22:00", "Trade prices? Ask me", "Track my order") → repeat. After a few ignored cycles it rests.
- Emotes between cycles, rarely and short (about 1.2s): a little dabke step, blowing a kiss, a wink, a thumbs-up.
- The online dot is green and pulsing, sitting exactly on the circle's edge. It never covers buttons or content.

G9. Language and themes

- One language per view; the Arabic view is fully right-to-left. No airport, travel, passport, ticket or terminal themes. Ever.

G10. Mobile (deferred)

- Do **not** design or capture mobile in batches 1–10. Build every section so it **can** stack vertically (no layout that only works wide).
- Mobile gets its own dedicated round (batch 11) after the whole desktop page is approved.

G11. Light and shadow: the studio rulebook (new)

- Every scene is lit like a real photo studio: a **key light** (large softbox, usually top-left) that shows as a big soft rectangular reflection on glass; a **fill** from the opposite side so shadows are never pure black; a warm **rim light** from behind that draws a thin bright edge around objects.
- Light is never a visible shape. Where it lands on a surface it makes a soft **elliptical pool** (a circle in perspective), brightest under the object, falling off naturally and feathered over 30–40% of its radius.
- Floors and walls meet with **no visible horizon** (a seamless cyclorama). The floor fades into the darkness behind.

- Shadows: a **contact shadow** that follows the object's real outline, darkest where it touches, then a soft penumbra fading outward, falling away from the key light. Floating objects cast lighter, larger, blurrier shadows the higher they float. Never squares, never black blocks.
- Reflections on polished floors: sharp at the contact point, blurring and fading out within about 25% of the object's height, at 30–40% strength.
- Test every lit scene at full screen brightness and on a dark screen. It must read on both.

G12. Atmosphere (new)

- Dust, where used: tiny round soft specks (1–2px, a few 3px), soft white to warm white (#FFFFFF to #EDE6D8), 10–30% opacity, only inside the light zone, each drifting slowly in its own random direction (here and there) with a very slight downward drift, sometimes twinkling as it crosses the key light. Never fibres or hair, never in front of objects or text.
- Bokeh, where used: a few large, very soft out-of-focus discs deep in the background, drifting slowly, 3–8% opacity.
- Grain: a fine film grain (2–3%) on fog and yellow fields so they never look flat.

G13. Data (new)

- Zero tolerance: never "0 in stock", never "AED 0", never an empty value. Every sample number is believable and consistent across the page (the same part has the same stock and price wherever it appears).
- Sample data is marked as sample where the owner still has to confirm it (same-day repairs, minimum trade units, countries shipped to, warranty periods).

G14. Screens inside devices (new)

- Anything playing on a phone or tablet screen is rendered at full device pixel ratio (at least 1080×2340 for phones), razor sharp.
- Safe margins: 12% left and right, 10% top and bottom. On-screen headlines about 9% of the screen width, never touching the edges.
- No yellow glow blobs or LED light behind on-screen text or logos. Only a subtle glass reflection over the screen.
- Screen adverts follow the hero's ad structure: mono eyebrow, bold 2-line headline, real lit part render, one line, a pill button with a price.

G15. One parts library: the teardown parts, everywhere (new)

The 3D parts in the teardown are the standard for every part on the whole website. They look like literal studio photographs: real proportions, real materials, real labels and connectors, lit with a softbox, a rim light and contact shadows. Every other place that shows a part must show **these exact models** at **this exact quality**. No new simpler drawings, no icons standing in for parts, no flat thumbnails.

- Build one shared **parts library** from the teardown models: Screen, Frame, Flex cables, Logic board, Battery, Cameras, Small parts (side buttons, speaker, charging port, vibration motor, SIM tray, screws), Back glass. Write it into CLAUDE.md as the single source.
- Use the library **everywhere a part appears**: the What we offer family cards and all three service ads, the Showcase screen ads, the teardown's final-call chips and phone advert, Find My Part part cards and thumbnails, deal cards, Live Board thumbnails, the hero phone-reel cards, hover tags, cart toasts, Samsoom's answer cards, the Bench Test phone, every icon-sized thumbnail.
- Small sizes too: a 40px thumbnail is a real render of the same model at a fixed 3/4 angle with the same lighting, not a simplified icon.

- Render every library part with the **same studio lighting preset** (softbox top-left, warm rim, fill right, contact shadow) so parts look like one photo shoot wherever they appear. On dark backgrounds the shadow is soft and the rim brighter; on fog, white or yellow backgrounds the shadow is a soft warm grey, never black.
- The same standard applies to every **other object**: cartons (real corrugated flute texture, tape with a slight sheen and wrinkles, printed labels with barcodes, soft dents on edges), the Service Pack box (printed cardboard, a crisp fold, a satin seal), pallets (real wood grain), shrink-wrap (thin, glossy, wrinkled), price tags (card stock, punched hole, string), badges and lanyards (fabric weave, plastic sheen, metal clip), stamps (ink texture, slightly uneven). Studio photograph quality, never clip-art.
- Any phone shown anywhere (hero, repair ad, Bench Test, Feed, Samsoom's body) uses the **same assembled phone model** as the teardown.

SECTION E · ENVIRONMENT MAP

Every section gets its own environment

No plain white sections, and **never the same environment twice in a row**. If you want to change a line, propose it and wait.

#	Section	Environment	Issue
1	Hero + brand rail	Graphite + yellow slab (APPROVED, keep)	1B
2	Teardown	Graphite studio cyclorama, golden bloom and bokeh finale	1
3	What we offer	Warm fog studio for the 8 family cards, then three full-bleed ads: graphite Repair, yellow Wholesale, white Worldwide	2
4	Live Parts Board	Clean living graphite	3
5	Bench Test	Full yellow, studio vignette, bench surface	5
6	The Showcase (screen ads)	Warm fog studio; ads inside are graphite | yellow split	6
7	Deals & arrivals	Graphite with soft warm light	7
8	Repair Lab	Clean light lab (Part 1 spec)	—
9	Wholesale / Trade Floor	Yellow with branded tape and depth	8
10	Worldwide	Dark dot-matrix map, graphite	9
11	Story & branches	Warm fog with yellow light and grain	10
12	Team (Staff Badges)	Graphite wall, one spotlight	11
13	Who are you? (lanes)	Warm fog; light shifts with the active lane	12
14	Sam Circuit (Charging Station)	Graphite studio, yellow only as energy	13
15	Meet Samsoom	Warm yellow studio	14
16	The Feed (social)	Graphite studio	15
17	Reviews	White with soft yellow light	15
18	Request console + Visit us	Yellow; console graphite, visit card white	16
19	Finale (Power-Up)	Deep graphite stage, emblem spotlight	17
20	Footer	Same on every page	—
all	Find My Part (overlay)	Graphite glass over a blurred page	18

Neighbour check: Teardown (graphite) → What we offer (fog) → its last ad (white Worldwide) → Live Board (graphite). Inside What we offer the three ads alternate graphite → yellow → white, so no two neighbours match.

ISSUE 01 · FULL CINEMATIC TRANSFORMATION · KEEP THE CONCEPT

Teardown: the trailer cut

STATUS: Keep the concept and what is approved: the three-zone layout (title and part card left, phone centre, smart list right), the teardown parts library models, the studio set, the step-by-step scroll, the x-ray drawer hover, the final call layout and the warm golden bokeh in the final call (loved). **Transform** everything about how it moves, how it is revealed, and the advert. Work in Preview Teardown.dc.html. This issue is done before Batch 0.

THE FEELING. A **movie trailer**. Not a web page that fades things in: a sequence that hits. Lights snap on, the title slams in, the phone appears as a silhouette and is revealed by light, then breaks open in a burst. Every step is a new camera angle. The climax is fast, loud (visually), and lands on a golden final shot. The customer should feel excited and want to keep scrolling, like watching a trailer for a product launch.

What is wrong now

- **Weak animation:** only "Take any phone apart." moves. Everything else just appears with a plain fade. Boring.
- **The phone flies too high and then drops aggressively:** at step 02 a layer shoots above the stage and is cut off under the nav bar, then the stack falls back down hard. The motion is jumpy, not smooth.
- **Out of sync:** the counter says 02 / 08 and the list highlights Frame, but the part card still shows 01 Screen.
- **The leader line** starts from a layer hidden under the nav and ends at the wrong row.
- **The dust is gone.**
- **The advert is boring and empty:** text arrives, stops, then the next thing arrives; big empty white areas; a small product; weak yellow-on-grey titles; the logo has no proper moment.
- **The final call chips** are plain grey boxes on a grey background with tiny thumbnails.
- **The stats row** (8 · 14 · 9,000+) is unevenly spaced: the numbers are not equally apart and the labels do not line up.

Motion rules for this section (these override the defaults)

- **No plain fades.** Every element that enters combines at least two of: movement, scale, blur, mask reveal, light. An element that only fades in is a defect.
- **Rhythm like a trailer:** fast entrances (200–450ms, expo-out), short holds, then the next beat. Tension (slow) → impact (fast) → breath (slow) → impact.
- **Impact frames:** on big moments (title words landing, the burst, each reassembly lock) the whole stage gets a micro camera shake (2–3px, 120ms) and a quick 2% scale punch that settles.
- **The stage box:** the phone and every layer always stay inside a fixed box in the centre zone, from 48px below the nav to 48px above the bottom of the screen. No layer may ever leave it, go under the nav, or be cut off. If the exploded stack is too tall, it is scaled to fit.
- **Smooth camera:** all phone and stack movement between steps uses ease-in-out over 800–1000ms along a smooth curve. No up-then-down, no drops, no overshoot above 6px.
- **Always in sync:** the counter, the list's active row, the part card and the leader line change together in the same frame. Never out of step.

THE SET (unchanged, plus the dust)

THE SET: background, light, materials, shadows, atmosphere

- Keep the graphite studio cyclorama, the elliptical light pool, the softbox reflections, the rim light, the contact shadows and the floor reflection (G11).
- **Dust is back, as tiny white dots:** very small round specks (1–2px, a few 3px), soft white (#FFFFFF to warm white #EDE6D8), 10–30% opacity, **only inside the light zone** (the light pool and the haze above the phone), fading out at the light's edge.
- They float **here and there**: each one drifts slowly in its own random direction (gentle, like dust hanging in a light beam), with a very slight overall downward drift. Some briefly twinkle brighter as they cross the key light. Never in front of the phone, the stack or text. About 60–90 specks.
- Behind everything: a faint, very soft warm vignette, so the stage is never flat.

THE FILM: opening (time-based, about 3.4s)

Time	Shot	What the customer sees
0.0–0.5s	Lights on	The section arrives on a dim graphite stage (never black). Like a studio light warming up, the light pool fades up with one soft flicker (100% → 70% → 100% in 150ms). The dust appears in the light as it comes on.
0.4–1.3s	Title slam	"Take any phone apart." hits word by word (110ms apart): each word starts at 118% scale and 10px blur and slams down to 100% sharp in 220ms. The last word lands with an impact frame. A light sheen runs across the line.
1.2–2.0s	Silhouette	In the centre zone the phone appears **only as a silhouette**: completely dark, with just the rim light tracing its outline from the top down, like a car reveal in a dark showroom. It slowly turns on a turntable.
2.0–2.8s	Reveal	The key light fades up across the phone from left to right: the softbox reflection slides over the glass, the metal frame catches the light, materials appear. Its shadow and floor reflection form. At the same time the title glides on a curve into the left zone and "We stock every layer." rises from a mask in yellow.
2.6–3.4s	Interface	The UI **builds**, never fades: the card's border draws itself around its shape (300ms), then its content assembles (label types, name masks up, numbers scramble like a slot machine and land, chips pop in one by one, the button slides up). The right list's rail draws down and each row ticks in with its LED clicking on then off (50ms apart). The counter's digits roll in.
3.4s →	Ready	Hold. The phone breathes on its turntable; the dust floats; a small "Scroll to take it apart" hint appears with an animated mouse.

THE FILM: steps 01–08 (one scroll = one step, as now)

Time	Shot	What the customer sees
scroll 1	The burst	Tension then release: the phone tilts to its 3/4 angle and "inhales" (shrinks 3% over 300ms). Then it bursts open: all 8 layers separate in a fast cascade (40ms apart, 450ms each, expo-out) into the exploded stack, with an impact frame. A soft ring of light passes over the floor. Everything stays inside the stage box.
each step	New angle	The camera orbits to a new angle for each layer, alternating sides (about ±12°), and pushes in slightly towards the active layer (smooth, ease-in-out, 900ms). Rack focus: inactive layers blur slightly and dim to 70%; the active layer is sharp and lit.
each step	Spotlight	The active layer lifts out 20px towards the camera and turns a few degrees; a light sweep crosses it once; its edge glows soft yellow; its own micro-animation plays (screen flickers on, rim sweep on the frame, current pulse on the flex, traces lighting on the board, charge bar on the battery, apertures on the cameras, screws turning on small parts, a gloss slide on the back glass).
each step	Data hit	In the same frame: the counter rolls, the list's row LED clicks on, and the leader line draws from the active layer's visible edge to the active row (300ms). The part card swaps with a flip: the old content slides up and blurs out, the new content assembles in (name masks up, numbers scramble and land, chips pop, the Fits row types in).

Time	Shot	What the customer sees
each step	Callouts	2–3 spec callouts draw out from the active part (the line draws first, then the label types in), on clean paths that never cross other layers.

THE FILM: the climax into the final call

Time	Shot	What the customer sees
0.0–1.0s	Climax	After step 08, the next scroll triggers the climax. The tempo speeds up: the layers slam back together in reverse, rapid-fire (90ms apart), each lock with a spark on its seam and a small impact frame. The camera pushes in with each lock.
1.0–1.2s	Lock	The final layer (Screen) locks with a bright white flash on the glass (120ms) and a stronger impact frame.
1.2–2.2s	Whip	The camera whips (fast smooth rotation with slight motion blur) to face the phone head-on; the phone rises to its final-call size and position, standing.
1.4–2.6s	Dust to gold	**The transformation:** the tiny white dust specks start to grow, warm up from white to amber and Signal Yellow, and defocus, turning into the large soft golden bokeh orbs of the final call. At the same time, the golden bloom rises from the floor behind the phone. The dust literally becomes the light.
2.2–2.8s	Power on	The screen powers on with the logo intro of the advert (below).

The final call: fixes and upgrades

- **Entrance (no fades):** the live pill slides in from the left with its green dot pulsing; the headline lines slam in like the opening title (scale + blur, 120ms apart); "In stock in Deira." lands last in yellow with an impact frame and its sheen; the stats count up; the chips cascade in; the buttons slide up.
- **Stats row:** three equal columns of exactly the same width, numbers the same size on one shared baseline, labels aligned on one line under them, thin vertical dividers between the columns. Numbers count up with a slot-machine roll, landing one after another (8 → 14 → 9,000+).
- **The 8 chips become mini product cards**, not grey boxes:
  - a larger library render (about 56px) on a tiny lit pedestal, with its contact shadow;
  - name, then "2,211 in stock" and "from AED 70" on two short lines;
  - a thin stock bar along the bottom edge that fills on entrance;
  - glass surface that **catches the golden bloom**: the cards nearer the phone get a warm yellow reflection along their top edge, so they belong to the scene;
  - hover: the card lifts, its render turns, its stock bar glows, and the x-ray drawer pulls that layer out of the phone (keep the existing hover).
- Keep the golden bokeh orbs in the background (they come from the dust, see the climax). They drift slowly; a few pass slowly in front of the bloom.
- Buttons keep their shimmer and magnetic hover.

The phone advert: a real cinematic commercial

The current ad is slow, empty and boring. Rebuild it as a real commercial: fast but readable, full screen, constantly moving, with a proper cinematic logo at the start and the end. G14 applies (safe margins, sharp, no glow blobs). About 15s, infinite seamless loop, paused off-screen.

- **Every frame is full:** the product is big (50–60% of the screen height); behind it a huge outlined word moves slowly sideways (graphite or white at 6–8%); soft light streaks and the product's shadow and reflection. No empty areas.
- **Text never stops dead:** every line has in → hold → out. It enters fast (250ms), holds at least 0.7s so it can be read while drifting slowly, then exits fast (200ms). Words can come from different directions.

- **Strong contrast only:** graphite on yellow, white on graphite, graphite on white. Yellow text only on graphite. Never yellow on grey.
- **Transitions with motion:** whip pans with motion blur, zoom-throughs (the camera flies into an object and out into the next scene), diagonal colour wipes. Never a plain crossfade.

THE FILM: the advert (about 15s, looping)

Time	Shot	What the customer sees
0.0–2.2s	Logo open	Black screen. A thin light sweep travels slowly across, revealing the logo as if light is gliding over polished metal. The logo scales slowly 92% → 100%. "SAM ELECTRONICS" fades in while its letter spacing closes from very wide to normal. "QUALITY · WARRANTY · PRICE" appears softly underneath. A slow, premium, confident open.
2.2–2.5s	Zoom-through	The camera flies into the logo and out into yellow.
2.5–4.2s	Battery (yellow)	The giant outline word "POWER" drifts behind. The battery flies in rotating and lands big with a shadow; a charge bar sweeps up its label. "Full day." slides in from the left, "Every day." from the right (graphite). The pill "From AED 35 →" pops in.
4.2–4.4s	Whip pan	A fast horizontal whip with motion blur into graphite.
4.4–6.0s	Cameras (graphite)	A macro push into the lens: the rings rotate and a glint crosses the glass. "Sharp" punches in (scale 120% → 100%), then "again." in yellow. The pill pops.
6.0–6.3s	Zoom-through	The camera flies into the lens and out into white.
6.3–7.9s	Back glass (white)	The back glass spins in a full turn and stops with a reflection sweeping across it. "Factory" / "finish." (graphite) masks up. The pill pops.
7.9–8.1s	Wipe	A diagonal yellow wipe.
8.1–9.7s	Small parts (yellow)	The small parts burst out from the centre and snap into a neat flat-lay grid, each landing with a tiny bounce. "The small parts" / "that matter." The pill pops.
9.7–11.2s	Montage	A rapid montage: 5 cuts of 0.3s, each part full-screen with its price flashing, the tempo speeding up like a heartbeat, ending on a white flash.
11.2–11.9s	Statement	"All in Deira." in huge white type on graphite, slamming in with an impact.
11.9–15.0s	Logo close	The logo forms from tiny particles of light gathering together (like the dust), then a slow light sweep crosses it. "SAM ELECTRONICS" and "QUALITY · WARRANTY · PRICE" settle beneath, then a yellow "Find My Part" pill (the real page button pulses once at this moment). Hold 1s, then a slow fade to black (0.6s) and the loop restarts with the logo open.

More ideas you may add (only if they look premium)

- A thin progress bar of 8 segments under the stage, filling with each step, as a timeline of the "trailer".
- On the burst, a few tiny screws and clips spin out with the layers and float in the stack for a moment before settling into the Small parts tray.
- A subtle chromatic edge on the white flash at the final lock (one frame), like a camera flash in a film.
- Tell me in one line what you added and why.

DO NOT

✕ No element enters with only a fade.
✕ No layer ever leaves the stage box or goes under the nav.
✕ No up-then-down or dropping motion.
✕ Counter, list, card and leader line never out of sync.

✕ No hair or fibre dust; no dust outside the light.
✕ No empty ad frames, no stopped text, no yellow on grey.
✕ No plain grey chip boxes; no uneven stats.

DONE WHEN (every box must be true, or the section is not done)

[ ] Opening plays: lights on → title slam → silhouette → reveal → the UI builds (no fades).
[ ] The burst plays on the first scroll, inside the stage box.
[ ] Each step: new camera angle, the lift and light sweep, the micro-animation, the data hit, all in sync.
[ ] Phone motion smooth; nothing cut off; nothing under the nav.
[ ] Tiny white dust back, only in the light, drifting here and there.
[ ] Climax plays: rapid locks → white flash → whip → the dust turns into the golden bokeh.
[ ] Stats evenly spaced on one baseline; chips are lit mini product cards catching the bloom.
[ ] The advert plays the full film with the cinematic logo open and close, and loops.
[ ] Any unfinished part listed honestly.

CAPTURE BEFORE REPORTING

Build a capture page that can freeze any moment, and send real frames: the opening at 0.3s, 0.9s, 1.6s, 2.4s and 3.2s; the burst mid-cascade; step 02 and step 06; the climax mid-locks and mid dust-to-gold; the final call complete; the advert logo open, the battery scene, the montage and the logo close. Answer yes only for what you can see in a frame.

ISSUE 01B · SMALL FIXES · STILL OPEN

Hero devices: phone ad reel and iPad cart

STATUS: The hero is approved and stays exactly as it is, except these two moments, which were requested before and are still not done.

THE FEELING. Every tap and every card in the hero should feel like a real product working perfectly in your hand: crisp, satisfying, believable.

Fix A: the repair card in the phone ad reel

It currently shows a random, unidentifiable component. Replace it with this 4-second film, playing inside the phone screen (G14 applies):

THE FILM (shot by shot)

Time	Shot	What the customer sees
0.0–0.6s	Cracked	A real phone screen in macro, cracked from the bottom-left corner: fine spider cracks with sharp edges catching the light, the display dim and broken underneath.
0.6–1.8s	Healing	Each crack fills with a thin warm yellow light, then seals line by line from the impact point outward, the glass closing behind the light like a zip. The light fades as each line closes.
1.8–2.4s	Boot	The repaired screen boots: black, then the Sam Electronics logo appears crisp in full colour, with one clean white light sweep across the glass.
2.4–4.0s	Message	Eyebrow "REPAIRS · TESTED". Headline "Cracked screen?" / "Fixed, tested, guaranteed." by mask reveal. Yellow pill "Book a repair →" pops in with one small settle.

- Check **every** other card in the reel: each must show a correct, recognisable product (screen, battery, back cover, frame, flex, camera, small parts) or service.

Fix B: the iPad add-to-cart

The cart currently turns into a plain yellow box. Replace it with this 1.4-second moment:

THE FILM (shot by shot)

Time	Shot	What the customer sees
0.00–0.15s	Tap	A soft finger-tap ripple spreads from the "+" button (white at 30%, expo-out).
0.15–0.75s	Flight	A small copy of the product image lifts off the card and flies in a smooth arc to the iPad's cart icon, shrinking to 20% and gaining a slight motion blur mid-flight.
0.75–1.00s	Land	The cart icon bounces (1 → 1.2 → 1, one settle). The badge number rolls up by one like an odometer.
1.00–2.50s	Toast	A slim graphite toast slides up from the bottom of the iPad screen: "✓ Added · [product name]". It holds 1.5s and slides back down. It stays inside the bottom 12% of the screen and never covers the grid.

DONE WHEN (every box must be true, or the section is not done)

[ ] Every phone-reel card shows a correct, realistic visual.
[ ] The repair card plays crack → heal → boot → message.
[ ] The iPad cart plays tap → flight → land → toast. No yellow box.

[ ] Nothing else in the hero changed.

CAPTURE BEFORE REPORTING

Repair card: one frame mid-heal, one with the message. iPad: one frame mid-flight, one with the toast.

ISSUE 02 · NEW SECTION · REPLACES THE PARTS CABINET

What we offer: the 8 families and the 3 service ads

STATUS: The Parts Cabinet is **cancelled completely**: file deleted, never to be rebuilt. No drawers, no cabinet circuits, no logo node. This section replaces it and comes directly after the teardown. The teardown was the fun welcome; this is the formal overview of everything we sell and do.

THE FEELING. Walking into a premium flagship store after the show: calm, bright, organised, expensive. First you see every product family laid out like jewellery under soft light. Then three big commercials hit one after another, each in its own colour, each confident and fast. The customer should think: "They have everything, and they do everything."

Part A: The 8 product families

THE SET: background, light, materials, shadows, atmosphere

- Background: warm fog studio (#F2F3F4 lifting to #FAFAF8 in the centre), fine 2% grain, a very soft warm light from the top-left. It must feel like daylight after the teardown's dark studio.
- Transition from the teardown: the teardown's graphite brightens into fog over the first 20% of this section's height, like a studio's lights coming up. No hard edge between the two sections.
- Cards: white with a faint glass edge (1px white at 60% on the top edge), radius as the hero's cards, a soft shadow below (G11: following the card's shape, never a hard line).
- Each card contains a small round pedestal (satin graphite) where the part stands, lit by its own tiny key light: soft rectangular reflection on glass parts, contact shadow on the pedestal.
- Parts: the **teardown parts library (G15)**, the exact same models at the same studio quality: Screen, Frame, Flex cables, Logic board, Battery, Cameras, Small parts, Back glass. The phone in the Repair ad is the teardown's assembled phone. The cartons, tape, labels, tag and pallet in the Wholesale ad follow the G15 object standard.

LAYOUT (1440×900)

- Top: eyebrow "WHAT WE OFFER" (mono, yellow-dark #8A6A10 on fog), headline "Every part. Every service." / "One shop in Deira." (second line in graphite at 60%), and a one-line intro on the right.
- Below: 8 family cards in a 4 × 2 grid, about 300 × 340px each, 24px gaps. Everything (header + both rows) fits in one 900px screen.
- Each card, top to bottom: the part on its pedestal (top 55% of the card) · family name (Space Grotesk 22px) · "2,211 in stock · 14 brands" (mono 13px) · grade chips (hero chip style) · "from AED 70" left and a "Shop →" link right, on one line.

THE FILM: entrance (time-based, plays when the section enters)

Time	Shot	What the customer sees
0.0–0.8s	Title	The headline rises line by line by mask reveal (100ms apart). The eyebrow types in letter by letter.
0.4–1.6s	Wave	The cards rise into place in a wave from top-left to bottom-right (60ms stagger), each from 24px lower and at 0% opacity, expo-out with a 3px settle.

Time	Shot	What the customer sees
0.8–2.2s	Parts land	In each card, the part drops onto its pedestal from 30px above, turning 40° as it falls, landing with a tiny settle. Its contact shadow forms the moment it touches.
1.4–2.6s	Numbers	Stock numbers count up from 0 (mono digits rolling). Grade chips pop in one by one.

INTERACTION

- Hover a card: it lifts 6px (its shadow grows softer and larger), the part rotates smoothly to a 3/4 angle over 500ms and a light sweep passes across it, the pedestal's rim glows faint yellow, "Shop →" arrow slides 4px right. Mouse out: everything returns in 400ms.
- Click a card: opens the shop filtered to that family.

IDLE LIFE (what keeps moving when nobody touches anything)

- Every part turns very slowly on its pedestal (one turn per 30s), each card starting at a different angle so the row never moves in sync.
- Every 8–10s, one soft light sweep passes across the whole row of parts from left to right, catching each part's glass or metal for a moment. A reflection, never a visible bar.

Part B: The three service ads (full-bleed commercials)

Three full-width ad bands, each about 85vh tall, stacked one after another: **Repair (graphite) → Wholesale (yellow) → Worldwide (white)**. Each is a commercial with its own film, playing when the band reaches 40% into the viewport, then holding with idle life. The layout alternates: Repair = text left / scene right, Wholesale = scene left / text right, Worldwide = text left / scene right.

- Transition between bands: the next band's colour sweeps in as a diagonal wipe (about 15°) as you scroll into it, tied to scroll position, so it feels like a cut in a commercial.
- Each band uses the hero's components: mono eyebrow, big Space Grotesk headline (2 lines), one short paragraph, a stat strip of 3 count-ups, a primary and a secondary button.

AD 1 · REPAIR · GRAPHITE

THE SET: background, light, materials, shadows, atmosphere

- Graphite studio (#2A2C2F edges to #3E4044 behind the phone), polished dark floor with a soft elliptical light pool, no horizon line (G11).
- Key softbox top-left reflecting on the phone's glass; warm rim light behind; dust falling slowly in the light (G12).

THE FILM (shot by shot)

Time	Shot	What the customer sees
0.0–0.8s	The patient	A realistic phone lies face-down on the floor in the light pool. It flips over with weight (rotates 180° and settles), revealing a cracked screen: sharp spider cracks catching the key light.
0.8–2.0s	The fix	The cracks fill with warm yellow light and seal line by line from the impact point outward. A thin scan of light follows the last crack and the glass is whole.
2.0–2.6s	Boot	The screen boots: the full-colour logo, one white light sweep, then a home screen.
2.6–3.6s	Tested	Beside the phone, a test checklist ticks in one line at a time with a soft click each: Touch ✓ · Display ✓ · Face ID ✓ · Speaker ✓. A round "TESTED" seal stamps beside it with a small shake.
0.4–2.4s	Text	Eyebrow "REPAIR LAB". Headline "Broken today." / "Fixed today." (second line yellow). Stats count up: same-day repairs* · warranty on every repair* · since 2003. Buttons: "Book a repair" (yellow), "See repair prices" (outline).

IDLE LIFE (what keeps moving when nobody touches anything)

- The phone breathes on a slow turntable (±8°), the softbox reflection sliding over its glass; the dust falls; every 6s the checklist re-ticks quickly.

AD 2 · WHOLESALE · SIGNAL YELLOW

THE SET: background, light, materials, shadows, atmosphere

- Full Signal Yellow field with 2% grain and a soft studio vignette (edges 8% darker). A light wooden pallet sits on a subtle bench-grey floor with a soft shadow.
- Cartons: real corrugated cardboard (visible flute texture on the edges), muted kraft colour, yellow tape printed "SAM ELECTRONICS", a white shipping label with a barcode.

THE FILM (shot by shot)

Time	Shot	What the customer sees
0.0–1.6s	The drop	Cartons drop onto the pallet one after another (6 cartons, 180ms apart), each landing with weight: a small squash on impact, a settle, a puff of dust at the base, its contact shadow snapping in.
1.6–2.2s	The wrap	Shrink-wrap sweeps around the stack in one spiral motion with a moving plastic shine.
2.2–3.0s	The price	A price tag swings in on a string beside the pallet: "Retail AED 125". It flips like a card to "Trade AED 98" and a "−22%" badge stamps on its corner.
3.0–3.8s	The count	A unit counter rolls 10 → 50 → 100 units, with a carton added to the stack at each step.
0.4–2.4s	Text	Eyebrow "WHOLESALE · TRADE". Headline "Stock up." / "Cost down." (graphite). Stats: trade prices from X units* · same-day quotes · since 2003. Buttons: "Apply for trade prices" (graphite button, white text), "How trade works" (outline graphite). Buttons must never be cut off.

IDLE LIFE (what keeps moving when nobody touches anything)

- The price tag swings gently on its string; a soft light sweep passes over the shrink-wrap every 7s.

AD 3 · WORLDWIDE · WHITE

THE SET: background, light, materials, shadows, atmosphere

- White field with a very faint warm light from the top-right and fine grain, so it never looks flat.
- A globe made of graphite and fog dots (dot-matrix style, matching the Worldwide section), on palette only: graphite dots, yellow for Dubai and the active route, white highlights. No blue, no green.

THE FILM (shot by shot)

Time	Shot	What the customer sees
0.0–1.0s	The world	The dot globe fades in and rotates slowly to bring Dubai to the front. Dubai pulses yellow.
1.0–2.4s	The route	A glowing yellow arc draws from Dubai to the destination (cycling: Baghdad, Istanbul, Lagos, Madrid). A small parcel travels along the arc and lands with a tiny bounce.
2.4–3.4s	The status	Below the globe (never on it), a status pill steps through Packed → In transit → Delivered, each step lighting yellow with a check.
0.4–2.4s	Text	Eyebrow "WORLDWIDE". Headline "From Deira" / "to the world." Stats: shipping to X+ countries* · tracked on every parcel · packed same day*. Buttons: "Get a shipping quote" (yellow), "Where we ship" (outline).

IDLE LIFE (what keeps moving when nobody touches anything)

- The globe keeps rotating slowly; a new route draws every 4s to the next destination; the parcel keeps travelling.

* Sample values: the owner must confirm same-day repairs, warranty periods, minimum trade units and countries shipped to (G13).

DO NOT

✕ Do not bring back drawers, a cabinet, a logo node or cabinet circuits.
✕ Do not use flat or cartoon cartons, flat phones or a blue/green globe.
✕ Do not let any button, pill or label be cut off or overlap the scene.
✕ Do not make the three ads the same layout or the same colour as their neighbours.

DONE WHEN (every box must be true, or the section is not done)

[ ] 8 family cards in a 4 × 2 grid with realistic parts on pedestals, fitting in one screen.
[ ] Entrance plays: title → card wave → parts land → numbers count.
[ ] Hover lifts the card and turns the part with a light sweep.
[ ] Three full-bleed ads: graphite Repair, yellow Wholesale, white Worldwide, with diagonal wipes between them.
[ ] Each ad's film plays as scripted and then keeps its idle life.
[ ] No zeros; sample values marked.
[ ] Every surface lit per G11; nothing flat.

CAPTURE BEFORE REPORTING

Family grid after the entrance; hover on Battery; each ad mid-film (Repair healing, Wholesale tag flip, Worldwide parcel on the arc) and each ad complete.

ISSUE 03 · REBUILD LAYOUT

Live Parts Board: "What's moving on our shelves"

THE FEELING. Standing in the control room of a busy warehouse at night. Screens glow, numbers tick, every second something lands, sells or ships. Calm and precise, but never still. The customer should feel the shop is alive right now.

What is wrong now

- Traces cut through text, cross the Low-stock tile and each other. Counter tiles are weak with tiny dull icons. Trending chips are clipped. Rows are tall and empty. Columns are unbalanced. Stripe texture and a circuit grid make the background busy.

THE SET: background, light, materials, shadows, atmosphere

- Clean living graphite (#2A2C2F to #34363A), fine grain, one soft cool-neutral light from the top so the board's glass has a faint top highlight.
- The board is a dark glass panel (#1F2023 at 90%) with a 1px top edge highlight and soft inner shadow; rows separated by 1px lines at 6% white.
- No stripes, no grid. Circuits only in the wiring channel (functional) and faint decoration in empty corners (8–12%).

LAYOUT

- Top row: eyebrow + headline left, body text right.
- Main row: [4 counter tiles stacked] → [wiring channel ~96px] → [the board]. Each tile lines up with its own lane in the channel.
- Bottom: "Trending right now" full-width ticker, then the button aligned left beneath it.

THE FILM: entrance

Time	Shot	What the customer sees
0.0–0.8s	Title	Headline by mask reveal; body text fades up.
0.3–1.2s	Tiles	The four counter tiles slide in from the left one by one (80ms stagger); numbers count up from 0.
0.8–1.6s	Wiring	Each tile's single straight trace draws across the channel to the board (300ms each), a small node lighting where it meets the board.
1.2–2.4s	Board	The board powers on: a soft light passes down the glass once, the header and filter tabs appear, then the first 6 rows type in from the top, 100ms apart.

IDLE LIFE (what keeps moving when nobody touches anything)

- Every 2.5–4s a new event lands: the row slides in at the top and types in; it glows yellow for 1.2s; a pulse runs from the row through its lane in the channel to its counter; the counter flashes, its number rolls up and a "+1" floats up and fades.
- Counter icons are always gently animated: a box dropping onto a shelf (Just landed), a battery draining and blinking amber (Low stock), a tag swinging down (Price drops), a truck driving off (Shipped).
- Sparklines have a gradient fill and a pulsing dot on the latest point; a delta line under each: "+3 in the last hour".
- The trending ticker scrolls continuously with fade masks on both edges; counts roll.

INTERACTION

- Filter tabs (All · Landed · Low · Drops · Shipped): the board's rows shuffle and filter with a quick vertical slide; the matching counter tile glows yellow.
- Hover a row: it lifts slightly with a thumbnail of the part enlarging; click opens the product.
- Rows are compact (~56px): time · status pill · small part thumbnail or flag · item · value right next to it. Footer: rolling "42 events today" + a tiny live activity bar.

DO NOT

✕ Do not route any trace through text or tiles.
✕ Do not clip chips or ticker items.
✕ Do not use stripes, grids or tiled backgrounds.
✕ No dead gap under the button.

DONE WHEN (every box must be true, or the section is not done)

[ ] Zero crossings: every trace straight and inside the channel.
[ ] Live event → pulse → counter tick works continuously.
[ ] Animated icons, filled sparklines, deltas.
[ ] Compact rows with thumbnails and filter tabs.
[ ] Ticker never clips.
[ ] Clean lit graphite background.

CAPTURE BEFORE REPORTING

The section after the entrance; one frame mid-pulse (row → counter); the Low filter active.

ISSUE 04 · GLOBAL FIX · APPLY EVERYWHERE

Global: circuits, the nav progress line and backgrounds

Do **not** remove the circuits. Do **not** remove the nav progress line. They are part of our identity, exactly as in the hero.

THE FEELING. Electricity running quietly through the building's walls. You notice it in the empty spaces, flowing calmly, never in your way. When something happens on the page, the current answers with a small surge, like the shop reacting to you.

What is wrong now

- A bus forced down the page cuts through deal cards, buttons, cartons and the word "Quality". Current is drawn as dots. Several backgrounds have grids, stripes and tiles.

What you must do

1. Keep the nav progress line as a top-bar feature: a thin yellow line that fills with scroll, its head a small glowing node.
2. Each section designs its own circuits where they fit (see each issue). Some sections may have one long circuit through empty space.
3. Current: soft light streaks (80–160px gradient dashes, white-yellow core fading to transparent), several at once at slightly different speeds (60–120px/s). On events nearby (add to cart, a new board row, a card hover), one streak brightens and speeds up for 400ms: a surge.
4. Nodes are small rings (6–8px) that glow softly when current passes through them.
5. **24px clearance** from every text, button, card, image and icon. Audit every section and reroute anything that touches.
6. Background circuits at 8–12% opacity, empty areas only.

DONE WHEN (every box must be true, or the section is not done)

[ ] Nav progress line present.
[ ] Circuits present and decorative per section.
[ ] Zero circuits touching or crossing content (send me the audit list of every rerouted circuit).
[ ] Current flows as streaks with surges on events.
[ ] No busy background textures left.

CAPTURE BEFORE REPORTING

One frame per section showing its circuits, plus the audit list.

ISSUE 05 · FULL REBUILD · PINNED SCENE

Bench Test: "Nothing leaves Deira until it passes the rig"

THE FEELING. Watching a precision machine test a part in a quality lab: clamps closing with a satisfying click, beams scanning, gauges settling, and the final stamp. Trust, built in front of your eyes. The customer should think: "Every part I buy here has been through this."

What is wrong now

- Waves, blurred traces and yellow blotches in the background. Nothing is tested while you watch. Quality / Warranty / Price are empty outlines. The probe arm covers the screen, the readouts are basic, there is cut-off engraved text, a random black bar, a dangling cable and a cut-off "Parts tested" card. Big empty space under the rig.

THE SET: background, light, materials, shadows, atmosphere

- Full Signal Yellow field, 2% grain, studio vignette (edges 8–10% darker), a subtle bench surface at the bottom with the rig's soft contact shadow.
- The rig: anodised aluminium plate (fine brushed texture, soft specular highlight), machined clamps with knurled knobs, a spring-loaded probe on a rail, real LEDs with a soft bloom, a digital counter in the top bar, and a cable with a real connector running neatly off the bottom edge.
- Key light top-left, so the plate has one long soft highlight and each knob a small bright point.

LAYOUT

- Pinned for about 300vh; scroll drives the test forward and backward (scrubbed, eased). Everything fits in one screen.
- Left: eyebrow, headline, and the three words QUALITY · WARRANTY · PRICE at about 72px, each with a short line that types in beneath it when earned.
- Right: the rig, full height, with the printed work order feeding out of its bottom.

THE FILM: scroll-driven (reverses on scroll up)

Time	Shot	What the customer sees
0–10%	Load	The phone slides into the rig; the clamps close with a click (a 2px shake) and a settle; the status LEDs go green one by one; the rig's counter wakes up.
10–30%	Display	A soft scan light sweeps down the screen; a pixel grid fills behind it; the Display tile flips to PASS ✓.
30–45%	Touch	The probe taps grid points one by one (it never covers the screen's content); a touch trace draws; PASS ✓; the word QUALITY fills like a charging bar left to right and its circle draws into a ✓.
45–65%	True Tone	The screen shifts warm to cool; a sensor reads; a gauge needle settles; PASS ✓; a warranty sticker is applied to the phone with a small press; WARRANTY fills.
65–85%	Battery	A health gauge charges to 98%; PASS ✓; a price tag drops in on a string; PRICE fills.
85–100%	Passed	A thermal work order feeds out of the rig (grade · warranty · price · unit #); a "PASSED" stamp lands on it with a shake; the counter rolls 1,293 → 1,294; the pin releases.

IDLE LIFE (what keeps moving when nobody touches anything)

- Rig LEDs breathe; the counter's last digit flickers occasionally; the work order sways slightly as if from airflow.

DO NOT

✕ No waves or blotches.
✕ The probe never covers screen content.
✕ No terminal-style log box.
✕ No empty space under the rig.

DONE WHEN (every box must be true, or the section is not done)

[ ] Pinned and scrubbed both ways, four checks in order.
[ ] Words fill like charging bars with ✓ and typed lines.
[ ] Work order prints and stamps; counter ticks.
[ ] Rig realistic, full height, no defects.
[ ] Clean yellow studio background.

CAPTURE BEFORE REPORTING

Frames at 5%, 35%, 55%, 75% and 100% of the pin.

ISSUE 06 · REPLACES THE MODEL FILE

The Showcase: screen adverts

THE FEELING. A run of premium phone-screen commercials in a quiet showroom: bold type, a perfect product, a beat, the next one. Like flipping through the best ads in a magazine, but moving. The customer should want a new screen even if theirs isn't broken.

What is wrong now

- The Model File looks like bathroom tiles, confuses with too many controls at once, clips rows, shows a flat beige phone on a dark ellipse, and sells nothing. Remove it from the home page: browsing by model lives in Find My Part and on the Brands & models page.

THE SET: background, light, materials, shadows, atmosphere

- Warm fog studio around the ad stage (fine grain, soft warm light from the top-left).
- The ad stage: a wide card, graphite on the left half and Signal Yellow on the right half, with a soft shadow under the whole card, inspired by the owner's own banner style (big bold typography on graphite, the product on yellow, a feature checklist, one clear button).
- Behind each product on the yellow side: a very slow, soft drifting light (like studio haze), never a shape.

The ads are about screens, one per grade: Service Pack (lead) · Original · OLED · Incell · High Copy. Optional last two: Batteries and Repair.

THE FILM: each ad (about 7s, auto-advancing)

Time	Shot	What the customer sees
0.0–0.6s	Headline	On graphite: the grade name in mono eyebrow, then a two-line headline word by word (blur to sharp, 60ms).
0.3–1.4s	Product	On yellow: the product enters with depth: from 30% smaller and slightly turned, it comes forward and settles at full size with a 2° overshoot. Its contact shadow forms under it.
1.0–2.0s	Proof	The checklist ticks in on graphite (e.g. Genuine · Factory sealed · Warranty), each with a click; a "from AED X" badge stamps onto the yellow side.
2.0–7.0s	Hold	The product turns slowly (±10°), light sweeps over its glass every 3s, the haze drifts. The progress bar for this ad fills.
7.0–7.5s	Cut	The product exits with depth (moves back and fades), the text lines slide up and out; the next ad begins.

- The Service Pack ad (lead) has an extra moment: the sealed service box slides in, the flap lifts, the screen with its frame slides out and turns, and a seal stamps.
- Controls: story-style progress bars (one per ad), pause on hover, arrows, swipe.

DO NOT

✕ Do **not** simulate colour or quality differences between grades (no OLED vs Incell slider). Differences are explained in text only.
✕ No back-cover colour-changing ad.
✕ No grid or tile background.
✕ Do not use the Samsung logo as our branding; it appears only on genuine packaging.

DONE WHEN (every box must be true, or the section is not done)

[ ] Model File removed from home.
[ ] Showcase built as a graphite | yellow stage in a warm fog studio.

- [ ] 5 screen-grade ads following the film, auto-advancing, with progress bars, pause, arrows and swipe.
- [ ] No simulated colour comparisons.

CAPTURE BEFORE REPORTING

Each ad at about 2s (fully entered), plus the Service Pack box opening.

ISSUE 07 · STRONG IMPROVEMENT

Deals & arrivals: "Prices drop. Clocks tick."

THE FEELING. The energy of a flash sale in a premium store: a ticking clock, a price falling in front of you, stock running out. Urgent but classy, never a cheap discount banner. The customer should feel: "If I don't act now, someone else will."

What is wrong now

- Circuits cut through deal cards and sit on "Add to cart". First and last carousel cards are half-faded with clipped text. Cards are identical with cryptic badges ("OR", "OL") and static countdowns.
- The shipment card contradicts itself (parcel at the start, "98% of the way", 3 days left). The pre-orders card is a bright white block with already-released models. Dead space above the headline.

THE SET: background, light, materials, shadows, atmosphere

- Graphite (#2A2C2F) with one soft warm light pooling from the top-left over the spotlight deal, as if a display light is aimed at it; fine grain.
- Deal cards: dark glass cards (hero card style) with a faint top highlight; each product from the parts library (G15) standing on a soft contact shadow.
- Flip-clock digits: real split-flap tiles (matte graphite, a thin hinge line across the middle, a soft shadow under the top flap).

LAYOUT

- Header row: eyebrow + headline left, "See every deal →" right, on one aligned line. No dead space above.
- Left (40%): the Deal of the Day spotlight. Right (60%): filter tabs, then the carousel. Below: Incoming shipment and Pre-orders side by side.

THE FILM: entrance

Time	Shot	What the customer sees
0.0–0.8s	Title	Headline by mask reveal; the tabs slide in.
0.3–1.4s	Spotlight	The spotlight product rises into its light with a slow turn and settles; the flip clock flaps into the current time digit by digit (each tile flips 2–3 times before landing).
1.0–2.0s	The drop	The old price appears, a drawn line strikes through it from left to right (300ms), and the new price rolls down digit by digit into place with a small settle. A "−22%" badge stamps on.
1.2–2.2s	Stock	The stock bar fills to its level and then drains slightly: "32 of 50 left".
0.6–1.8s	Carousel	Cards slide in from the right with a 70ms stagger, each product landing with a settle.

IDLE LIFE (what keeps moving when nobody touches anything)

- The flip clock flips every second (seconds tiles), with a soft click feel (tiny shadow flash under the flap).
- Every 20–30s the stock bar drops by one with a soft pulse, and the number rolls.
- The carousel drifts slowly to the left; the spotlight product turns slowly (±10°) with the softbox reflection sliding over it.

INTERACTION

- Hover a card: it lifts 6px, the product turns to 3/4 and catches a light sweep, the countdown digits brighten.
- Add to cart: the same fly-to-cart moment as the hero iPad (tap ripple → arc flight to the nav cart → bounce → badge roll → toast).
- Carousel: drag, arrows, auto-drift; fade masks only on empty space; the first and last visible cards are always fully readable.

INCOMING SHIPMENT CARD

- A faint real world map (graphite dots), Shenzhen → Dubai air route drawn as a soft yellow arc, a small plane on the arc **positioned exactly at the progress %**.
- 5 stages beneath (Packed · Departed Shenzhen · In flight · Customs Dubai · Arrived Deira), lit up to the current one. The progress bar, plane position and flip-clock countdown all **agree**.
- Idle: the plane moves along the arc very slowly; its little contrail fades behind it. "Notify me when it lands". No circuit inside the card.

PRE-ORDERS CARD

- Graphite card matching the section (never white). Phone silhouettes as soft lit shapes (no fake renders), with neutral next-generation names ("Next Galaxy Ultra", "Next iPhone Pro"), editable later from the Control Room. Part types, "Reserve" per row, and a waiting counter ("126 shops waiting", sample) that ticks up occasionally.

DONE WHEN (every box must be true, or the section is not done)

[ ] No circuit touches any card or button.
[ ] No clipped text anywhere in the carousel.
[ ] Spotlight plays clock → strike → price roll → stock.
[ ] Grades in full words (Original · OLED · Incell · Service Pack · High Copy).
[ ] Fly-to-cart works.
[ ] Shipment data consistent.
[ ] Pre-orders graphite with neutral names.
[ ] Products from the parts library.

CAPTURE BEFORE REPORTING

After the entrance; mid price-roll; hover on a carousel card; mid fly-to-cart.

ISSUE 08 · FULL REBUILD · STRONG BRANDING

Wholesale: "The Trade Floor"

THE FEELING. Stepping onto a real trade floor in Deira: tape screeching, cartons stacking, prices getting better with every carton you add. Industrial, generous, confident. A shop owner should feel: "This is where I buy in bulk."

What is wrong now

- Nothing says wholesale. A big empty yellow area. The scene under the calculator is a grey box. The carton conveyor is childish and circuits run through cartons. The ticker is clipped. "Partner with us" is a bright white block. No branding.

THE SET: background, light, materials, shadows, atmosphere

- Signal Yellow field with 2% grain and a studio vignette; the floor area under the pallet builder is a subtle warm-grey concrete with a soft light pool.
- Cartons, tape, labels, pallet and shrink-wrap at G15 object quality (corrugated flutes, tape sheen and wrinkles, barcoded labels, wood grain, glossy wrap).
- Key light top-left gives every carton a lit top face, a mid-tone front and a soft contact shadow on the pallet.

THE FILM: entrance

Time	Shot	What the customer sees
0.0–0.8s	Tape	A strip of yellow packing tape printed "SAM ELECTRONICS · WHOLESALE · TRADE" unrolls across the top edge of the section and presses flat, with a light glint running along it.
0.4–1.2s	Title	Headline by mask reveal; a "TRADE ONLY" stamp lands beside it with ink texture and a small shake.
0.8–1.8s	Numbers	The numbers band counts up: Since 2003 · X+ countries* · same-day quotes · min. order X units*.
1.2–2.6s	Pallet	The Pallet Builder powers on: an empty pallet slides in with weight; the first 2 cartons drop on it.

THE PALLET BUILDER (the centrepiece)

- Pick a part (chips with library thumbnails), drag the quantity slider. Each step adds cartons that drop onto the pallet with weight (squash, settle, dust puff, contact shadow).
- A price tier ladder (10+ · 50+ · 100+ · 500+): the active tier glows; when you cross a tier, it flashes, the unit price steps down by rolling digits, and "You keep AED X" rolls up.
- Retail total vs trade total side by side; the trade total in yellow on graphite.
- When the pallet is full, shrink-wrap spirals around it with a moving shine and a label prints and sticks on: "SE-2611 · Ready to ship from Deira."
- **Who we supply:** 4 compact cards (Repair shops · Traders · Exporters · Bulk buyers), each with a small animated scene in G15 quality and one benefit.
- **How trade works:** Apply → Get approved → Order at trade prices, lighting in order like a circuit, ending at "Apply for a trade account".
- **Trade ticker:** full width, continuous, flags and quantities, fade masks. **Partner with us:** a graphite card with a faint world-map texture.
- Circuits subtle, empty space only, never across cartons, cards or text. No conveyor.

IDLE LIFE (what keeps moving when nobody touches anything)

- The shrink-wrap shine passes every 6s; the tape's glint runs every 10s; the ticker scrolls; the active tier breathes.

DO NOT

✕ No cartoon cartons, no conveyor, no flat empty yellow, no clipped ticker, no white partner block.

DONE WHEN (every box must be true, or the section is not done)

[ ] Reads as wholesale at first glance.
[ ] Tape and TRADE ONLY stamp play.
[ ] Pallet builder with tier ladder and wrap works.
[ ] Who we supply + How trade works added.
[ ] All objects at G15 quality.
[ ] No circuits through objects.

CAPTURE BEFORE REPORTING

After the entrance; pallet at 50+ tier; pallet full with the label.

ISSUE 09 · COLOUR FIX · KEEP THE REST

Worldwide: map + the four boxes

STATUS: The dot-matrix map, the routes and the live list are strong: keep them. The four boxes (Tracked · Packed · Quoted · Regions) and their continuous animations are liked: keep them moving.

THE FEELING. A calm global operations screen: serious, precise, quietly busy. Everything in one colour family, like one professional instrument.

What you must do

1. Recolour every mini-animation using only the palette, as the service cards do: yellow for active and moving elements, white and soft grey for lines and text, graphite for surfaces.
   - Green tick → yellow tick drawing itself.
   - Blue/green globe → a graphite dot globe with yellow and white continents.
   - Bright brown carton → a muted kraft carton (G15 quality) with yellow tape.
3. Make each animation larger inside its box (about 45% of the box's height), centred, with a soft contact shadow under any object.
4. Light: each box gets a faint top highlight and its animation a tiny key light, so the four boxes feel lit, not flat.
5. Optional, only if it looks good: a thin dashed route line linking the four boxes in the map's style; a "Where are you?" search that lights the country on the map.

DONE WHEN (every box must be true, or the section is not done)

[ ] Four boxes and their motion kept.
[ ] Zero off-palette colours.
[ ] Animations larger and lit.
[ ] Map untouched.

CAPTURE BEFORE REPORTING

The section with all four boxes mid-animation.

ISSUE 10 · REBUILD

Our story & branches: "More than 20 years in Deira"

THE FEELING. Opening a family photo album in warm afternoon light: honest, proud, human. Twenty years of real shops, real people, one street in Deira. Then a look forward: Madrid is coming. The customer should trust us the way you trust a family business.

What is wrong now

- All white with nothing to look at. No images. The Dubai map uses default Google styling with a "ctrl + scroll" overlay. The Madrid card is a hand-drawn sketch with a red stamp. Empty space below.

THE SET: background, light, materials, shadows, atmosphere

- Warm fog (#F2F3F4 warming to #F7F3EA where the light falls), fine grain, a soft warm light coming from the top-right like late-afternoon sun through a shop window.
- Timeline cards: white with a soft shadow and a slight glass edge; each holds a photo frame (a white instant-photo border with a soft drop shadow, slightly rotated ±2°).
- Until real photos exist: a tasteful, softly blurred warm placeholder inside the frame (never blank, never a cartoon).

THE FILM: scroll-driven

Time	Shot	What the customer sees
0–15%	The line	The timeline line draws from left to right with the scroll, a yellow current streak at its tip.
15–60%	The years	As the line reaches each version card (v1.0 Syria Tell 2003 → v2.0 current shop 2011 → v3.0 market branch → v4.0 Sam Electronics today), the card lifts in, and its photo develops like an instant photo: from a flat warm grey, the image fades in over 1.2s, warm first, then true colour. A big year counter rolls with the line, 2003 → today.
60–75%	Now	v3.0 shows "RUNNING" with a softly pulsing green dot; v4.0 shows "INSTALLING" with a loading bar filling slowly.
75–100%	Branches	The two map cards slide up side by side, then the stats strip counts up: Since 2003 · 2 cities · X countries served*.

- Both maps brand-styled: graphite and fog streets, a yellow pin with a soft pulse, no default Google colours, no ctrl+scroll overlay (static until clicked) + "Open in Maps".
- Madrid: a temporary map of the Plaza Mayor area in the same style as Dubai, with a pulsing "Opening soon" area circle (not an exact pin) and "Tell me when it opens".

IDLE LIFE (what keeps moving when nobody touches anything)

- The light shifts very slowly across the section (like the sun moving); the map pins pulse; the INSTALLING bar keeps creeping.

DO NOT

✕ No sketch, no red stamp, no default map styling, no empty white areas.

DONE WHEN (every box must be true, or the section is not done)

[ ] Photo frames on every card with develop animation.

[ ] Line draw + year counter.

[ ] Madrid map matches Dubai.
[ ] Maps branded, no overlay.
[ ] Stats strip fills the gap.

CAPTURE BEFORE REPORTING

At 30% (a photo developing), 70% (RUNNING / INSTALLING) and 100% (maps + stats).

ISSUE 11 · REPLACE WITH NEW IDEA

The team: "Staff Badges"

THE FEELING. Walking past the staff wall of a real shop and seeing the people behind it. Badges swaying slightly on their lanyards, a little shine on the hologram. Personal, warm, real. The customer should feel there are real experts on the other side.

What is wrong now

- AI-looking cards on a blurry striped background, "Photo coming soon · or browse files" on every card, empty "No reviews yet" stars, a plain text flip panel, nothing moving.

THE SET: background, light, materials, shadows, atmosphere

- A clean graphite wall (#2A2C2F) with one soft spotlight from above making an elliptical pool of light on the wall behind the badges (G11, no visible cone).
- A slim brushed-metal rail across the top. Yellow lanyards printed "SAM ELECTRONICS" (fabric weave texture, slight twist), metal clips with a small highlight.
- Badges: real PVC cards with rounded corners, a slight gloss, a hologram strip; each casts a soft shadow on the wall that moves with its sway.

THE FILM: entrance

Time	Shot	What the customer sees
0.0–0.8s	Title	"Five roles. Every order passes through all of us." by mask reveal.
0.3–1.8s	Drop in	The five badges drop from above on their lanyards one by one (120ms stagger), bounce on the lanyard's stretch, and swing to rest with real pendulum physics.
1.8–5.0s	The order	An order ticket slides along the rail and pauses at each badge, which lights up with a soft yellow edge as the ticket passes: Parts Advisor → Parts Flow Controller → Bench Engineer → Finance & Checkout → Founder.

- Badge front: photo, or a clean monogram of the role initials until photos arrive (never "browse files"); role code T01–T05, title, name, years with us; the hologram strip.
- Founder badge T05 (Tarek Alchoumari): slightly larger, gold edge, "Leading since 2003". Reviews hidden until real ones exist.

INTERACTION

- Mouse near a badge: it nudges away gently and swings back. Click: the badge swings up and flips like a real card (3D, with weight); the back shows "What I can help with", a short bio, "Ask [name] →".

IDLE LIFE (what keeps moving when nobody touches anything)

- Each badge sways slightly differently; the hologram shimmers with the sway; the order ticket repeats its journey every 12s.

DONE WHEN (every box must be true, or the section is not done)

[ ] Five badges on lanyards, swaying with physics.
[ ] No browse files, no empty stars.
[ ] Flip with weight.
[ ] Order ticket lights badges in order.
[ ] Founder badge distinct.
[ ] Graphite wall with one light pool.

CAPTURE BEFORE REPORTING

After the drop-in; mid order-ticket journey; one badge flipped.

ISSUE 12 · FULL REBUILD

Open to everyone: "Who are you?"

THE FEELING. A personal welcome. You tell us who you are and the whole stage changes for you, like the shop rearranging itself around your needs. A retail customer, a repair shop and an exporter should each feel: "This part of the site is for me."

What is wrong now

- Plain white, empty space, a logo hub with thin grey connector lines (remove), cheap animations that illustrate nothing, four identical cards with identical buttons.

THE SET: background, light, materials, shadows, atmosphere

- Warm fog with grain; the light colour behind the stage shifts smoothly (800ms) to match the active lane.
- Left: eyebrow, headline, and 4 large selector tabs (Retail customer · Repair shop · Trader & exporter · Bulk buyer) with icon + one line. Samsoom peeks in beside the tabs asking "Who are you?"
- Right: one large cinematic stage (about 60% width) that changes with the selected tab. All objects from the parts library and at G15 quality.

Lane	Environment	The scene (about 6s)
Retail	Fog with warm yellow light	A hand holds the teardown phone with a cracked screen. Find My Part types the model; the matching screen (library model) slides in with grade chips and a price; a pin drops on "Collect in Deira or get it delivered". Button: "Find my part".
Repair shop	Graphite workbench	A realistic top-down bench (mat, tools, soft light pool). A parts tray slides in; grades line up side by side; a padlock opens with a click to reveal trade prices. Button: "Open a trade account".
Trader & exporter	Dark dot-matrix map	A bulk list document is scanned by a soft light; "QUOTED" stamps on it; a route arc draws from Dubai. Button: "Plan my shipment".
Bulk buyer	Full yellow	Branded cartons stack on a pallet (Pallet Builder quality), shrink-wrap spirals, an "Incoming shipments first" badge stamps. Button: "Request a bulk quote".

- Motion: auto-cycles about 6s per lane with a progress bar on the active tab; pause on hover; click to jump. The leaving scene moves back and fades with depth; the new one arrives with weight. The lane's 3 benefits type in beside the scene.

DONE WHEN (every box must be true, or the section is not done)

[ ] No logo hub, no grey connector lines.
[ ] Tabs + one stage.
[ ] Four real scenes in their environments.
[ ] Auto-cycle with progress bar.
[ ] No white emptiness.

CAPTURE BEFORE REPORTING

Each lane mid-scene.

ISSUE 13 · FULL REBUILD

Sam Circuit membership: "The Charging Station"

THE FEELING. Plugging in a premium device and watching it charge: a satisfying glow rising, a click as a level unlocks, a little reward each time. Playful but premium. The customer should want to fill the battery.

What is wrong now

- Everything is yellow (field, cells, pills and a busy circuit wallpaper). The battery shows all cells full while the label says 62%. Twelve identical "Perk · coming soon" pills. No interactivity.

THE SET: background, light, materials, shadows, atmosphere

- Graphite studio (#2A2C2F to #3A3C40 behind the battery), polished floor with a light pool and the battery's reflection. Yellow appears **only as energy**.
- The battery: a large cell with a graphite metal casing, a glass window (softbox reflection), 4 tier marks engraved on the side, a cable plugged into its top with a real connector.
- The fill: a glowing liquid light (amber core #C98A12 to Signal Yellow at the surface) with a slow shimmer on its surface, exactly at the real level (62% = 62%).

THE FILM: entrance

Time	Shot	What the customer sees
0.0–0.8s	Title	Headline by mask reveal.
0.3–1.4s	Battery	The battery rises into the light with a slow turn and settles; its reflection forms on the floor.
1.0–2.4s	Charge	Current streaks run down the cable; the fill rises from 0 to 62% with the surface shimmer; the tier marks it passes light up with a click.
1.6–2.6s	Ladder	The reward ladder rows slide in; the current tier glows; the next tier shows "AED X to go" with a progress bar.

INTERACTION

- Simulator buttons (+ Screen · AED 200, + Battery · AED 80, + Bulk order · AED 2,000): each tap sends a bright pulse down the cable and the fill rises.
- Crossing a tier mark: the battery flashes, a tier badge pops, and that tier's reward card flips from locked to unlocked with a light sweep.
- Reset: the battery powers down (fill drains with a fade, cable current stops).
- Member card (graphite, holographic edge, name, tier, charge %): tilts with the mouse with a moving light sweep.
- Ladder rows: plug → bolt → double bolt → full battery icons, name, requirement, status chip (Unlocked / AED X to go).
- Perks: 1–2 examples per tier + one blurred "more perks revealed at launch" teaser (owner confirms the examples). No repeated "coming soon". No passport or stamp themes.

IDLE LIFE (what keeps moving when nobody touches anything)

- Current keeps flowing into the cable; the fill's surface shimmers; the next tier mark breathes softly.

DONE WHEN (every box must be true, or the section is not done)

- [ ] Graphite studio, yellow only as energy.
- [ ] Fill matches the real level.
- [ ] Simulator works and flips tier cards.
- [ ] Ladder statuses shown.
- [ ] Member card tilts.

CAPTURE BEFORE REPORTING

After the entrance; mid tier-crossing; the member card tilted.

ISSUE 14 · REBUILD

Meet Samsoom: "Ask at 3 a.m."

THE FEELING. Meeting a friendly, clever assistant who is genuinely good at his job: he looks at you, reacts, finds the part in seconds. Charming but premium, like a character from a high-end tech commercial, never childish.

What is wrong now

- White page, a white chat with a big empty area, blank grey shapes, a childish flat cartoon Samsoom on a plastic pedestal, the headline pushed below the character, the demo stops after 2 messages.

THE SET: background, light, materials, shadows, atmosphere

- Warm yellow studio: Signal Yellow with grain and a soft vignette, a warm light pool on the floor where Samsoom floats, his soft shadow below him growing lighter as he bobs up.
- Samsoom: the teardown's assembled phone model as his body (graphite metal frame, glass reflections), his face on the screen as glowing yellow pixel-LED eyes and mouth on deep black OLED, sleek metallic arms. No pedestal.
- The chat panel: graphite glass (not white), hero card style, with a soft shadow.

THE FILM: entrance

Time	Shot	What the customer sees
0.0–0.8s	Title	Eyebrow + headline top-left by mask reveal.
0.4–1.4s	Arrival	Samsoom flies in from the right, slows, settles into a float, and waves; his eyes blink once.
1.2–2.0s	Chat	The chat panel slides in; the first question appears.

- The demo loops 5 conversations (A54 battery? · Which grade? · Are you open? · Trade prices? · Ship to Iraq?), each with a typing indicator and a rich answer card (product mini-card with a library part render, grade, price, Add to cart; an hours card; a shipping card). No empty chat area.
- Samsoom emotes in sync: thinking (loading dots in his eyes), found it (✓ ✓), happy (smile), and rare short emotes: a dabke step, blowing a kiss, a wink.

IDLE LIFE (what keeps moving when nobody touches anything)

- Eyes follow the cursor; blinks; a breathing bob; faint real questions drift in the background and sometimes one flies into the chat as the next message.

DONE WHEN (every box must be true, or the section is not done)

[ ] No blank shapes, no white panel.
[ ] Samsoom built on the teardown phone with an LED face.
[ ] Headline on top; all in one screen.
[ ] 5 conversations loop with rich cards and emotes.
[ ] Launcher pill per G8 on every page.

CAPTURE BEFORE REPORTING

After the arrival; mid-typing; a rich product card answer.

ISSUE 15 · SPLIT AND REBUILD

The Feed + What customers say

THE FEELING. The Feed: three phones in a dark studio, each alive with our social channels, like a launch event display. Reviews: bright, open and honest, real voices scrolling past. Together the customer should feel: "Lots of people already trust them."

What is wrong now

- White again with blank grey shapes; three static post cards; "No reviews yet / Be the first review"; posts, reviews, Google, tabs and QR crammed side by side.

PART A · THE FEED (graphite studio)

THE SET: background, light, materials, shadows, atmosphere

- Graphite studio with a light pool on a polished floor; three teardown-model phones fanned at angles (−12°, 0°, +12°), each with a softbox reflection, rim light and a floor reflection.

THE FILM: entrance

Time	Shot	What the customer sees
0.0–1.2s	Fan out	The three phones rise from the floor one by one and fan out into position, each settling with a small overshoot.
1.0–2.0s	Live	Their screens power on, each playing a feed (Instagram, TikTok, Facebook) inside G14 safe margins: posts auto-scroll, reels play muted, hearts float up and like counters tick.

INTERACTION

- Hover a phone: it comes forward, straightens and brightens; the others step back slightly.
- "Scan to follow" QR with a soft scan light sweeping over it; follower counts roll (real numbers from the owner).

PART B · WHAT CUSTOMERS SAY (white with soft yellow light)

- A big Google rating card: stars fill one by one, the number of reviews counts up.
- Two rows of real review cards scrolling in opposite directions with fade masks; each card with a light shadow and a quote mark in yellow.
- "Review us on Google" + "Write a review". Never "No reviews yet". Real Google reviews are connected at the build stage.

DONE WHEN (every box must be true, or the section is not done)

[ ] No blank shapes, no "No reviews yet".
[ ] Three live-feed phones with entrance and hover.
[ ] Reviews band separate with the Google card and two rows.

CAPTURE BEFORE REPORTING

The Feed after the entrance; a phone hovered; the reviews band.

ISSUE 16 · IMPROVE

Request console + Visit us

STATUS: The idea (tabs + a printed work order) is strong. Keep it.

THE FEELING. Writing your request on a real machine that prints it as you type, then tearing off the slip and sending it. Tactile and satisfying. Beside it, the shop's front desk: a live clock, today's hours, the door that's open right now.

What is wrong now

- Plain fields, a static tilted slip, a grey "Open now" dot, plain-text hours, an empty gap, a circuit node under the console's edge.

THE SET: background, light, materials, shadows, atmosphere

- Yellow section with grain and a vignette; the console is graphite glass with a soft shadow; the visit card is white with a soft shadow.
- The work order: thermal paper (very slightly warm white, a faint curl at the bottom, perforations, a soft shadow where it hangs from the printer slot).

THE FILM: interaction-driven

Time	Shot	What the customer sees
typing	Print	As each field is filled, its line prints onto the slip with a fast line-by-line feed, the slip moving down a little; a "3 of 4 fields" progress line fills.
tab switch	Reprint	Fields morph smoothly to the new set; the slip's header reprints (TYPE: Bulk quote…).
send	Tear	The slip tears along its perforation with a slight jerk; "SENT" stamps on it with ink texture; the slip folds and flies into the WhatsApp or email icon; Samsoom gives a thumbs-up.

- Status dot per G7. Visit us: a live clock with seconds; "Closes in 3h 59m"; a day-timeline bar with the two shifts as yellow segments and a moving "now" marker; today highlighted; a brand-styled mini map or shop-front frame fills the gap with "Get directions"; WhatsApp and phone icons on the buttons. Circuits 24px away from the console.

DONE WHEN (every box must be true, or the section is not done)

[ ] Live printing works.
[ ] Tear-and-send works.
[ ] Status dot correct.
[ ] Day timeline with now marker.
[ ] Gap filled.
[ ] No circuit near the console.

CAPTURE BEFORE REPORTING

Mid-typing with printed lines; mid tear; the visit card.

ISSUE 17 · FULL REBUILD · PREMIUM

Finale: "A phone on your bench? We have the part."

THE FEELING. The closing shot of a brand film: the lights go down, current runs in from both sides, the emblem powers up, and the three promises switch on like neon signs. Proud and unforgettable. The customer should leave remembering Quality · Warranty · Price.

What is wrong now

- A grey slab phone with a white slash across it, a black floor box, a dead grey band, and a circuit line crossing out the word "Quality".

THE SET: background, light, materials, shadows, atmosphere

- Deep graphite stage (#26282B edges to #34363A centre, never black), one strong soft key light on the emblem, a polished floor with the emblem's fading reflection, dust falling slowly in the light (G12). No floor box, no cone.
- The emblem: the owner's exact logo rebuilt as a premium object, machined metal and glass, a thick yellow edge that glows, studio reflections; about 40% of the screen height.

THE FILM: entrance

Time	Shot	What the customer sees
0.0–1.0s	Current	Circuits from both sides (hero style) carry current streaks towards the centre.
1.0–1.6s	Power	The current reaches the emblem: the two phones inside the logo light up, a soft ring of light shockwaves outward across the floor, and the circuits glow fully for a moment.
1.6–3.0s	Neon	QUALITY · WARRANTY · PRICE switch on one by one like neon signs: a flicker, a pause, then steady, with a soft glow on the floor beneath each. Circuits frame the words but never cross them.
2.4–3.6s	Message	The headline reveals word by word; the buttons rise in; the stats count up.

IDLE LIFE (what keeps moving when nobody touches anything)

- The emblem rotates slowly in 3D with the key light sweeping across its metal; current keeps flowing; the neon words breathe softly (±5%).

DONE WHEN (every box must be true, or the section is not done)

[ ] No phone, slash, floor box or grey band.
[ ] Emblem large, premium, rotating.
[ ] Power-up plays in order.
[ ] No circuit crosses any word.
[ ] Idle continues.

CAPTURE BEFORE REPORTING

Mid-current; the power shockwave; the neon words on; complete.

ISSUE 18 · REDESIGN · PREMIUM

Find My Part (the quick finder, everywhere)

THE FEELING. The fastest, most satisfying search you've ever used: you tap your brand, see your exact phone, see your part as a real studio photo, and add it, in seconds. Premium like the hero, quick like a light switch.

What is wrong now

- Grey on grey: grey tiles on a grey panel on a dimmed grey page. Brand names in mixed styles. Empty tiles. An orphan last row. Model step is text only. A weak step indicator. The "POPULAR" label collides with tiles. Image frames are inconsistent. The quick view does not lead clearly to the full list.

THE SET: background, light, materials, shadows, atmosphere

- The page behind blurs (16px) and dims to graphite at 60%.
- The panel: graphite glass with real depth (soft inner light from the top, fine grain, a thin yellow top edge, a soft large shadow), generous padding. It must feel like the hero, not a settings dialog.
- Tiles: dark glass with a faint top highlight; on hover a yellow edge glow.
- **Step indicator** as a circuit with LEDs (the teardown's language): Brand · Model · Part · Grade. Completed steps light yellow with current flowing to the next and show the choice ("Apple ✓"); click to go back.
- **Step 1 · Brand:** each brand name in **its own wordmark style**; inside each tile the models count, parts in stock and a stock signal. 14 brands as 7 × 2 (no orphan row). A "Popular" label sits **above** the popular row with 16px clearance, never touching a tile.
- **Step 2 · Model:** every model tile has an **image frame of identical size, angle and lighting**, showing the phone front (a clean lit silhouette of that model's shape until real images exist). Series tabs, instant search by name or model number, "Recently viewed" and "Most searched" chips.
- **Step 3 · Part:** part cards with the **parts library renders (G15)**, stock and "from" price; out-of-stock dimmed with "Notify me".
- **Step 4 · Grade:** grade cards side by side (Original · Service Pack · OLED · Incell · High Copy): price, stock signal, warranty, "best for" line, Add to cart with the fly-to-cart moment.
- **Quick view → full list:** the nav hover opens a compact mega-dropdown (brands → models, each with its image). At its bottom, a clear full-width "See all [brand] models →" button opens the full finder at step 2.

THE FILM: opening and steps

Time	Shot	What the customer sees
0–250ms	Open	The page blurs and dims; the panel rises 24px and scales from 96% to 100%, expo-out.
250–600ms	Tiles	Tiles stagger in (25ms apart), numbers rolling.
on choice	Advance	The chosen tile flies into the step indicator (300ms); its LED lights and current flows to the next step; the next step slides in from the right with depth. Every step transition is under 400ms.

- Footer: a live summary ("Apple · iPhone 16 Pro · Screen"), "Open in Shop with these filters →" and a rolling result count.

DO NOT

✕ No grey-on-grey.
✕ No mixed brand styles beyond each brand's own wordmark.
✕ No orphan rows or empty tile space.
✕ No model without an image frame.
✕ Nothing colliding with the Popular label.
✕ No step transition over 400ms.

DONE WHEN (every box must be true, or the section is not done)

[ ] Premium panel.
[ ] LED circuit step indicator.
[ ] Brand wordmarks, balanced grid, Popular label clear.
[ ] Model image frames consistent.
[ ] Library part renders; grade cards with Add to cart.
[ ] Hover dropdown with a clear path to the full list.

CAPTURE BEFORE REPORTING

All 4 steps; the hover dropdown; one frame mid-transition.

SECTION S · SEND ORDER AND FINAL CHECK

The order you work in

One batch per chat. Read CLAUDE.md first. Build in preview pages. Stop after each batch and wait for my review.

Batch	What	Show me
0	Read everything. Summarise G1–G15 and the Environment Map back to me in your own words.	Text only
1	Global: G15 parts library set up in CLAUDE.md; Issue 4 circuit audit; G6 leftovers; G7 status dots; G8 launcher.	Audit list + frames
2	Issue 1B (hero fixes) + Issue 18 (Find My Part).	CAPTURE frames
3	Issue 2 (What we offer).	CAPTURE frames
4	Issue 3 (Live Board) + Issue 5 (Bench Test).	CAPTURE frames
5	Issue 6 (Showcase) + Issue 7 (Deals).	CAPTURE frames
6	Issue 8 (Trade Floor) + Issue 9 (Worldwide).	CAPTURE frames
7	Issue 10 (Story) + Issue 11 (Badges).	CAPTURE frames
8	Issue 12 (Who are you) + Issue 13 (Charging Station).	CAPTURE frames
9	Issue 14 (Samsoom) + Issue 15 (Feed + reviews).	CAPTURE frames
10	Issue 16 (Request + Visit) + Issue 17 (Finale), then the full home page top to bottom next to the hero and teardown.	Full-page frames
11	Mobile round: every section at 390px.	Mobile frames

Issue 1 (the teardown trailer cut) is done first, in its own chat, before Batch 0. After it is approved it is written into CLAUDE.md as LOCKED.

Before you send any batch, confirm all of this

[ ] I compared every section in this batch with the hero and the teardown, and it is at the same level.
[ ] I built every shot in THE FILM, in order, with the given timings.
[ ] Every set is lit per G11: key, fill, rim, light pools, contact shadows, no visible light shapes, no horizon lines, no black stages.
[ ] Every part shown is from the G15 parts library, at teardown quality. Every other object (cartons, boxes, tags, badges) is at studio quality.
[ ] Something moves in every section: entrance, idle life and interaction. Everything replays on scroll back.
[ ] No circuit touches any content (24px). No off-palette colours.
[ ] No leftovers, no clipped text, no zeros, nothing under the nav.
[ ] The environment matches the map; no two neighbours share a background.
[ ] Every DONE WHEN box answered by name, honestly; any unfinished part listed.

Final word from the owner. The hero and the teardown prove what this website can be. The teardown got there because it was built exactly as it was directed: every shot, every light, every shadow. Do the same for every section here. Build the film, not a summary of it. If anything is unclear or impossible, ask me before you build, not after.