
SAM ELECTRONICS L.L.C · DEIRA · DUBAI · SINCE 2003

ROUND 4

Director's Edition

Every section written as a film:
shot by shot · light · shadow · feeling

The hero and the teardown are finished.
Every other section gets built like them.



To: Claude Design
From: the owner, Sam Electronics
Date: 13 October 2026 · replaces all earlier versions
Read this entire document before you touch a single pixel.
Every instruction here is a requirement, not a suggestion.

SECTION 0 · READ THIS FIRST

Why this edition exists

This replaces the 08 October Round 4 order. The requirements are the same; what changed is **how they are written**.

The teardown finally came out right, and the reason was simple: it was described like a **film**, shot by shot, with timings, camera moves, the exact light, the exact shadows, the materials, and how the moment should **feel**. Vague lines like "make it premium" produced generic work. Precise direction produced the best section on the site.

So every section in this edition is written the same way. Read each one as a director's script. Build exactly what the script describes, frame by frame. When the script gives a time, a colour, an easing or a size, that is the value. When it describes a feeling, every visual decision you make on your own must serve that feeling.

> **Non-negotiable:** do not "interpret" a script into something easier. Do not skip a shot because it is hard. Do not replace a shot with your own idea without telling me. If something is technically impossible in the design tool, **say so explicitly, propose the closest equivalent, and wait**. Silently delivering less is not acceptable. If you improve something, tell me in one line what you changed and why.

0.1 The benchmarks: the hero and the teardown

The **home hero** is finished and approved, and the **teardown's realism** (its parts, lighting and studio) is approved; its motion is being upgraded in Issue 1. Together they are the bar. Before you show me any section, put it next to them and answer honestly:

1. Does every object look like a **studio product photograph**, as real as the iPad and phone in the hero and the exploded phone in the teardown?
2. Is it **alive**? Does something always move, even when nobody touches anything?
3. Is it **lit**? Is there a key light, a rim light, soft shadows that follow the real shapes, and reflections?
4. Is it **rich**? Is every part of the screen worth looking at, with no dead empty zones?
5. Is it **branded**? Does it feel like Sam Electronics, not a template?
6. Is it **clean**? No clipped text, no overlaps, no leftovers, no zeros, nothing under the nav bar?

If any answer is no, the section is not done. Do not report it as done.

0.2 How to read a script in this document

Every issue page uses the same blocks, in this order:

Block	What it means
STATUS	What is approved, what is locked, what must be built.
THE FEELING	How the customer must feel in this section. Every decision serves this.
WHAT IS WRONG NOW	What I saw in the current version. Every point must be gone.
THE SET	The environment: background colour values, light positions, materials, shadows, atmosphere. This is the photograph before anything moves.
THE FILM	A shot list. Each row has a time (seconds for time-based scenes, scroll % or steps for scroll-driven scenes), a shot name and exactly what the customer sees.
INTERACTION	What happens on hover, click, drag.
IDLE LIFE	What keeps moving forever when nobody touches anything.

Block	What it means
DO NOT	Forbidden. Any one of these means the section is rejected.
DONE WHEN	Every box must be true. Confirm each by name.
CAPTURE	The exact frames I need to see.

0.3 The motion vocabulary (so we mean the same thing)

Word	Meaning
expo-out	Fast start, long soft landing. Default for anything entering. CSS: cubic-bezier(0.16, 1, 0.3, 1).
ease-in-out	Soft start and soft end. For camera moves, glides and scroll travel.
settle	The object overshoots its final position by 2–6px or 2–4°, then comes back. Gives weight. Never more than one bounce.
stagger	Elements in a group start one after another with a fixed gap (e.g. 60ms).
mask reveal	Text rises from behind an invisible edge, as if cut out by a blade. No fade, no bounce.
blur to sharp	Starts at 8–12px blur, 0% opacity, 12–20px lower; arrives sharp. Like a camera racking focus.
light sweep	A soft diagonal band of light glides across glass or metal once. 20–30% white, soft edges, never a hard bar.
camera push	The whole scene scales up 2–4% slowly, as if the camera moves closer.
hold	Nothing new enters, but idle life continues. Never a frozen frame.

0.4 How we work (strictly)

1. **One batch at a time**, in the order of Section S. Start a **new chat for each batch** and read CLAUDE.md first.
2. Build each section in its **own preview page** ("Preview [Section].dc.html"). Never work on the full home page until batch 10.
3. Capture at **1440×900 and 1366×768**. A still image of an animated section is never proof: send the frames named in CAPTURE.
4. **Finish every section you start.** If you hit your limit, stop only at the end of a numbered issue and tell me exactly what is done and what is not started. Never leave a section half-built.
5. For every section, answer each DONE WHEN box by name, yes or no, honestly.
6. After a section is approved, write it into CLAUDE.md as LOCKED so no future round changes it.

0.5 Things I will reject immediately

- A plain white section, or plain flat yellow with nothing designed in it.
- Any product drawn as a flat rectangle, a cartoon, a bar, a stick, a blob or a grey slab.
- Any visible light **shape**: spotlight cones, triangles, trapezoids, hard bars of light, LED bars sliding up and down.
- A hard horizon line where a floor meets a wall. Square or rectangular shadows. Black blocks under objects. Dark ellipse "floors".
- Pitch-black stages. Our darks are **graphite**, never black.
- Dot grids, stripe textures, tiled patterns or busy circuit wallpaper behind content.
- Dust shaped like hair or fibres, dust outside the light, or big white dots.
- Text inside a device screen that touches the screen's edges, or yellow glow blobs behind on-screen text or logos.
- Any circuit touching or crossing text, buttons, cards or images (24px clearance).

- Any leftover: "browse files", "No reviews yet", repeated "coming soon", blank shapes, clipped words, "0 in stock", "AED 0".
- Anything sitting under the nav bar or cut off at the bottom of the screen.
- Any section where nothing moves. Any airport, travel, passport or boarding theme.

SECTION G · GLOBAL RULES · APPLY EVERYWHERE, ALWAYS

Global rules

These apply to every section, page and state, and override anything older that contradicts them. G11–G19 are new: they are the lessons that made the teardown work. Read them twice.

G1. Realism

- Every object (phones, parts, tools, cartons, boards, devices) is a **studio product photograph**: real proportions, real corner radii, real materials (glass, satin and brushed metal, PCB with solder mask, foil, corrugated cardboard, matte plastic), key light, rim light, contact shadow, reflections.
- Real 3D where needed (Three.js, bevelled rounded geometry, physical materials, an environment map built in code, ACES tone mapping, full device pixel ratio).
- Small parts are **matte** where real parts are matte. Shine only where real objects shine (glass, polished metal).
- No real assets exist yet and none will be supplied for the design. Everything must look real **by itself**. Where a photo will come later (shop, team, Google reviews), build a tasteful placeholder frame, never a blank card or cartoon.

G2. Motion: three layers in every section

- **Entrance:** every section has an opening film when it enters the viewport (headline by mask reveal or blur to sharp, objects arriving with weight). **No plain fades:** every entrance combines at least two of movement, scale, blur, mask and light.
- **Idle life:** something always moves on its own (current flowing, light breathing ±3% over 6s, an object turning on a slow turntable, numbers ticking, dust falling).
- **Interaction:** every interactive element reacts on hover and click.
- Everything **replays** when scrolling back. Nothing stops dead; nothing freezes. Animate transform and opacity; pause everything off-screen; target 60fps; static fallbacks for reduced motion.

G3. Circuits

- **Keep the circuits** as decoration, in the hero's spirit. **Keep the nav progress line.**
- No single bus forced down the page. Each section designs its own circuits where they fit; some sections may carry one long circuit through empty space.
- Current is **soft flowing light streaks** (80–160px gradient dashes at different speeds), never dots; a brighter surge when something happens nearby.
- Background circuits at 8–12% opacity, empty space only. **24px clearance** from all text, buttons, cards, images and icons. No exceptions.

G4. Palette

Colour	Value	Role
Signal Yellow	#F7C032	Energy, highlights, primary buttons, current, active states. A full field only where the Environment Map says so.
Amber core	#C98A12	Only inside warm light blooms (the centre of a glow fading out to Signal Yellow).
Graphite	#26282B / #3D3E3F	Dark environments and cards. Stages range #2A2C2F (edges) to #3E4044 (lit centre). Never black.
White	#FFFFFF	Cards, text on dark.
Fog	#F2F3F4	Light environments, always with grain and light, never flat.
Status green / amber / red		ONLY for the open / closing soon / closed status dots and error states.

- Nothing off-palette in decoration (no random green ticks, blue globes, brown cartoon cartons, red stamps, blue sketch lines).

G5. Typography

- Space Grotesk headings, Inter body, JetBrains Mono for data and eyebrows, IBM Plex Sans Arabic.
- Every section uses the **hero's exact type scale, buttons, cards, chips and pills**. Copy the hero's components; do not invent new ones.
- Headlines always enter with motion. Brand names appear each in its own wordmark style where they are shown as brands.

G6. No leftovers

- No upload widgets in public view, no "No reviews yet" (hide the rating instead), no repeated "coming soon" lists, no blank grey shapes, no clipped chips or tickers (fade masks on empty space), no outdated models, no data that contradicts itself.

G7. Status dot (everywhere)

- Light green = Open · Amber = closing within 30 minutes · Red = Closed. Never grey or black. Nav pill, Visit-us card, footer, everywhere.
- ALL three states pulse the same way: soft rings spreading out from the dot and fading, with identical timing. The red Closed dot is as alive as the green Open dot.
- Hovering the status pill in the nav opens a small glass pop-over: the weekly hours (today highlighted), the branch (Al Murar, Deira) and the live status with its countdown. Clicking the pill scrolls to the Visit / hours section of the home page (later: the hours page).

G8. The "Ask Samsoom" launcher (every page)

- A pill launcher: Samsoom's face + text. The pill's width always fits its current message exactly (it animates its width), and the text is vertically and horizontally centred.
- Cycle (every 15–20s): collapsed circle, Samsoom waves and smiles → the pill extends with "Ask Samsoom" → collapses, Samsoom blinks → extends with a different message for the page and time ("Need a screen?", "Open till 22:00", "Trade prices? Ask me", "Track my order") → repeat. After a few ignored cycles it rests.
- EMOTE SCHEDULER: one emote at a time; every emote plays for exactly 3s, fully, and is never cut off by another; between emotes he rests for about 5s (idle: blinking, breathing, eyes following the cursor); never the same emote twice in a row; he cycles through all of them so he never feels repetitive.
- Universal emotes: wave, blush, a little dabke step, blowing a kiss, thumbs-up, a small spin, a wink, a sleepy yawn. CONTEXT emotes that match what he says: hours or time → pulls up a little clock or checklist; broken screen or repairs → pulls out a screwdriver or tool; prices → holds a price tag; shipping → a small parcel or a tiny spinning globe; stock or parts → holds up the part; greetings → waves; thanks → blushes with a heart. Fun and full of character.
- In the open chat he is alive: a thinking emote while he thinks, typing or writing while the answer is written, and a happy or context emote when he answers. Opening the chat, typing and messages are perfectly smooth: no freeze, no half-drawn window, no sudden jump.
- He understands people: answers any question about the business and the website, chats naturally, is super friendly with greetings, and understands spelling mistakes. Built on a server route using the Claude API (env var ANTHROPIC_API_KEY) with the Company Facts as his knowledge; short, friendly answers in the language of the question. He never invents prices, stock or policies; for anything TO CONFIRM he says the team will confirm and offers WhatsApp. Until the key is set, a fuzzy fallback (tolerant of typos) covers greetings, hours, location, brands, grades, shipping, repairs, trade prices and contact.

- The online dot is green and pulsing, sitting exactly on the circle's edge. It never covers buttons or content.

G9. Language and themes

- One language per view; the Arabic view is fully right-to-left. No airport, travel, passport, ticket or terminal themes. Ever.
- The EN / Arabic switch must WORK: pressing it switches ALL text to Arabic: every heading, button, label, ad, poster, tag, toast, Samsoom and the chat, the footer and every pop-up. IBM Plex Sans Arabic at the same sizes and spacing, a correct mirrored right-to-left layout, readable numbers and prices, and the choice is remembered. All texts live in one translations file; the Arabic is marked “to be reviewed by the owner”.

G10. Mobile (deferred)

- Do **not** design or capture mobile in batches 1–10. Build every section so it **can** stack vertically (no layout that only works wide).
- Mobile gets its own dedicated round (batch 11) after the whole desktop page is approved.

G11. Light and shadow: the studio rulebook (new)

- Every scene is lit like a real photo studio: a **key light** (large softbox, usually top-left) that shows as a big soft rectangular reflection on glass; a **fill** from the opposite side so shadows are never pure black; a warm **rim light** from behind that draws a thin bright edge around objects.
- Light is never a visible shape. Where it lands on a surface it makes a soft **elliptical pool** (a circle in perspective), brightest under the object, falling off naturally and feathered over 30–40% of its radius.
- Floors and walls meet with **no visible horizon** (a seamless cyclorama). The floor fades into the darkness behind.
- Shadows: a **contact shadow** that follows the object's real outline, darkest where it touches, then a soft penumbra fading outward, falling away from the key light. Floating objects cast lighter, larger, blurrier shadows the higher they float. Never squares, never black blocks.
- Reflections on polished floors: sharp at the contact point, blurring and fading out within about 25% of the object's height, at 30–40% strength.
- Test every lit scene at full screen brightness and on a dark screen. It must read on both.

G12. Atmosphere (new)

- Dust, where used: tiny round soft specks (1–2px, a few 3px), soft white to warm white (#FFFFFF to #EDE6D8), 10–30% opacity, only inside the light zone, each drifting slowly in its own random direction (here and there) with a very slight downward drift, sometimes twinkling as it crosses the key light. Never fibres or hair, never in front of objects or text.
- Bokeh, where used: a few large, very soft out-of-focus discs deep in the background, drifting slowly, 3–8% opacity.
- Grain: a fine film grain (2–3%) on fog and yellow fields so they never look flat.

G13. Data (new)

- Zero tolerance: never "0 in stock", never "AED 0", never an empty value. Every sample number is believable and consistent across the page (the same part has the same stock and price wherever it appears).
- Sample data is marked as sample where the owner still has to confirm it (same-day repairs, minimum trade units, countries shipped to, warranty periods).

G14. Screens inside devices (new)

- Anything playing on a phone or tablet screen is rendered at full device pixel ratio (at least 1080×2340 for phones), razor sharp.
- Safe margins: 12% left and right, 10% top and bottom. On-screen headlines about 9% of the screen width, never touching the edges.
- No glow blobs or LED light behind on-screen TEXT or logos. Products may have the soft circular glow described in Issues 1B and 1. Only a subtle glass reflection over the screen.
- The hero reel follows the template in Issue 1B. The teardown final-call ad follows its own template in Issue 1. They are separate code and never share a renderer.

G15. One parts library: the teardown parts, everywhere (new)

The 3D parts in the teardown are the standard for every part on the whole website. They look like literal studio photographs: real proportions, real materials, real labels and connectors, lit with a softbox, a rim light and contact shadows. Every other place that shows a part must show **these exact models** at **this exact quality**. No new simpler drawings, no icons standing in for parts, no flat thumbnails.

- Build one shared **parts library** from the teardown models: Screen, Frame, Flex cables, Logic board, Battery, Cameras, Small parts (side buttons, speaker, charging port, vibration motor, SIM tray, screws), Back glass. Write it into CLAUDE.md as the single source.
- Use the library **everywhere a part appears**: the What we offer family cards and all three service ads, the Showcase screen ads, the teardown's final-call chips and phone advert, Find My Part part cards and thumbnails, deal cards, Live Board thumbnails, the hero phone-reel cards, hover tags, cart toasts, Samsoom's answer cards, the Bench Test phone, every icon-sized thumbnail.
- Small sizes too: a 40px thumbnail is a real render of the same model at a fixed 3/4 angle with the same lighting, not a simplified icon.
- Render every library part with the **same studio lighting preset** (softbox top-left, warm rim, fill right, contact shadow) so parts look like one photo shoot wherever they appear. On dark backgrounds the shadow is soft and the rim brighter; on fog, white or yellow backgrounds the shadow is a soft warm grey, never black.
- The same standard applies to every **other object**: cartons (real corrugated flute texture, tape with a slight sheen and wrinkles, printed labels with barcodes, soft dents on edges), the Service Pack box (printed cardboard, a crisp fold, a satin seal), pallets (real wood grain), shrink-wrap (thin, glossy, wrinkled), price tags (card stock, punched hole, string), badges and lanyards (fabric weave, plastic sheen, metal clip), stamps (ink texture, slightly uneven). Studio photograph quality, never clip-art.
- Any phone shown anywhere (hero, repair ad, Bench Test, Feed, Samsoom's body) uses the **same assembled phone model** as the teardown.

G16. Performance: smooth on every section (new)

- The site must never lag, freeze or stutter while scrolling, and scrolling must always work. Backgrounds must never glitch or flicker. Nothing is removed to achieve this: the look stays identical.
- Measure before and after (Chrome performance panel / Lighthouse) and report the numbers. Target: a steady 60fps while scrolling on a normal laptop.
- Pause every animation, canvas and 3D scene that is off-screen (IntersectionObserver), and resume on return. Use ONE shared WebGL renderer where possible; never more than 2 active WebGL contexts at once.
- Parts-library thumbnails are rendered ONCE to cached images and used everywhere small (iPad cards, cards, icons). Live 3D only for the teardown phone and the big hero products.

- Animate only transform and opacity. Never animate blur filters, shadows, gradients or layout. Backgrounds (gradients, grain, light, circuits) are static layers on their own GPU layer, so they never repaint while scrolling.
- Particles (dust, bokeh) have capped counts that lower automatically if the frame rate drops below 50fps. Scroll listeners are passive and light; work runs in requestAnimationFrame. Sections below the fold load lazily; images are compressed; fonts are preloaded.

G17. Links that are not ready yet (new)

- Any button or link to a page that doesn't exist yet opens a small branded "Coming soon" message (graphite glass card, our fonts, an X to close). Never a 404 or a blank page.
- A branded 404 page exists anyway: "Signal lost. This page switched to airplane mode." with a button home.
- The home page is a trailer: each section links to its full page later. Until then, those links use the "Coming soon" message.

G18. Brand logos (new)

- Every brand shows its REAL logo: the official logo or symbol plus the name in the brand's own official wordmark (official SVG files, e.g. from Simple Icons where available). Never the name typed in our font. All logos the same visual height and cleanly aligned, so customers recognise their brand instantly. A brand with no logo yet must get one; if an official file truly can't be found, use the cleanest available wordmark and list it as TO CONFIRM.
- One shared brand-logo component is used EVERYWHERE a brand appears (brand row, Find My Part, Live Board, cards, ads, filters), so any change applies everywhere.
- The footer says: "Brand names and logos belong to their owners and are used only to show compatibility."

G19. Scrollbars (new)

- No plain grey browser scrollbars anywhere. Our own scrollbar site-wide: a thin rounded track and a graphite thumb that glows yellow on hover. Horizontal lists (for example the brand row in Find My Part) also get small left/right arrow buttons in our style.

SECTION U · LATEST OWNER UPDATES · 13 OCTOBER (CODE PHASE)

What changed on 13 October

The site now runs as real code (Next.js, in the GitHub repository, deployed on Vercel). Claude Design is no longer used; Claude Code closes every gap directly in the code, following this document. The owner’s review of 13 October has been written into the pages below. Where it changed an older instruction, the older text was REPLACED, so this document never contradicts itself.

Update	Where
Performance: no lag, no freezes, scrolling always works, backgrounds never glitch; measured before and after	G16
Links to pages that don’t exist yet open a branded “Coming soon” message; branded 404 page	G17
Real brand logos with official wordmarks everywhere, from one shared component; trademark line in the footer	G18
Custom scrollbars site-wide; arrow buttons on horizontal lists	G19
Arabic switch works for ALL text, right-to-left, remembered	G9
Status pill: hover shows the weekly hours and branch; click goes to the hours section	G7
Samsoom: smooth chat; a 3s emote scheduler with 5s rests and no repeats; context emotes; alive in the chat; understands anything, including typos (Claude API + fallback)	G8
Hero phone: straight, exactly centred products; spacing; home bar; step-based progress; equal 3.2s; fixed colour order; vertical feed scroll; pause and browse; ad poster pop-up; crystal glass with a light sweep; dot-matrix globe	Issue 1B
Hero: working search; ticks lighting up in a loop; the iPad cart flight bug; iPad lag	Issue 1B
Teardown: rebuild the whole flow cleanly; new chevron scroll hint; the hover opens the phone WITHOUT tilting (screen left, part right); crystal screen; dust; the ad	Issue 1
What we offer: the three services are BOXES inside the section, not pages or full-screen bands	Issue 2
Find My Part brands: real logos and a custom scrollbar	Issue 18

How we work now: one issue at a time in PDF order (Issue 1B, Issue 1, then 2–18). For each: fix exactly what the pages say, never touch other sections, push, send the Vercel preview link and a short list of changes, then wait for review. The older workflow notes (section 0.4 and section S: preview pages, chats, capture frames) were written for Claude Design; in code, this rule replaces them.

SECTION E · ENVIRONMENT MAP

Every section gets its own environment

No plain white sections, and **never the same environment twice in a row**. If you want to change a line, propose it and wait.

#	Section	Environment	Issue
1	Hero + brand rail	Graphite + yellow slab (APPROVED, keep)	1B
2	Teardown	Graphite studio cyclorama, golden bloom and bokeh finale	1
3	What we offer	Warm fog studio: the 8 family cards, then three alive service BOXES (Repair, Wholesale, Worldwide) inside the same section	2
4	Live Parts Board	Clean living graphite	3
5	Bench Test	Full yellow, studio vignette, bench surface	5
6	The Showcase (screen ads)	Warm fog studio; ads inside are graphite | yellow split	6
7	Deals & arrivals	Graphite with soft warm light	7
8	Repair Lab	Clean light lab (Part 1 spec)	—
9	Wholesale / Trade Floor	Yellow with branded tape and depth	8
10	Worldwide	Dark dot-matrix map, graphite	9
11	Story & branches	Warm fog with yellow light and grain	10
12	Team (Staff Badges)	Graphite wall, one spotlight	11
13	Who are you? (lanes)	Warm fog; light shifts with the active lane	12
14	Sam Circuit (Charging Station)	Graphite studio, yellow only as energy	13
15	Meet Samsoom	Warm yellow studio	14
16	The Feed (social)	Graphite studio	15
17	Reviews	White with soft yellow light	15
18	Request console + Visit us	Yellow; console graphite, visit card white	16
19	Finale (Power-Up)	Deep graphite stage, emblem spotlight	17
20	Footer	Same on every page	—
all	Find My Part (overlay)	Graphite glass over a blurred page	18

Neighbour check: Teardown (graphite) → What we offer (fog) → Live Board (graphite). Inside What we offer, the three service boxes are graphite → yellow → white, so no two neighbours match.

ISSUE 01B · HERO PHONE REEL · DO THIS FIRST

Hero phone reel and iPad: every card, exact spec

STATUS: The home hero is the approved benchmark. In later rounds its phone and phone reel were changed without permission, then rebuilt from guesses because no saved copy existed. **This page is now the single source of truth for the hero reel.** Only the hero phone, its reel cards and the iPad part pictures may change. The hero reel is its OWN code, completely separate from the teardown's final-call ad (Issue 1). They share only the parts-library renders.

THE FEELING. The hero phone is our showcase device, like the phone in a flagship launch film. Its reel is a calm, expensive slideshow: every card the same quality, every product the same size, sitting in the middle of the screen with a soft halo of light behind it, glass that catches the light, and type that is big, clean and confident. Nothing cramped, nothing empty, nothing that changes from one loop to the next.

What is wrong now (every point must be gone)

- Products are **different sizes** and **not centred**. The repair phone is much bigger than the battery or the screen.
- The screen part looks like a **flat dull slab**. The approved version was glossy black glass with a soft light reflection gliding across it, and a small flex tail.
- The soft **circular glow** behind every product was removed.
- The globe became a **plain wireframe ball** with one line. The approved version was a real globe with continents, rotating, with route arcs.
- Two headlines shrink their font to fit ("that finish the job.", "Straight edges,"). Headlines must all be the same size.
- Cards sometimes play different animations between loops.
- Earlier damage, now fixed, that must never come back: a round punch-hole instead of the pill, a fake status bar (time, signal, wifi, battery), the progress line removed, shrunken layout.
- Owner review, 13 October: the products are tilted and not centred; the description and button almost touch; the progress line follows time instead of steps; some ads play longer than others and glitch; colours repeat (yellow, white, grey, grey, grey…); the glass of the phone and iPad looks dead instead of crystal; the iPad lags while scrolling; when the Samsoom chat is open, the product flying to the cart flies into the chat; the reel can't be paused or browsed; the hero search bar doesn't work.

The device

Element	Exact look
Body	The original hero phone: black bezel, polished silver frame, the same tilt, position and soft drop shadow as approved. Overlaps the iPad's lower right corner.
Camera cutout	A black PILL (camera island) centred at the top of the screen: about 30% of the screen width wide, about 4% of the screen height tall, fully rounded ends, its top edge about 2.5% of the screen height from the top, deep glossy black, always on top of the ad content.
Status bar	NONE. No time, no signal, no wifi, no battery. Never add one.

Element	Exact look
Progress line	Just below the island (about 2% of the screen height under it): one thin line (2px) across the screen with 9% side margins, split into ONE SEGMENT PER AD (10 ads = 10 segments). It is STEP-based, not time-based: each finished ad fills its segment; the current segment is highlighted. After the last ad it resets with the loop.
Home indicator	An iPhone-style home bar: a short rounded bar centred near the bottom of the screen (about 35% of the screen width, 5px tall), translucent greyish crystal, on top of every card.
Glass	Real crystal glass, never dead: a soft glossy reflection across the outer glass, always on top of the ad. Every ~6s a soft vertical band of light sweeps across the WHOLE screen from the left edge to the right edge, like light catching the glass. The iPad has the same sweep, offset in time so the two never shine together.

The card template: identical on every card

W = screen width, H = screen height. Every card uses exactly these positions and sizes. Only the words and the product change.

Element	Position	Size and look
Eyebrow	15% H from the top, 9% W from the left	JetBrains Mono, CAPS, about 4.5% W, letter-spaced (0.15em). Example: “BATTERIES”, “LCD & OLED SCREENS”.
Headline	Directly under the eyebrow (gap 1.5% H), left aligned	Space Grotesk Bold, about 10.5% W, exactly 2 lines, tight line-height (1.05), filling about 70% of the width. At most about 14 characters per line. If a line is too long, SHORTEN THE WORDS. Never shrink the font. Same size on every card.
Product box	Exactly centred: 50% W, and vertically centred in the space between the bottom of the headline and the top of the description (about 55% H)	An invisible box 50% W wide × 33% H tall. The product is scaled so its LONGEST side fits this box exactly and its VISIBLE centre (not its image padding) sits on the box centre. The product stands STRAIGHT and upright (no tilt), still a 3D render. Every product on every card is the same visual size.
Glow	Behind the product, same centre	A soft CIRCULAR radial glow, about 1.3× the product’s longest side across, brightest at the centre and fading smoothly to nothing. Clearly visible on dark cards, subtle on light cards. Never a hard edge.
Shadow	Under the product	A soft blurred elliptical contact shadow, about 80% of the product’s width, darker at the centre.
Description	About 73% H, 9% W from the left	Inter Regular, about 6.5% W, exactly 2 lines.
Button	About 84% H, 9% W from the left, with a clear gap of at least 3% H between the description and the button	A rounded rectangle, 78% W wide, 8% H tall, corner radius about 10px. Label in Inter Semibold about 6% W on the left, an arrow on the right. Dark button on light cards, accent button on dark cards, exactly as each original card had it.
Background	Full screen	A soft gradient: lighter behind the headline and product, a little deeper at the edges and bottom. Never flat. Backgrounds follow a FIXED COLOUR ORDER so no two neighbouring ads share a colour: yellow → white → graphite → yellow → white → graphite → yellow → white → graphite → white (10 ads; the last is white so the loop back to the first yellow never repeats). Text and buttons follow the background.

Motion: the same on every card, every loop

THE FILM: each card (3.2s)

Time	Shot	What the customer sees
0–600ms	Scroll in	Like a social media feed: the current card slides UP and out of the top while the new card slides up from the bottom into place, both together, 600ms, cubic-bezier(0.4, 0, 0.2, 1). No bounce, no blur, no fade-to-black. The island and the home bar stay fixed on top. The next progress segment becomes current.
300–600ms	Words	The eyebrow slides in from the left (150ms). The two headline lines rise from behind a mask, 80ms apart.
400–900ms	Product	The product fades in while rising only 16px (500ms, soft ease-out). NO overshoot, NO bounce, NO spin, NO big scaling. Its shadow and glow fade in with it. Cartons land softly one by one with only a tiny settle.
600–850ms	Bottom	The description and the button slide up 12px into place.
900ms–3.2s	Hold	The product rests, floating almost invisibly (at most ±3px over 4s, at most ±2° of rotation). Glass products show the gliding reflection.
3.2s	Next	EVERY ad plays exactly 3.2s, including Repair: no ad longer or shorter, no glitch between ads. After the last card, the reel loops to the first, exactly the same every time.

No random variations. The same timings, the same easing and the same movements every loop.

Interaction: pause, browse and the ad poster

- **Pause:** when the mouse is over the phone, the reel PAUSES and two small up/down arrows appear beside the screen in our style. Up = previous ad, down = next ad (each uses the same scroll-in movement). The mouse wheel over the phone does the same. On touch: swipe up/down. Mouse out: the reel resumes.
- **The ad poster:** clicking an ad opens a pop-up POSTER of that ad: the same ad, bigger and with more details (a short paragraph, 2–3 key points, the stock line), in our branding, fonts and colours, looking like the phone ad. An X at the top right closes it, plus buttons (“Shop [part]”, “Ask on WhatsApp”). The page behind dims and blurs. Esc and clicking outside also close it. It feels like a fun, premium advert inside the website.

Other hero elements

- **Search bar:** it must work. Keep the typing suggestions exactly as they are. Customers click it, type a model (suggestions from our model list, tolerant of small typos) and press Enter or pick a suggestion. Model detail pages don’t exist yet, so for now it opens the branded “Coming soon” message (G17): “The full [model] page is coming soon. Use Find My Part in the meantime”, with a button that opens Find My Part for that model.
- **The three ticks** under the buttons (Tested before it ships · Warranty on every grade · Trusted since 2003) are alive: they light up one after the other (each tick fills yellow with a soft glow and its text brightens for about 0.8s), then a pause, and the loop repeats forever.

The cards, one by one

#	Eyebrow	Headline	Product (what it looks like and does)	Description	Button
1	LCD & OLED SCREENS	Bright like / day one.	A replacement screen standing almost upright, front view: deep black GLOSSY glass with a subtle gradient, rounded corners, a thin black border, a small copper flex tail with a connector under its bottom edge. A soft diagonal band of light GLIDES slowly across the glass every 3s, like studio light reflecting off it.	Original, Service Pack, / OLED and Incell.	From AED 70 →

#	Eyebrow	Headline	Product (what it looks like and does)	Description	Button
2	BATTERIES	Full power, / fully tested.	The battery: black pouch with a printed white label, barcode and small round “tested” sticker, a flex connector on its top edge. A soft sheen passes over the label.	Genuine cells, checked / before they ship.	From AED 35 →
3	BACK COVERS	Back to / like new.	A back cover with its camera cutout, satin finish, its edge catching the light; a reflection slides across it.	Every colour, exact fit.	Keep its original label
4	CAMERAS	Sharp shots, / focus tested.	The rear camera module: three lenses in metal rings on a small board with its flex. The lens rings turn slightly and a glint crosses the glass.	Front and rear modules, / checked on the bench.	Shop cameras →
5	FRAMES & HOUSINGS	Factory-fit / frames.	The mid-frame: brushed metal, screw holes, antenna lines, its rim catching the light.	Mid-frames and housings / for every major model.	Shop frames →
6	WORLDWIDE DELIVERY	From Deira / to the world.	A DOT-MATRIX GLOBE like the site’s worldwide map: dotted land, empty dark oceans, a soft rim light and a soft shadow, on a dark card. The 22 destination countries (Company Facts) are highlighted in warm yellow with a small dot each; Dubai is a bigger glowing pulsing dot; curved yellow routes go from Dubai to each country with light pulses travelling outward. It starts with the UAE facing the camera and turns slowly and continuously (one turn every 24s). The map data is stored inside the project (works offline). Never a wireframe ball.	Tracked and securely / packed, worldwide.	Shipping info →
7	WHOLESALE (stock up)	Keep the original headline	Realistic corrugated cartons (visible flute texture on the edges, branded packing tape, a white shipping label with a barcode) dropping one after another onto a wooden pallet, each landing with a small squash and settle, 4–6 cartons. The finished stack fits the product box.	Keep the original	Keep the original
8	REPAIRS	Cracked today. / Fixed today.	A phone seen from the front, the SAME size as every other product (fits the product box). Glossy black screen with the gliding reflection. Sharp white cracks spread from the lower left; warm light runs into the cracks and seals them line by line from the impact point outward (1.2s); the screen boots with the logo.	Screens replaced and / tested in Deira.	Book a repair →
9–10	Existing	Keep the meaning, shorten to fit (e.g. the card ending “…that finish the job.”)	Its library render, in the product box, with glow and shadow.	Keep	Keep

The iPad

- Keep the iPad exactly as approved (status time, “Live inventory”, search, filter chips, grid, “+” buttons, add-to-cart flight, toast).
- Each product picture is the parts-library render, centred in its image area, the same visual size in every card, at the same 3/4 angle and lighting.
- The screen product uses the improved screen render (below).
- Add to cart (keep exactly as approved): a soft tap ripple on the “+”; a small copy of the product image flies in an arc to the iPad’s cart icon, shrinking (600ms); the cart icon bounces once and its badge number rolls up by one; a slim toast “✓ Added · [product]” slides up inside the bottom of the iPad screen, holds 1.5s and slides away, never covering the grid.
- BUG: when the Samsoom chat is open, the flying product flies into the chat. It must ALWAYS land on the iPad’s own cart icon, whatever else is open on the page.
- The iPad must never freeze or stutter while the page scrolls (G16). Its glass gets the crystal look and the light sweep (see the device table).

The screen part in the parts library (fix once, used everywhere)

- Seen at a 3/4 angle so the glass thickness and edge are visible.
- A thin black border around the display and the metal backplate edge visible at the side.
- Deep black glossy glass with a subtle gradient and a soft softbox reflection.
- A copper flex cable tail coming out of the bottom edge, folding back, ending in a small connector with gold contacts.
- It must read instantly as “a phone screen part”, never as a black rectangle.

DO NOT

✕ Do not touch the teardown or any other section.
✕ Do not change the device: no punch-hole, no status bar, no removed progress line.
✕ Do not shrink fonts to fit: shorten the words.
✕ Do not let any product be bigger or smaller than the product box, or off-centre.
✕ Do not remove the circular glow.
✕ Do not use a wireframe globe or flat slabs.
✕ Do not vary animations between loops.

DONE WHEN (every box must be true, or the section is not done)

[ ] Device: pill, no status bar, progress line, glass reflection.
[ ] All cards use the template: same positions and sizes.
[ ] Every product fits the product box exactly and is centred, with circular glow and shadow.
[ ] Screen card: glossy glass with the gliding reflection and the flex tail.
[ ] Globe: real, rotating, continents, route arcs.
[ ] Wholesale: cartons stacking on a pallet.
[ ] Repair: the same size as the others; crack, heal, boot.
[ ] All headlines the same size.
[ ] The iPad uses library renders, centred and the same size.
[ ] The reel loops identically.
[ ] Products straight and exactly centred; clear gap between description and button; home bar present.
[ ] Step-based segmented progress line; every ad exactly 3.2s; fixed colour order with no neighbours alike.
[ ] Vertical feed scroll between ads; pause on hover with up/down arrows; the ad poster opens and closes.
[ ] Crystal glass with the light sweep on the phone and iPad.

[ ] Search works and opens the Coming soon message; the ticks light up in a loop; the cart flight always lands on the iPad.

CAPTURE BEFORE REPORTING

One frame of every card at 1.5s (fully entered), each next to the approved screenshot of that card if one exists. The iPad. The screen part close up. Answer each DONE WHEN item yes or no.

ISSUE 01 · REBUILD THE MOTION · KEEP THE APPROVED LOOK

Teardown: the complete film

STATUS: The teardown's **look** was approved twice by the owner: the three-zone layer view ("FINALLY, it's so good") and the final call with its golden bokeh ("amazing, love it"). Its **motion and behaviour** are now broken. This page describes the whole section from the moment it appears to the end of its ad: every element, every size, every step, every timing. Everything here was either approved or explicitly asked for by the owner. Build exactly this, nothing extra. Only the teardown may change; the hero reel is separate (Issue 1B).

THE FEELING. A product-launch trailer that the customer directs with their scroll. A warm graphite studio with tiny dust drifting in a beam of light from above. A title that lands with confidence. A phone revealed slowly from its back like a luxury car in a showroom, then flicked into the air, turning in the light, and floating back down into the spotlight. Taken apart layer by layer, each layer presented like a product shot with the camera moving around it. Put back together with sparks. Ending on a golden hero shot with a fast, colourful commercial playing on its screen. Always alive, always smooth: nothing jumps, skips, flickers, freezes or resets.

What is broken now (every point must be gone)

- **The back of the phone is never shown.** The phone rises showing its screen; sometimes the screen appears instantly.
- **The turn is not smooth**, and the light does not glide across the phone as it turns.
- **Scrolling is slow and buggy:** sometimes a scroll moves a step, sometimes nothing happens, sometimes it skips steps.
- **A small upward scroll resets the whole animation** back to the start.
- The title sometimes doesn't appear.
- The left part card, the right list (dots and ticks), the leader line and the phone fall out of sync or break.
- The back cover sometimes glitches with flickering light.
- In the final call the phone opens by itself every few seconds.
- Hovering "Screen" pulls out a whole SECOND phone, and the hover tag sits in a weird position on top of things.
- The final-call ad changes fonts and sizes between scenes, isn't colourful or moving enough, and lost its logo intro. The logo ending shows random yellow sticks instead of round glowing dots.
- The screen part is a flat black slab.
- Owner review, 13 October (in code): the whole flow lags, moves wrongly and feels dry, not cinematic; sometimes the screen appears instead of the back; the turn is a quick snap instead of a smooth movement; the scroll hint looks fake (an outline with a line); the final-call hover is messy and tilts the phone; the dust needs improving; the final-call ad is still broken; the phone screen looks dead instead of crystal.

A. The two approved looks (the baseline to keep)

A1. The layer view (approved: "FINALLY, it's so good")

Zone	What it contains (desktop 1440×900)
Stage	Pinned, full viewport height under the nav. Safe area: nothing within 48px of the nav or the bottom of the screen. Three zones: left 30% · centre 45% · right 25%.

Zone	What it contains (desktop 1440×900)
Left zone	Top to bottom, one left edge: • Eyebrow: “TEARDOWN” in yellow mono, a short line, then a counter “03 / 08” (mono; its digits roll on every change). • Headline, 2 lines, in the hero’s headline style at about 44px: “Take any phone apart.” / “We stock every layer.” (the second line yellow). Fixed in place during the steps. • The part card: the hero’s glass card style, FIXED size (about 490 × 430px). Top line in mono: “03 / 08 · FLEX CABLES” on the left, “2 GRADES” on the right. A 56px tile with the part’s library render, plus the part name (Space Grotesk about 34px). Two stats in a row: the stock number + “in stock”, and the brands number + “brands” (numbers count up; no prices). The grade chips. A line “FITS Apple · Samsung · Xiaomi · +11”. A full-width yellow button “Shop flex cables →” anchored to the bottom of the card. • “Skip teardown ↓” at the bottom left of the stage.
Centre zone	The phone, then the exploded stack: an isometric diagonal stack of the 8 layers, about 85% of the stage height, with faint outlines of each layer’s slot.
Right zone	The smart list: 8 rows 55px apart, vertically centred in the zone. A thin STATIC vertical rail with one dot per row (no light travels along it). Each row: the dot, the number in mono (“01”), the part name (Inter about 20px). Pending: dimmed text, empty dot. Active: full white text, yellow number, a softly glowing yellow dot, the row slid 8px left. Done: a soft yellow dot and a small ✓ after the name. Clicking a row moves the film to that layer’s step.
Leader line	One thin yellow line from the active layer’s visible edge to the active row’s dot, with one elbow, ending in a small ring node. It draws itself in 300ms on every step. It never starts from a hidden or off-screen point and never crosses text.
Callouts	2–3 small mono labels per layer (see section E). For each: first the thin line draws out from a point on the part, then the label types in. Each line has at most one bend and never crosses other layers or their outlines.

A2. The final call (approved: “amazing, love it”)

Zone	What it contains
Left column	• A small pill (hero pill style): a pulsing green dot + “IN STOCK TODAY · DEIRA”. • Headline, 3 lines, the hero’s headline style at about 72px: “Every layer.” / “Every brand.” / “In stock in Deira.” (the last line yellow, with a slow light sheen across it every 5s). • Stats row: three EQUAL columns with thin vertical dividers, numbers the same size on one baseline (8 · 14 · 9,000+), small mono labels aligned on one line under them (LAYERS IN STOCK · BRANDS · PARTS (SAMPLE)). • 8 part cards in a 4 × 2 grid, all identical in size and design (hero card style): the library render on a small lit pedestal, ALL facing the same direction at the same 3/4 angle and the same visual size, then the part name, then ONE line “2,211 in stock”. No prices, no stock bars. • Two buttons, the hero’s EXACT button component and size: “Find My Part” (yellow, with an icon box) and “Shop all parts” (outline, with an icon box).
Right half	The phone, standing, facing the camera, centred in the right half at about 82% of the stage height, playing the ad. Nothing else on the right.
Atmosphere	Golden bokeh: 12–18 separate soft round discs (40–160px), some with a faint brighter rim like real lens bokeh, warm gold at 6–14% opacity, with clear dark space between them (they never merge into a cloud). A warm bloom rises from the floor behind the phone, a soft warm light washes in from the right, and the phone’s reflection shows on the floor.

B. The set: studio, light, dust (all steps)

THE SET: background, light, materials, shadows, atmosphere

- A graphite studio cyclorama, never black: about #2A2C2F at the edges, lifting to a soft halo of about #3E4044 behind the phone; the floor never darker than about #1F2023. No visible horizon line: the floor fades into the darkness behind.

- Entering from the hero: the stage’s top colour matches where the hero ends. There is no black gap and no black flash.
- Light falling from above: a soft volumetric haze from the top centre, brighter near the top and fading downward, with completely feathered edges. No cone, no triangle, no visible shape. A faint glow at the very top edge, as if the light fixture is just out of frame.
- The floor: polished and dark, with a soft ELLIPTICAL light pool under the phone (brightest under it, fading naturally), a fine visible texture, and the phone’s reflection (sharp at the contact point, fading out within about 25% of its height). It must read at full screen brightness and on a dark screen.
- Three-point studio lighting on the phone and layers: a big softbox key light from the top left (a large soft rectangular reflection that slides across glass as things move), a soft fill from the right so shadows are never pure black, and a warm rim light from behind tracing the edges.
- Shadows: a soft contact shadow that follows the real outline of the object, darkest where it touches, falling slightly away from the key light. Floating layers cast lighter, blurrier shadows the higher they float. Never squares, never black blocks.
- Dust: 150–220 tiny ROUND soft specks (1–3px), plus a few out-of-focus 5–10px discs close to the camera at 3–6%. Soft white to warm white, 10–35% opacity. Scattered fully at random: no rows, no grid, no repeating clusters. Each speck has its own size, opacity, speed, direction and twinkle timing. They float slowly in random directions with a slight downward drift. They are brightest inside the falling light, twinkle softly as they cross it, and are almost invisible outside it. They never pass in front of the phone, the stack or the text.
- Stable lighting: no flicker, no popping highlights anywhere, especially on the back glass. Use a stable environment light, no flickering real-time shadows on the glass, and keep decals (the emblem) slightly offset from the surfaces they sit on.

ALWAYS ALIVE (ambient life, never frozen)

- The light breathes very slowly (±3% over 6s).
- The phone or the stack floats a few pixels up and down.
- Mouse parallax: the phone and stack tilt slightly (±3°) with the cursor.
- Everything pauses when the section is off-screen and resumes when it returns.

C. The phone itself (back and front)

- **Back glass:** satin, slightly frosted glass in deep graphite with a subtle tone gradient. The softbox reflection slides slowly across it as the phone moves. The glass edges curve into the frame and catch the rim light as a thin bright line.
- **Camera island:** raised with real depth: bevelled edges, a soft shadow on the back glass, and its own polished-glass finish that catches a sharper reflection. Three lenses, each with a brushed metal ring and multi-layer dark glass with a very faint coloured coating reflection. A small flash and a tiny microphone hole beside them.
- **Emblem:** the Sam Electronics emblem in the centre of the back, tone-on-tone (debossed or slightly glossier than the glass, never printed in colour). It is almost invisible until the light sweeps across it, then it gleams for a moment.
- **Frame:** satin aluminium with real highlights, side buttons and antenna lines.
- **Front:** slim, even bezels; a small realistic punch-hole (about 3% of the screen width); the glass edge with slight refraction; the screen content sits behind the glass with a faint softbox reflection over it. The screen must look like real crystal glass, never dead: every ~6s a soft vertical band of light sweeps across it from edge to edge.
- The phone, its screen and its glass are ONE locked object. During every move and spin the screen never separates, never ghosts, and no frame line ever crosses the screen.

D. The scroll engine (the most important fix)

- The teardown is a strict sequence of numbered steps. One deliberate scroll gesture (wheel, trackpad swipe, arrow key, PageDown, touch swipe) = exactly ONE step.
- A gesture only counts when it is deliberate: at least 40px of scroll in one direction. Smaller movements are ignored. A tiny upward nudge never does anything.
- While a step animates, ALL input is ignored (not saved for later). Input can never shorten, skip or reset an animation.
- Trackpad momentum = one gesture: after a step finishes, the next gesture is accepted only after 250ms with no scroll events.
- Scrolling UP goes back exactly ONE step, playing that step in reverse. It NEVER resets the whole film. From step 3b, scrolling up reverses the toss (the phone flips back to show its back). From the resting back reveal (step 2), scrolling up releases the page upward out of the section.
- The automatic steps (0, 1, 2, 3b, 14) cannot be interrupted. Input is ignored until they finish.
- The film starts only when the stage is fully pinned under the nav. Each time the customer enters from above, it starts from step 0. Coming back up into it from below, they enter at the final call and step backwards from there.
- STAGE BOX: every frame, the camera keeps the bounding box of the phone or stack (including any lifted or pulled-out layer) inside the stage’s safe area. If something would leave it, the camera pulls back smoothly at the same moment, never correcting afterwards. Nothing ever goes under the nav or off the bottom.
- Preload the 3D while the hero is on screen. If it still isn’t ready at the pin, hold the empty lit studio until it is. Never show a finished layout instead.
- “Skip teardown ↓” jumps straight to the next section. At the final call, the next scroll down releases the page normally to the next section.

TEST PROTOCOL (report each as passed or failed)

1. Scroll slowly from the hero into the teardown: the film starts at step 0.
2. Scroll fast from the hero: the same.
3. Reload with the teardown half visible: the same.
4. At step 03, nudge up 10px: nothing happens.
5. At step 03, scroll up once: exactly step 02 (reversed), nothing else.
6. At step 03, one hard trackpad swipe: exactly one step forward.
7. Press the arrow keys several times during an animation: nothing until it ends, then one step per press.
8. From the final call, scroll down: the page continues to the next section.

E. The film, step by step

THE FILM: the opening (automatic)

Time	Shot	What the customer sees
0.0–0.4s	STEP 0 · Arrival	The stage pins. The empty lit studio: light falling from above, the dust drifting, calm. The scroll hint sits at the bottom centre of the stage: a small mono label “SCROLL” with three chevrons under it that light up one after the other going down (our chevron motif). No fake-looking mouse outline. It is visible ONLY now, and fades out (200ms) the moment the first title word starts.
0.4–1.4s	STEP 1 · Title	“Take any phone apart.” in the centre at about 96px. Each word rises from behind a mask: from 40px lower, at 104% scale, 6px blur and 0% opacity → sharp in place at 100% in 550ms (expo-out), words 90ms apart, with a light motion blur while moving. No jitter, no snapping, no shake. When the last word lands, one soft light sheen glides across the whole line (400ms).

Time	Shot	What the customer sees
1.5–2.7s	STEP 2 · The back reveal	The phone starts turned 180°, its BACK facing the camera. The screen is NEVER visible in this step. It rises slowly from below the floor into the light in 1.2s (ease-out: quick at first, slowing gently into place). The key light sweeps slowly down the back glass; the three lenses glint one after another as the light passes; the tone-on-tone emblem gleams for a moment. TEXT KNOCKOUT: where the phone passes behind the big white title, those parts of the letters turn to outline only (a thin white stroke, transparent fill), updating every frame. The rest of each letter stays solid. It comes to rest, breathing very slightly, and waits for the first scroll.

THE FILM: STEP 3, the toss and turn (first scroll, about 3.2s)

Time	Shot	What the customer sees
0–450ms	Rise	The phone is flicked up about 12% of the stage height (450ms, ease-out), staying inside the stage box.
0–1000ms	Turn	During the rise and the hang it rotates 180° around its vertical axis, from back to front, in ONE continuous rotation in one direction, eased in and out. As it turns, the softbox reflection GLIDES across the back glass, runs along the metal edge as the edge passes the camera, then slides across the screen glass. We clearly see the back turning away, the edge, and the screen coming round. It is one 3D object rotating. Never a cut, never a swap, never the screen before the turn reaches it.
1000–1150 ms	Hang	It hangs at the top for a moment, facing the camera.
1150–1950 ms	Fall	It floats back down into place (800ms, ease-in-out) with a tiny 4px settle.
1950–2250 ms	Wake	The screen wakes (black → the logo) with one quick diagonal shine (300ms).
2250–3200 ms	STEP 3b · Interface (automatic)	Only after the landing: the title glides from the centre to its place in the left zone along a smooth curve, shrinking to about 44px (600ms). “We stock every layer.” rises from a mask in yellow. The counter rolls in; the part card’s border draws itself, then its content staggers in (label, name, stats, chips, Fits line, button, 60ms apart); the right list’s rail draws down and its rows slide in one by one (50ms apart).

THE FILM: STEPS 4–14

Time	Shot	What the customer sees
scroll	STEP 4 · The burst	The phone tilts to its isometric angle and the 8 layers separate into the exploded stack with a SPEED RAMP, like a film trailer: fast for the first 200ms, then slowing into a smooth drift into place (900ms in total). The stack stays inside the stage box.
scroll ×8	STEPS 5–12 · Layers 01–08	For each layer, all in ONE frame together: • The camera: a slow push-in of 2–3% and a slight orbit (about ±4°, alternating sides) towards the active layer (900ms, ease-in-out). • The active layer lifts 20px towards the camera, tilts a few degrees to show its detail, gets a soft yellow edge glow, and a light sweep crosses it once. Inactive layers dim to 70% with a slight depth-of-field blur. • A very soft light pulse passes through the stack (no visible bar, no LED line). • The counter rolls; the list’s active row moves down (the previous row gets its ✓); the leader line redraws to the new row. • The part card swaps: the old content moves up 16px and fades in 200ms, the new content rises in 250ms with its numbers counting up. The card is never empty for more than 100ms and never shows a blurred empty box. • The callouts draw out, and the layer’s micro-animation plays (section F).

Time	Shot	What the customer sees
scroll	STEP 13 · Reassembly	The layers lock back together in reverse order, fast (90ms apart), each with a small spark at its seam and a gentle 1–2% camera push-in. NO camera shake. On the final lock, one clean diagonal shine sweeps across the glass (350ms). NO box-shaped light. The card and the list fade out and slide away.
auto 1.4s	STEP 14 · Into the final call	The phone makes one smooth 360° turn while moving down and across into its final-call position (ease-in-out), the softbox reflections flashing across its glass and frame as it spins. At the same time the dust specks grow, warm from white to gold and defocus, becoming the golden bokeh discs, and the warm bloom rises from the floor. It lands facing the camera, and the ad starts with its logo intro. The left column builds: the pill slides in, the headline lines rise from masks one by one, the stats count up one after another, the 8 cards cascade in (40ms apart), and the buttons slide up. Everything ends fully sharp; no half-faded text.

F. The 8 layers

#	Layer	Micro-animation (about 1.5s, then idle)	Callouts
01	Screen	The display flickers on with a faint glow, then off. The glass shows the gliding reflection.	OLED · INCELL / COVER GLASS / 5 GRADES
02	Frame	A light sweep runs around the metal rim.	ALUMINIUM / ANTENNA LINES / SCREW POINTS
03	Flex cables	A pulse of current travels along the flex.	CHARGING PORT / BOARD-TO-BOARD / COAX LINE
04	Logic board	The traces light up from the chip outward.	CHIPSET / SHIELDS / CONNECTORS
05	Battery	A charge bar fills on the label.	LI-ION / CONNECTOR / TESTED
06	Cameras	The lens rings turn and a glint crosses the glass.	WIDE / ULTRA WIDE / MACRO
07	Small parts	The screws turn a quarter turn; the parts settle on their tray. Matte finish, no extra shine.	SPEAKER / VIBRATOR / SIM TRAY
08	Back glass	A glossy reflection slides across.	CAMERA LENS / ADHESIVE / FINISH

The screen layer and every screen image use the improved screen render: glossy glass, a thin border, the backplate edge, and the copper flex tail with its connector. Never a black slab.

G. The final call: life and interaction

- **Always alive:** the pill’s green dot pulses; the yellow headline line gets a slow sheen every 5s; the bloom breathes slowly; the warm dust keeps floating in the bloom.
- **The bokeh discs move:** each drifts slowly on its own gentle curved path at its own speed (4–12px per second; nearer, bigger discs a little faster), and breathes softly in brightness (±20% over 4–6s). A few pass slowly behind the phone and come out the other side. Calm, never all in one direction.
- **Buttons** (the hero’s exact component): “Find My Part” gets a light-sweep shimmer every 4s, a magnetic hover (it pulls a few px towards the cursor), and its icon animates on hover. On “Shop all parts” the arrow slides on hover.
- **Part card hover:** the card lifts slightly, its render turns a few degrees, a thin yellow line draws along its bottom edge, and the phone opens (below).

THE PHONE OPENS PROPERLY (hover on a part card)

THE FEELING. Like a product configurator on a premium phone site. You point at a part, and the real phone opens to show it: precise, neat, always the same way.

- There is only ONE phone. Never draw a second phone or a copy of a layer.
- Nothing ever opens the phone automatically. Only a hover on a part card does.
- The phone does NOT tilt or turn. It stays straight, facing the camera, the whole time (owner decision, 13 October).
- Hovering **Screen**: only the phone's actual front screen, still playing the ad, slides out to the RIGHT by about 45% of the phone's width (500ms, expo-out). The inside of the phone becomes visible behind it.
- Hovering **any other part**: the screen (still playing its ad) slides to the LEFT, making space, and the selected part slides out to the RIGHT, clearly visible, with a soft yellow edge glow. Moving layers are always drawn in their real depth order: a layer from inside the phone passes BEHIND the screen, never over it.
- ALWAYS the same directions (screen left, part right), the same distances and the same timing for every part: 500ms out, 400ms back. Clean and calm, never messy.
- THE TAG: a small glass tag, "Battery · 1,760 in stock · 14 brands". It is anchored 16px to the right of the pulled-out part, vertically centred on it, and joined to it by a short thin line. It never overlaps the phone or the part. If there is no room, it sits below the part.
- Mouse out: everything reverses (400ms). The phone closes, and the ad keeps playing without restarting.

H. The final-call ad (separate code from the hero reel)

THE FEELING. A fast, colourful sports-brand commercial. It opens with a slow, premium logo moment, fires through the parts with huge type and constant motion, hits a punchy call to action, and ends with the logo being born from glowing dots of light.

- No status bar (no time, no battery, no wifi). 12% side margins. Nothing ever touches the screen edges.
- LOCKED TEMPLATE: every part scene uses exactly the same fonts, sizes and positions. Only the words, the part, the background and the part's entrance change.
- The slogan "QUALITY · WARRANTY · PRICE" is ALWAYS Signal Yellow.
- No light bands sweeping across the screen, no progress bar, no glow blobs behind text.
- It loops forever and pauses when off-screen.

Element	Position	Size and look
Kicker	14% H	Inter Semibold, 4.6% W, one line: the cool line ("Full power, fully tested.").
PART NAME	18% H	Space Grotesk Bold, caps, sized to fill the width between the margins (about 15% W), 1–2 lines, line-height 0.95. Its letters fly in.
Outline word	Behind the part	ONE complete giant outline copy of the part name (a 1px stroke at 8% opacity), fully readable, drifting slowly sideways. Never cut into fragments.
Part	Centre at 55% H	The library render, about 35% H, with a soft CIRCULAR warm glow behind it (as in the hero ads) and a soft shadow. Always moving.
Stock line	78% H	Inter Regular 4.6% W: "1,760 in stock · 14 brands".
Button	85% H	80% W × 7.5% H, rounded: "Shop batteries →".

THE FILM: the ad

Time	Shot	What the customer sees
1.8s	E1 · Logo intro	On graphite, a slow diagonal light sweep reveals the full-colour logo, like light gliding over polished metal, while it scales 92% → 100%. “SAM ELECTRONICS” fades in as its letter spacing closes from wide to normal, and “QUALITY · WARRANTY · PRICE” appears underneath. Then the camera zooms THROUGH the logo into the first scene.
1.1s each	E2 · Part scenes	Beats: 0–150ms the background arrives (alternate a diagonal colour wipe, a whip pan with motion blur, and a zoom-through; never the same twice in a row). 100–400ms the part name’s letters fly in 25ms apart from the direction the part travels and settle, with the kicker sliding in just before. 150–500ms the part makes its own entrance. 400–700ms the stock line and button slide up. 500–900ms everything keeps moving. 900–1100ms it all whips out. SCREENS (yellow) “Bright like day one.”: slides in and the display lights up · BATTERIES (graphite) “Full power, fully tested.”: drops, bounces once, the charge fills · BACK GLASS (fog) “Factory finish, every brand.”: spins and stops with a reflection · CAMERAS (yellow) “Sharp again, every lens.”: the rings rotate into focus with a glint · FLEX & PORTS (graphite) “Charging again in minutes.”: the flex unrolls · SMALL PARTS (fog) “The small parts that matter.”: they burst out and snap into a grid. Text graphite on yellow and fog, white on graphite. No prices; the stock numbers match the final-call cards.
1.65s	E3 · Quick call	Three full-screen word cards, 0.35s each, hard cuts, huge Space Grotesk Bold: “EVERY PART.” (graphite on yellow) → “EVERY BRAND.” (yellow on graphite) → “ALL IN DEIRA.” (graphite on fog). Then “Get yours today.” slams in on yellow with a zoom-punch (0.6s).
2.2s	E4 · Logo close	MANY small ROUND glowing golden dots (2–6px, soft glow, varied sizes) stream in from the screen edges along smooth curved, swirling paths, speeding up as they approach the centre, and pour into the logo’s shape, filling it. No sticks, no lines, no streaks. As the last dots land: a soft flash, every dot absorbed (none left over), the logo settles 104% → 100%, one slow light sweep, the name and the yellow slogan. Hold 0.8s, fade to black 0.5s, loop to E1.

DO NOT

- ✕ No step may ever be skipped, cut short or reset by a small scroll.
- ✕ Never show the screen before the turn.
- ✕ No camera shake, no box-shaped light, no LED bars or travelling lights, no light cones, no horizon line.
- ✕ No second phone, no auto-opening, no extra cards or tags on the right of the final call.
- ✕ No varying fonts in the ad, no status bar, no stick particles, no progress bar.
- ✕ No prices anywhere in the teardown.
- ✕ Do not add ideas that are not on this page. Do not touch the hero.

DONE WHEN (every box must be true, or the section is not done)

- [ ] All 8 scroll tests pass.
- [ ] Step 0: the empty lit studio, the hint only now.
- [ ] Step 1: the smooth masked title and its sheen.
- [ ] Step 2 shows the BACK (realistic per section C), with the light sweep, lens glints, emblem gleam and outline letters.
- [ ] Step 3: the toss and turn are smooth, with the reflection gliding across the back, the edge and the screen; the hang; the soft fall; the wake.
- [ ] Step 3b: the title moves, and the card and list build in.
- [ ] Steps 4–12: the burst with the speed ramp; each layer fully in sync (camera, lift, glow, counter, list ✓, card, leader line, callouts, micro-animation).
- [ ] Step 13: sparks, push-ins and the shine; no shake, no box light.
- [ ] Step 14: the 360° turn, the dust becoming bokeh, the final call building.

- [ ] The final call matches A2 exactly, with all its life; the hover opens the one real phone to the right, with the tag beside the part.
- [ ] The ad: logo intro, the locked template, the quick call, the dots forming the logo, looping.
- [ ] Always alive: light breathing, floating, mouse parallax, dust.
- [ ] Any unfinished part listed honestly.

CAPTURE BEFORE REPORTING

Use the capture page to freeze any moment. Frames at 1440×900: step 0 (with the hint), step 1 complete, step 2 mid-rise (the back), step 3 mid-turn (the edge facing the camera, at the top), step 3 landed with the screen on, step 3b, step 06, the reassembly shine, step 14 mid-spin, the final call complete, the hover on Screen, the hover on Battery, ad E1 mid-sweep, BATTERIES complete, the quick call, E4 mid-dots and complete. Plus the 8 test results.

ISSUE 02 · NEW SECTION · REPLACES THE PARTS CABINET

What we offer: the 8 families and the 3 service ads

STATUS: The Parts Cabinet is **cancelled completely**: file deleted, never to be rebuilt. No drawers, no cabinet circuits, no logo node. This section replaces it and comes directly after the teardown. The teardown was the fun welcome; this is the formal overview of everything we sell and do.

THE FEELING. Walking into a premium flagship store after the show: calm, bright, organised, expensive. First you see every product family laid out like jewellery under soft light. Then three alive service boxes, each in its own colour, each confident and fast. The customer should think: "They have everything, and they do everything."

Part A: The 8 product families

THE SET: background, light, materials, shadows, atmosphere

- Background: warm fog studio (#F2F3F4 lifting to #FAFAF8 in the centre), fine 2% grain, a very soft warm light from the top-left. It must feel like daylight after the teardown's dark studio.
- Transition from the teardown: the teardown's graphite brightens into fog over the first 20% of this section's height, like a studio's lights coming up. No hard edge between the two sections.
- Cards: white with a faint glass edge (1px white at 60% on the top edge), radius as the hero's cards, a soft shadow below (G11: following the card's shape, never a hard line).
- Each card contains a small round pedestal (satin graphite) where the part stands, lit by its own tiny key light: soft rectangular reflection on glass parts, contact shadow on the pedestal.
- Parts: the **teardown parts library (G15)**, the exact same models at the same studio quality: Screen, Frame, Flex cables, Logic board, Battery, Cameras, Small parts, Back glass. The phone in the Repair ad is the teardown's assembled phone. The cartons, tape, labels, tag and pallet in the Wholesale ad follow the G15 object standard.

LAYOUT (1440×900)

- Top: eyebrow "WHAT WE OFFER" (mono, yellow-dark #8A6A10 on fog), headline "Every part. Every service." / "One shop in Deira." (second line in graphite at 60%), and a one-line intro on the right.
- Below: 8 family cards in a 4 × 2 grid, about 300 × 340px each, 24px gaps. Everything (header + both rows) fits in one 900px screen.
- Each card, top to bottom: the part on its pedestal (top 55% of the card) · family name (Space Grotesk 22px) · "2,211 in stock · 14 brands" (mono 13px) · grade chips (hero chip style) · "from AED 70" left and a "Shop →" link right, on one line.

THE FILM: entrance (time-based, plays when the section enters)

Time	Shot	What the customer sees
0.0–0.8s	Title	The headline rises line by line by mask reveal (100ms apart). The eyebrow types in letter by letter.
0.4–1.6s	Wave	The cards rise into place in a wave from top-left to bottom-right (60ms stagger), each from 24px lower and at 0% opacity, expo-out with a 3px settle.

Time	Shot	What the customer sees
0.8–2.2s	Parts land	In each card, the part drops onto its pedestal from 30px above, turning 40° as it falls, landing with a tiny settle. Its contact shadow forms the moment it touches.
1.4–2.6s	Numbers	Stock numbers count up from 0 (mono digits rolling). Grade chips pop in one by one.

INTERACTION

- Hover a card: it lifts 6px (its shadow grows softer and larger), the part rotates smoothly to a 3/4 angle over 500ms and a light sweep passes across it, the pedestal's rim glows faint yellow, "Shop →" arrow slides 4px right. Mouse out: everything returns in 400ms.
- Click a card: opens the shop filtered to that family.

IDLE LIFE (what keeps moving when nobody touches anything)

- Every part turns very slowly on its pedestal (one turn per 30s), each card starting at a different angle so the row never moves in sync.
- Every 8–10s, one soft light sweep passes across the whole row of parts from left to right, catching each part's glass or metal for a moment. A reflection, never a visible bar.

Part B: The three service BOXES (owner decision, 13 October)

> The three services are NOT separate pages and NOT full-screen bands. They are three BOXES inside the What we offer section, directly below the 8 family cards: three equal cards side by side, in the same section, on the same page.

- Box colours, left to right: **Repair (graphite) · Wholesale (yellow) · Worldwide (white)**.
- Each box is alive with its own moving scene, described below (Repair: the phone cracks and heals and its checklist ticks; Wholesale: cartons stack on a pallet and the price tag flips; Worldwide: the dot-matrix globe with routes from Dubai). The scenes play when the boxes enter the viewport, then keep their idle life.
- Each box has: a mono eyebrow, a 2-line headline, one short line, one stat, and a button (the hero’s button component). Nothing cut off, nothing overlapping the scene.
- Hover: the box lifts slightly with a softer, larger shadow, and its scene speeds up a little. Click: the button’s destination, or the “Coming soon” message (G17).

The scripts below describe each box’s scene and text. Scale them to the box; the timings stay the same.

BOX 1 · REPAIR · GRAPHITE

THE SET: background, light, materials, shadows, atmosphere

- Graphite studio (#2A2C2F edges to #3E4044 behind the phone), polished dark floor with a soft elliptical light pool, no horizon line (G11).
- Key softbox top-left reflecting on the phone's glass; warm rim light behind; dust falling slowly in the light (G12).

THE FILM (shot by shot)

Time	Shot	What the customer sees
0.0–0.8s	The patient	A realistic phone lies face-down on the floor in the light pool. It flips over with weight (rotates 180° and settles), revealing a cracked screen: sharp spider cracks catching the key light.
0.8–2.0s	The fix	The cracks fill with warm yellow light and seal line by line from the impact point outward. A thin scan of light follows the last crack and the glass is whole.

Time	Shot	What the customer sees
2.0–2.6s	Boot	The screen boots: the full-colour logo, one white light sweep, then a home screen.
2.6–3.6s	Tested	Beside the phone, a test checklist ticks in one line at a time with a soft click each: Touch ✓ · Display ✓ · Face ID ✓ · Speaker ✓. A round "TESTED" seal stamps beside it with a small shake.
0.4–2.4s	Text	Eyebrow "REPAIR LAB". Headline "Broken today." / "Fixed today." (second line yellow). Stats count up: same-day repairs* · warranty on every repair* · since 2003. Buttons: "Book a repair" (yellow), "See repair prices" (outline).

IDLE LIFE (what keeps moving when nobody touches anything)

- The phone breathes on a slow turntable (±8°), the softbox reflection sliding over its glass; the dust falls; every 6s the checklist re-ticks quickly.

BOX 2 · WHOLESALE · SIGNAL YELLOW

THE SET: background, light, materials, shadows, atmosphere

- Full Signal Yellow field with 2% grain and a soft studio vignette (edges 8% darker). A light wooden pallet sits on a subtle bench-grey floor with a soft shadow.
- Cartons: real corrugated cardboard (visible flute texture on the edges), muted kraft colour, yellow tape printed "SAM ELECTRONICS", a white shipping label with a barcode.

THE FILM (shot by shot)

Time	Shot	What the customer sees
0.0–1.6s	The drop	Cartons drop onto the pallet one after another (6 cartons, 180ms apart), each landing with weight: a small squash on impact, a settle, a puff of dust at the base, its contact shadow snapping in.
1.6–2.2s	The wrap	Shrink-wrap sweeps around the stack in one spiral motion with a moving plastic shine.
2.2–3.0s	The price	A price tag swings in on a string beside the pallet: "Retail AED 125". It flips like a card to "Trade AED 98" and a "−22%" badge stamps on its corner.
3.0–3.8s	The count	A unit counter rolls 10 → 50 → 100 units, with a carton added to the stack at each step.
0.4–2.4s	Text	Eyebrow "WHOLESALE · TRADE". Headline "Stock up." / "Cost down." (graphite). Stats: trade prices from X units* · same-day quotes · since 2003. Buttons: "Apply for trade prices" (graphite button, white text), "How trade works" (outline graphite). Buttons must never be cut off.

IDLE LIFE (what keeps moving when nobody touches anything)

- The price tag swings gently on its string; a soft light sweep passes over the shrink-wrap every 7s.

BOX 3 · WORLDWIDE · WHITE

THE SET: background, light, materials, shadows, atmosphere

- White field with a very faint warm light from the top-right and fine grain, so it never looks flat.
- A globe made of graphite and fog dots (dot-matrix style, matching the Worldwide section), on palette only: graphite dots, yellow for Dubai and the active route, white highlights. No blue, no green.

THE FILM (shot by shot)

Time	Shot	What the customer sees
0.0–1.0s	The world	The dot globe fades in and rotates slowly to bring Dubai to the front. Dubai pulses yellow.
1.0–2.4s	The route	A glowing yellow arc draws from Dubai to the destination (cycling: Baghdad, Istanbul, Lagos, Madrid). A small parcel travels along the arc and lands with a tiny bounce.
2.4–3.4s	The status	Below the globe (never on it), a status pill steps through Packed → In transit → Delivered, each step lighting yellow with a check.
0.4–2.4s	Text	Eyebrow "WORLDWIDE". Headline "From Deira" / "to the world." Stats: shipping to X+ countries* · tracked on every parcel · packed same day*. Buttons: "Get a shipping quote" (yellow), "Where we ship" (outline).

IDLE LIFE (what keeps moving when nobody touches anything)

- The globe keeps rotating slowly; a new route draws every 4s to the next destination; the parcel keeps travelling.

* Sample values: the owner must confirm same-day repairs, warranty periods, minimum trade units and countries shipped to (G13).

DO NOT

✕ Do not bring back drawers, a cabinet, a logo node or cabinet circuits.
✕ Do not use flat or cartoon cartons, flat phones or a blue/green globe.
✕ Do not let any button, pill or label be cut off or overlap the scene.
✕ Do not make the three boxes the same colour as their neighbours.
✕ Do not make the services separate pages or full-screen bands.

DONE WHEN (every box must be true, or the section is not done)

[ ] 8 family cards in a 4 × 2 grid with realistic parts on pedestals, fitting in one screen.
[ ] Entrance plays: title → card wave → parts land → numbers count.
[ ] Hover lifts the card and turns the part with a light sweep.
[ ] Three alive service boxes inside the section: graphite Repair, yellow Wholesale, white Worldwide.
[ ] Each box's scene plays as scripted and then keeps its idle life.
[ ] No zeros; sample values marked.
[ ] Every surface lit per G11; nothing flat.

CAPTURE BEFORE REPORTING

Family grid after the entrance; hover on Battery; the three boxes together; each box mid-scene (Repair healing, Wholesale tag flip, Worldwide routes).

ISSUE 03 · REBUILD LAYOUT

Live Parts Board: "What's moving on our shelves"

THE FEELING. Standing in the control room of a busy warehouse at night. Screens glow, numbers tick, every second something lands, sells or ships. Calm and precise, but never still. The customer should feel the shop is alive right now.

What is wrong now

- Traces cut through text, cross the Low-stock tile and each other. Counter tiles are weak with tiny dull icons. Trending chips are clipped. Rows are tall and empty. Columns are unbalanced. Stripe texture and a circuit grid make the background busy.

THE SET: background, light, materials, shadows, atmosphere

- Clean living graphite (#2A2C2F to #34363A), fine grain, one soft cool-neutral light from the top so the board's glass has a faint top highlight.
- The board is a dark glass panel (#1F2023 at 90%) with a 1px top edge highlight and soft inner shadow; rows separated by 1px lines at 6% white.
- No stripes, no grid. Circuits only in the wiring channel (functional) and faint decoration in empty corners (8–12%).

LAYOUT

- Top row: eyebrow + headline left, body text right.
- Main row: [4 counter tiles stacked] → [wiring channel ~96px] → [the board]. Each tile lines up with its own lane in the channel.
- Bottom: "Trending right now" full-width ticker, then the button aligned left beneath it.

THE FILM: entrance

Time	Shot	What the customer sees
0.0–0.8s	Title	Headline by mask reveal; body text fades up.
0.3–1.2s	Tiles	The four counter tiles slide in from the left one by one (80ms stagger); numbers count up from 0.
0.8–1.6s	Wiring	Each tile's single straight trace draws across the channel to the board (300ms each), a small node lighting where it meets the board.
1.2–2.4s	Board	The board powers on: a soft light passes down the glass once, the header and filter tabs appear, then the first 6 rows type in from the top, 100ms apart.

IDLE LIFE (what keeps moving when nobody touches anything)

- Every 2.5–4s a new event lands: the row slides in at the top and types in; it glows yellow for 1.2s; a pulse runs from the row through its lane in the channel to its counter; the counter flashes, its number rolls up and a "+1" floats up and fades.
- Counter icons are always gently animated: a box dropping onto a shelf (Just landed), a battery draining and blinking amber (Low stock), a tag swinging down (Price drops), a truck driving off (Shipped).
- Sparklines have a gradient fill and a pulsing dot on the latest point; a delta line under each: "+3 in the last hour".
- The trending ticker scrolls continuously with fade masks on both edges; counts roll.

INTERACTION

- Filter tabs (All · Landed · Low · Drops · Shipped): the board's rows shuffle and filter with a quick vertical slide; the matching counter tile glows yellow.
- Hover a row: it lifts slightly with a thumbnail of the part enlarging; click opens the product.
- Rows are compact (~56px): time · status pill · small part thumbnail or flag · item · value right next to it. Footer: rolling "42 events today" + a tiny live activity bar.

DO NOT

✕ Do not route any trace through text or tiles.
✕ Do not clip chips or ticker items.
✕ Do not use stripes, grids or tiled backgrounds.
✕ No dead gap under the button.

DONE WHEN (every box must be true, or the section is not done)

[ ] Zero crossings: every trace straight and inside the channel.
[ ] Live event → pulse → counter tick works continuously.
[ ] Animated icons, filled sparklines, deltas.
[ ] Compact rows with thumbnails and filter tabs.
[ ] Ticker never clips.
[ ] Clean lit graphite background.

CAPTURE BEFORE REPORTING

The section after the entrance; one frame mid-pulse (row → counter); the Low filter active.

ISSUE 04 · GLOBAL FIX · APPLY EVERYWHERE

Global: circuits, the nav progress line and backgrounds

Do **not** remove the circuits. Do **not** remove the nav progress line. They are part of our identity, exactly as in the hero.

THE FEELING. Electricity running quietly through the building's walls. You notice it in the empty spaces, flowing calmly, never in your way. When something happens on the page, the current answers with a small surge, like the shop reacting to you.

What is wrong now

- A bus forced down the page cuts through deal cards, buttons, cartons and the word "Quality". Current is drawn as dots. Several backgrounds have grids, stripes and tiles.

What you must do

1. Keep the nav progress line as a top-bar feature: a thin yellow line that fills with scroll, its head a small glowing node.
2. Each section designs its own circuits where they fit (see each issue). Some sections may have one long circuit through empty space.
3. Current: soft light streaks (80–160px gradient dashes, white-yellow core fading to transparent), several at once at slightly different speeds (60–120px/s). On events nearby (add to cart, a new board row, a card hover), one streak brightens and speeds up for 400ms: a surge.
4. Nodes are small rings (6–8px) that glow softly when current passes through them.
5. **24px clearance** from every text, button, card, image and icon. Audit every section and reroute anything that touches.
6. Background circuits at 8–12% opacity, empty areas only.

DONE WHEN (every box must be true, or the section is not done)

[ ] Nav progress line present.
[ ] Circuits present and decorative per section.
[ ] Zero circuits touching or crossing content (send me the audit list of every rerouted circuit).
[ ] Current flows as streaks with surges on events.
[ ] No busy background textures left.

CAPTURE BEFORE REPORTING

One frame per section showing its circuits, plus the audit list.

ISSUE 05 · FULL REBUILD · PINNED SCENE

Bench Test: "Nothing leaves Deira until it passes the rig"

THE FEELING. Watching a precision machine test a part in a quality lab: clamps closing with a satisfying click, beams scanning, gauges settling, and the final stamp. Trust, built in front of your eyes. The customer should think: "Every part I buy here has been through this."

What is wrong now

- Waves, blurred traces and yellow blotches in the background. Nothing is tested while you watch. Quality / Warranty / Price are empty outlines. The probe arm covers the screen, the readouts are basic, there is cut-off engraved text, a random black bar, a dangling cable and a cut-off "Parts tested" card. Big empty space under the rig.

THE SET: background, light, materials, shadows, atmosphere

- Full Signal Yellow field, 2% grain, studio vignette (edges 8–10% darker), a subtle bench surface at the bottom with the rig's soft contact shadow.
- The rig: anodised aluminium plate (fine brushed texture, soft specular highlight), machined clamps with knurled knobs, a spring-loaded probe on a rail, real LEDs with a soft bloom, a digital counter in the top bar, and a cable with a real connector running neatly off the bottom edge.
- Key light top-left, so the plate has one long soft highlight and each knob a small bright point.

LAYOUT

- Pinned for about 300vh; scroll drives the test forward and backward (scrubbed, eased). Everything fits in one screen.
- Left: eyebrow, headline, and the three words QUALITY · WARRANTY · PRICE at about 72px, each with a short line that types in beneath it when earned.
- Right: the rig, full height, with the printed work order feeding out of its bottom.

THE FILM: scroll-driven (reverses on scroll up)

Time	Shot	What the customer sees
0–10%	Load	The phone slides into the rig; the clamps close with a click (a 2px shake) and a settle; the status LEDs go green one by one; the rig's counter wakes up.
10–30%	Display	A soft scan light sweeps down the screen; a pixel grid fills behind it; the Display tile flips to PASS ✓.
30–45%	Touch	The probe taps grid points one by one (it never covers the screen's content); a touch trace draws; PASS ✓; the word QUALITY fills like a charging bar left to right and its circle draws into a ✓.
45–65%	True Tone	The screen shifts warm to cool; a sensor reads; a gauge needle settles; PASS ✓; a warranty sticker is applied to the phone with a small press; WARRANTY fills.
65–85%	Battery	A health gauge charges to 98%; PASS ✓; a price tag drops in on a string; PRICE fills.
85–100%	Passed	A thermal work order feeds out of the rig (grade · warranty · price · unit #); a "PASSED" stamp lands on it with a shake; the counter rolls 1,293 → 1,294; the pin releases.

IDLE LIFE (what keeps moving when nobody touches anything)

- Rig LEDs breathe; the counter's last digit flickers occasionally; the work order sways slightly as if from airflow.

DO NOT

✕ No waves or blotches.
✕ The probe never covers screen content.
✕ No terminal-style log box.
✕ No empty space under the rig.

DONE WHEN (every box must be true, or the section is not done)

[ ] Pinned and scrubbed both ways, four checks in order.
[ ] Words fill like charging bars with ✓ and typed lines.
[ ] Work order prints and stamps; counter ticks.
[ ] Rig realistic, full height, no defects.
[ ] Clean yellow studio background.

CAPTURE BEFORE REPORTING

Frames at 5%, 35%, 55%, 75% and 100% of the pin.

ISSUE 06 · REPLACES THE MODEL FILE

The Showcase: screen adverts

THE FEELING. A run of premium phone-screen commercials in a quiet showroom: bold type, a perfect product, a beat, the next one. Like flipping through the best ads in a magazine, but moving. The customer should want a new screen even if theirs isn't broken.

What is wrong now

- The Model File looks like bathroom tiles, confuses with too many controls at once, clips rows, shows a flat beige phone on a dark ellipse, and sells nothing. Remove it from the home page: browsing by model lives in Find My Part and on the Brands & models page.

THE SET: background, light, materials, shadows, atmosphere

- Warm fog studio around the ad stage (fine grain, soft warm light from the top-left).
- The ad stage: a wide card, graphite on the left half and Signal Yellow on the right half, with a soft shadow under the whole card, inspired by the owner's own banner style (big bold typography on graphite, the product on yellow, a feature checklist, one clear button).
- Behind each product on the yellow side: a very slow, soft drifting light (like studio haze), never a shape.

The ads are about screens, one per grade: Service Pack (lead) · Original · OLED · Incell · High Copy. Optional last two: Batteries and Repair.

THE FILM: each ad (about 7s, auto-advancing)

Time	Shot	What the customer sees
0.0–0.6s	Headline	On graphite: the grade name in mono eyebrow, then a two-line headline word by word (blur to sharp, 60ms).
0.3–1.4s	Product	On yellow: the product enters with depth: from 30% smaller and slightly turned, it comes forward and settles at full size with a 2° overshoot. Its contact shadow forms under it.
1.0–2.0s	Proof	The checklist ticks in on graphite (e.g. Genuine · Factory sealed · Warranty), each with a click; a "from AED X" badge stamps onto the yellow side.
2.0–7.0s	Hold	The product turns slowly (±10°), light sweeps over its glass every 3s, the haze drifts. The progress bar for this ad fills.
7.0–7.5s	Cut	The product exits with depth (moves back and fades), the text lines slide up and out; the next ad begins.

- The Service Pack ad (lead) has an extra moment: the sealed service box slides in, the flap lifts, the screen with its frame slides out and turns, and a seal stamps.
- Controls: story-style progress bars (one per ad), pause on hover, arrows, swipe.

DO NOT

✕ Do **not** simulate colour or quality differences between grades (no OLED vs Incell slider). Differences are explained in text only.
✕ No back-cover colour-changing ad.
✕ No grid or tile background.
✕ Do not use the Samsung logo as our branding; it appears only on genuine packaging.

DONE WHEN (every box must be true, or the section is not done)

[ ] Model File removed from home.
[ ] Showcase built as a graphite | yellow stage in a warm fog studio.

- [ ] 5 screen-grade ads following the film, auto-advancing, with progress bars, pause, arrows and swipe.
- [ ] No simulated colour comparisons.

CAPTURE BEFORE REPORTING

Each ad at about 2s (fully entered), plus the Service Pack box opening.

ISSUE 07 · STRONG IMPROVEMENT

Deals & arrivals: "Prices drop. Clocks tick."

THE FEELING. The energy of a flash sale in a premium store: a ticking clock, a price falling in front of you, stock running out. Urgent but classy, never a cheap discount banner. The customer should feel: "If I don't act now, someone else will."

What is wrong now

- Circuits cut through deal cards and sit on "Add to cart". First and last carousel cards are half-faded with clipped text. Cards are identical with cryptic badges ("OR", "OL") and static countdowns.
- The shipment card contradicts itself (parcel at the start, "98% of the way", 3 days left). The pre-orders card is a bright white block with already-released models. Dead space above the headline.

THE SET: background, light, materials, shadows, atmosphere

- Graphite (#2A2C2F) with one soft warm light pooling from the top-left over the spotlight deal, as if a display light is aimed at it; fine grain.
- Deal cards: dark glass cards (hero card style) with a faint top highlight; each product from the parts library (G15) standing on a soft contact shadow.
- Flip-clock digits: real split-flap tiles (matte graphite, a thin hinge line across the middle, a soft shadow under the top flap).

LAYOUT

- Header row: eyebrow + headline left, "See every deal →" right, on one aligned line. No dead space above.
- Left (40%): the Deal of the Day spotlight. Right (60%): filter tabs, then the carousel. Below: Incoming shipment and Pre-orders side by side.

THE FILM: entrance

Time	Shot	What the customer sees
0.0–0.8s	Title	Headline by mask reveal; the tabs slide in.
0.3–1.4s	Spotlight	The spotlight product rises into its light with a slow turn and settles; the flip clock flaps into the current time digit by digit (each tile flips 2–3 times before landing).
1.0–2.0s	The drop	The old price appears, a drawn line strikes through it from left to right (300ms), and the new price rolls down digit by digit into place with a small settle. A "−22%" badge stamps on.
1.2–2.2s	Stock	The stock bar fills to its level and then drains slightly: "32 of 50 left".
0.6–1.8s	Carousel	Cards slide in from the right with a 70ms stagger, each product landing with a settle.

IDLE LIFE (what keeps moving when nobody touches anything)

- The flip clock flips every second (seconds tiles), with a soft click feel (tiny shadow flash under the flap).
- Every 20–30s the stock bar drops by one with a soft pulse, and the number rolls.
- The carousel drifts slowly to the left; the spotlight product turns slowly (±10°) with the softbox reflection sliding over it.

INTERACTION

- Hover a card: it lifts 6px, the product turns to 3/4 and catches a light sweep, the countdown digits brighten.
- Add to cart: the same fly-to-cart moment as the hero iPad (tap ripple → arc flight to the nav cart → bounce → badge roll → toast).
- Carousel: drag, arrows, auto-drift; fade masks only on empty space; the first and last visible cards are always fully readable.

INCOMING SHIPMENT CARD

- A faint real world map (graphite dots), Shenzhen → Dubai air route drawn as a soft yellow arc, a small plane on the arc **positioned exactly at the progress %**.
- 5 stages beneath (Packed · Departed Shenzhen · In flight · Customs Dubai · Arrived Deira), lit up to the current one. The progress bar, plane position and flip-clock countdown all **agree**.
- Idle: the plane moves along the arc very slowly; its little contrail fades behind it. "Notify me when it lands". No circuit inside the card.

PRE-ORDERS CARD

- Graphite card matching the section (never white). Phone silhouettes as soft lit shapes (no fake renders), with neutral next-generation names ("Next Galaxy Ultra", "Next iPhone Pro"), editable later from the Control Room. Part types, "Reserve" per row, and a waiting counter ("126 shops waiting", sample) that ticks up occasionally.

DONE WHEN (every box must be true, or the section is not done)

[ ] No circuit touches any card or button.
[ ] No clipped text anywhere in the carousel.
[ ] Spotlight plays clock → strike → price roll → stock.
[ ] Grades in full words (Original · OLED · Incell · Service Pack · High Copy).
[ ] Fly-to-cart works.
[ ] Shipment data consistent.
[ ] Pre-orders graphite with neutral names.
[ ] Products from the parts library.

CAPTURE BEFORE REPORTING

After the entrance; mid price-roll; hover on a carousel card; mid fly-to-cart.

ISSUE 08 · FULL REBUILD · STRONG BRANDING

Wholesale: "The Trade Floor"

THE FEELING. Stepping onto a real trade floor in Deira: tape screeching, cartons stacking, prices getting better with every carton you add. Industrial, generous, confident. A shop owner should feel: "This is where I buy in bulk."

What is wrong now

- Nothing says wholesale. A big empty yellow area. The scene under the calculator is a grey box. The carton conveyor is childish and circuits run through cartons. The ticker is clipped. "Partner with us" is a bright white block. No branding.

THE SET: background, light, materials, shadows, atmosphere

- Signal Yellow field with 2% grain and a studio vignette; the floor area under the pallet builder is a subtle warm-grey concrete with a soft light pool.
- Cartons, tape, labels, pallet and shrink-wrap at G15 object quality (corrugated flutes, tape sheen and wrinkles, barcoded labels, wood grain, glossy wrap).
- Key light top-left gives every carton a lit top face, a mid-tone front and a soft contact shadow on the pallet.

THE FILM: entrance

Time	Shot	What the customer sees
0.0–0.8s	Tape	A strip of yellow packing tape printed "SAM ELECTRONICS · WHOLESALE · TRADE" unrolls across the top edge of the section and presses flat, with a light glint running along it.
0.4–1.2s	Title	Headline by mask reveal; a "TRADE ONLY" stamp lands beside it with ink texture and a small shake.
0.8–1.8s	Numbers	The numbers band counts up: Since 2003 · X+ countries* · same-day quotes · min. order X units*.
1.2–2.6s	Pallet	The Pallet Builder powers on: an empty pallet slides in with weight; the first 2 cartons drop on it.

THE PALLET BUILDER (the centrepiece)

- Pick a part (chips with library thumbnails), drag the quantity slider. Each step adds cartons that drop onto the pallet with weight (squash, settle, dust puff, contact shadow).
- A price tier ladder (10+ · 50+ · 100+ · 500+): the active tier glows; when you cross a tier, it flashes, the unit price steps down by rolling digits, and "You keep AED X" rolls up.
- Retail total vs trade total side by side; the trade total in yellow on graphite.
- When the pallet is full, shrink-wrap spirals around it with a moving shine and a label prints and sticks on: "SE-2611 · Ready to ship from Deira."
- **Who we supply:** 4 compact cards (Repair shops · Traders · Exporters · Bulk buyers), each with a small animated scene in G15 quality and one benefit.
- **How trade works:** Apply → Get approved → Order at trade prices, lighting in order like a circuit, ending at "Apply for a trade account".
- **Trade ticker:** full width, continuous, flags and quantities, fade masks. **Partner with us:** a graphite card with a faint world-map texture.
- Circuits subtle, empty space only, never across cartons, cards or text. No conveyor.

IDLE LIFE (what keeps moving when nobody touches anything)

- The shrink-wrap shine passes every 6s; the tape's glint runs every 10s; the ticker scrolls; the active tier breathes.

DO NOT

✕ No cartoon cartons, no conveyor, no flat empty yellow, no clipped ticker, no white partner block.

DONE WHEN (every box must be true, or the section is not done)

[ ] Reads as wholesale at first glance.
[ ] Tape and TRADE ONLY stamp play.
[ ] Pallet builder with tier ladder and wrap works.
[ ] Who we supply + How trade works added.
[ ] All objects at G15 quality.
[ ] No circuits through objects.

CAPTURE BEFORE REPORTING

After the entrance; pallet at 50+ tier; pallet full with the label.

ISSUE 09 · COLOUR FIX · KEEP THE REST

Worldwide: map + the four boxes

STATUS: The dot-matrix map, the routes and the live list are strong: keep them. The four boxes (Tracked · Packed · Quoted · Regions) and their continuous animations are liked: keep them moving.

THE FEELING. A calm global operations screen: serious, precise, quietly busy. Everything in one colour family, like one professional instrument.

What you must do

1. Recolour every mini-animation using only the palette, as the service cards do: yellow for active and moving elements, white and soft grey for lines and text, graphite for surfaces.
   - Green tick → yellow tick drawing itself.
   - Blue/green globe → a graphite dot globe with yellow and white continents.
   - Bright brown carton → a muted kraft carton (G15 quality) with yellow tape.
3. Make each animation larger inside its box (about 45% of the box's height), centred, with a soft contact shadow under any object.
4. Light: each box gets a faint top highlight and its animation a tiny key light, so the four boxes feel lit, not flat.
5. Optional, only if it looks good: a thin dashed route line linking the four boxes in the map's style; a "Where are you?" search that lights the country on the map.

DONE WHEN (every box must be true, or the section is not done)

[ ] Four boxes and their motion kept.
[ ] Zero off-palette colours.
[ ] Animations larger and lit.
[ ] Map untouched.

CAPTURE BEFORE REPORTING

The section with all four boxes mid-animation.

ISSUE 10 · REBUILD

Our story & branches: "More than 20 years in Deira"

THE FEELING. Opening a family photo album in warm afternoon light: honest, proud, human. Twenty years of real shops, real people, one street in Deira. Then a look forward: Madrid is coming. The customer should trust us the way you trust a family business.

What is wrong now

- All white with nothing to look at. No images. The Dubai map uses default Google styling with a "ctrl + scroll" overlay. The Madrid card is a hand-drawn sketch with a red stamp. Empty space below.

THE SET: background, light, materials, shadows, atmosphere

- Warm fog (#F2F3F4 warming to #F7F3EA where the light falls), fine grain, a soft warm light coming from the top-right like late-afternoon sun through a shop window.
- Timeline cards: white with a soft shadow and a slight glass edge; each holds a photo frame (a white instant-photo border with a soft drop shadow, slightly rotated ±2°).
- Until real photos exist: a tasteful, softly blurred warm placeholder inside the frame (never blank, never a cartoon).

THE FILM: scroll-driven

Time	Shot	What the customer sees
0–15%	The line	The timeline line draws from left to right with the scroll, a yellow current streak at its tip.
15–60%	The years	As the line reaches each version card (v1.0 Syria Tell 2003 → v2.0 current shop 2011 → v3.0 market branch → v4.0 Sam Electronics today), the card lifts in, and its photo develops like an instant photo: from a flat warm grey, the image fades in over 1.2s, warm first, then true colour. A big year counter rolls with the line, 2003 → today.
60–75%	Now	v3.0 shows "RUNNING" with a softly pulsing green dot; v4.0 shows "INSTALLING" with a loading bar filling slowly.
75–100%	Branches	The two map cards slide up side by side, then the stats strip counts up: Since 2003 · 2 cities · X countries served*.

- Both maps brand-styled: graphite and fog streets, a yellow pin with a soft pulse, no default Google colours, no ctrl+scroll overlay (static until clicked) + "Open in Maps".
- Madrid: a temporary map of the Plaza Mayor area in the same style as Dubai, with a pulsing "Opening soon" area circle (not an exact pin) and "Tell me when it opens".

IDLE LIFE (what keeps moving when nobody touches anything)

- The light shifts very slowly across the section (like the sun moving); the map pins pulse; the INSTALLING bar keeps creeping.

DO NOT

✕ No sketch, no red stamp, no default map styling, no empty white areas.

DONE WHEN (every box must be true, or the section is not done)

[ ] Photo frames on every card with develop animation.

[ ] Line draw + year counter.

[ ] Madrid map matches Dubai.
[ ] Maps branded, no overlay.
[ ] Stats strip fills the gap.

CAPTURE BEFORE REPORTING

At 30% (a photo developing), 70% (RUNNING / INSTALLING) and 100% (maps + stats).

ISSUE 11 · REPLACE WITH NEW IDEA

The team: "Staff Badges"

THE FEELING. Walking past the staff wall of a real shop and seeing the people behind it. Badges swaying slightly on their lanyards, a little shine on the hologram. Personal, warm, real. The customer should feel there are real experts on the other side.

What is wrong now

- AI-looking cards on a blurry striped background, "Photo coming soon · or browse files" on every card, empty "No reviews yet" stars, a plain text flip panel, nothing moving.

THE SET: background, light, materials, shadows, atmosphere

- A clean graphite wall (#2A2C2F) with one soft spotlight from above making an elliptical pool of light on the wall behind the badges (G11, no visible cone).
- A slim brushed-metal rail across the top. Yellow lanyards printed "SAM ELECTRONICS" (fabric weave texture, slight twist), metal clips with a small highlight.
- Badges: real PVC cards with rounded corners, a slight gloss, a hologram strip; each casts a soft shadow on the wall that moves with its sway.

THE FILM: entrance

Time	Shot	What the customer sees
0.0–0.8s	Title	"Five roles. Every order passes through all of us." by mask reveal.
0.3–1.8s	Drop in	The five badges drop from above on their lanyards one by one (120ms stagger), bounce on the lanyard's stretch, and swing to rest with real pendulum physics.
1.8–5.0s	The order	An order ticket slides along the rail and pauses at each badge, which lights up with a soft yellow edge as the ticket passes: Parts Advisor → Parts Flow Controller → Bench Engineer → Finance & Checkout → Founder.

- Badge front: photo, or a clean monogram of the role initials until photos arrive (never "browse files"); role code T01–T05, title, name, years with us; the hologram strip.
- Founder badge T05 (Tarek Alchoumari): slightly larger, gold edge, "Leading since 2003". Reviews hidden until real ones exist.

INTERACTION

- Mouse near a badge: it nudges away gently and swings back. Click: the badge swings up and flips like a real card (3D, with weight); the back shows "What I can help with", a short bio, "Ask [name] →".

IDLE LIFE (what keeps moving when nobody touches anything)

- Each badge sways slightly differently; the hologram shimmers with the sway; the order ticket repeats its journey every 12s.

DONE WHEN (every box must be true, or the section is not done)

[ ] Five badges on lanyards, swaying with physics.
[ ] No browse files, no empty stars.
[ ] Flip with weight.
[ ] Order ticket lights badges in order.
[ ] Founder badge distinct.
[ ] Graphite wall with one light pool.

CAPTURE BEFORE REPORTING

After the drop-in; mid order-ticket journey; one badge flipped.

ISSUE 12 · FULL REBUILD

Open to everyone: "Who are you?"

THE FEELING. A personal welcome. You tell us who you are and the whole stage changes for you, like the shop rearranging itself around your needs. A retail customer, a repair shop and an exporter should each feel: "This part of the site is for me."

What is wrong now

- Plain white, empty space, a logo hub with thin grey connector lines (remove), cheap animations that illustrate nothing, four identical cards with identical buttons.

THE SET: background, light, materials, shadows, atmosphere

- Warm fog with grain; the light colour behind the stage shifts smoothly (800ms) to match the active lane.
- Left: eyebrow, headline, and 4 large selector tabs (Retail customer · Repair shop · Trader & exporter · Bulk buyer) with icon + one line. Samsoom peeks in beside the tabs asking "Who are you?"
- Right: one large cinematic stage (about 60% width) that changes with the selected tab. All objects from the parts library and at G15 quality.

Lane	Environment	The scene (about 6s)
Retail	Fog with warm yellow light	A hand holds the teardown phone with a cracked screen. Find My Part types the model; the matching screen (library model) slides in with grade chips and a price; a pin drops on "Collect in Deira or get it delivered". Button: "Find my part".
Repair shop	Graphite workbench	A realistic top-down bench (mat, tools, soft light pool). A parts tray slides in; grades line up side by side; a padlock opens with a click to reveal trade prices. Button: "Open a trade account".
Trader & exporter	Dark dot-matrix map	A bulk list document is scanned by a soft light; "QUOTED" stamps on it; a route arc draws from Dubai. Button: "Plan my shipment".
Bulk buyer	Full yellow	Branded cartons stack on a pallet (Pallet Builder quality), shrink-wrap spirals, an "Incoming shipments first" badge stamps. Button: "Request a bulk quote".

- Motion: auto-cycles about 6s per lane with a progress bar on the active tab; pause on hover; click to jump. The leaving scene moves back and fades with depth; the new one arrives with weight. The lane's 3 benefits type in beside the scene.

DONE WHEN (every box must be true, or the section is not done)

[ ] No logo hub, no grey connector lines.
[ ] Tabs + one stage.
[ ] Four real scenes in their environments.
[ ] Auto-cycle with progress bar.
[ ] No white emptiness.

CAPTURE BEFORE REPORTING

Each lane mid-scene.

ISSUE 13 · FULL REBUILD

Sam Circuit membership: "The Charging Station"

THE FEELING. Plugging in a premium device and watching it charge: a satisfying glow rising, a click as a level unlocks, a little reward each time. Playful but premium. The customer should want to fill the battery.

What is wrong now

- Everything is yellow (field, cells, pills and a busy circuit wallpaper). The battery shows all cells full while the label says 62%. Twelve identical "Perk · coming soon" pills. No interactivity.

THE SET: background, light, materials, shadows, atmosphere

- Graphite studio (#2A2C2F to #3A3C40 behind the battery), polished floor with a light pool and the battery's reflection. Yellow appears **only as energy**.
- The battery: a large cell with a graphite metal casing, a glass window (softbox reflection), 4 tier marks engraved on the side, a cable plugged into its top with a real connector.
- The fill: a glowing liquid light (amber core #C98A12 to Signal Yellow at the surface) with a slow shimmer on its surface, exactly at the real level (62% = 62%).

THE FILM: entrance

Time	Shot	What the customer sees
0.0–0.8s	Title	Headline by mask reveal.
0.3–1.4s	Battery	The battery rises into the light with a slow turn and settles; its reflection forms on the floor.
1.0–2.4s	Charge	Current streaks run down the cable; the fill rises from 0 to 62% with the surface shimmer; the tier marks it passes light up with a click.
1.6–2.6s	Ladder	The reward ladder rows slide in; the current tier glows; the next tier shows "AED X to go" with a progress bar.

INTERACTION

- Simulator buttons (+ Screen · AED 200, + Battery · AED 80, + Bulk order · AED 2,000): each tap sends a bright pulse down the cable and the fill rises.
- Crossing a tier mark: the battery flashes, a tier badge pops, and that tier's reward card flips from locked to unlocked with a light sweep.
- Reset: the battery powers down (fill drains with a fade, cable current stops).
- Member card (graphite, holographic edge, name, tier, charge %): tilts with the mouse with a moving light sweep.
- Ladder rows: plug → bolt → double bolt → full battery icons, name, requirement, status chip (Unlocked / AED X to go).
- Perks: 1–2 examples per tier + one blurred "more perks revealed at launch" teaser (owner confirms the examples). No repeated "coming soon". No passport or stamp themes.

IDLE LIFE (what keeps moving when nobody touches anything)

- Current keeps flowing into the cable; the fill's surface shimmers; the next tier mark breathes softly.

DONE WHEN (every box must be true, or the section is not done)

- [ ] Graphite studio, yellow only as energy.
- [ ] Fill matches the real level.
- [ ] Simulator works and flips tier cards.
- [ ] Ladder statuses shown.
- [ ] Member card tilts.

CAPTURE BEFORE REPORTING

After the entrance; mid tier-crossing; the member card tilted.

ISSUE 14 · REBUILD

Meet Samsoom: "Ask at 3 a.m."

THE FEELING. Meeting a friendly, clever assistant who is genuinely good at his job: he looks at you, reacts, finds the part in seconds. Charming but premium, like a character from a high-end tech commercial, never childish.

What is wrong now

- White page, a white chat with a big empty area, blank grey shapes, a childish flat cartoon Samsoom on a plastic pedestal, the headline pushed below the character, the demo stops after 2 messages.

THE SET: background, light, materials, shadows, atmosphere

- Warm yellow studio: Signal Yellow with grain and a soft vignette, a warm light pool on the floor where Samsoom floats, his soft shadow below him growing lighter as he bobs up.
- Samsoom: the teardown's assembled phone model as his body (graphite metal frame, glass reflections), his face on the screen as glowing yellow pixel-LED eyes and mouth on deep black OLED, sleek metallic arms. No pedestal.
- The chat panel: graphite glass (not white), hero card style, with a soft shadow.

THE FILM: entrance

Time	Shot	What the customer sees
0.0–0.8s	Title	Eyebrow + headline top-left by mask reveal.
0.4–1.4s	Arrival	Samsoom flies in from the right, slows, settles into a float, and waves; his eyes blink once.
1.2–2.0s	Chat	The chat panel slides in; the first question appears.

- The demo loops 5 conversations (A54 battery? · Which grade? · Are you open? · Trade prices? · Ship to Iraq?), each with a typing indicator and a rich answer card (product mini-card with a library part render, grade, price, Add to cart; an hours card; a shipping card). No empty chat area.
- Samsoom emotes in sync: thinking (loading dots in his eyes), found it (✓ ✓), happy (smile), and rare short emotes: a dabke step, blowing a kiss, a wink.

IDLE LIFE (what keeps moving when nobody touches anything)

- Eyes follow the cursor; blinks; a breathing bob; faint real questions drift in the background and sometimes one flies into the chat as the next message.

DONE WHEN (every box must be true, or the section is not done)

[ ] No blank shapes, no white panel.
[ ] Samsoom built on the teardown phone with an LED face.
[ ] Headline on top; all in one screen.
[ ] 5 conversations loop with rich cards and emotes.
[ ] Launcher pill per G8 on every page.

CAPTURE BEFORE REPORTING

After the arrival; mid-typing; a rich product card answer.

ISSUE 15 · SPLIT AND REBUILD

The Feed + What customers say

THE FEELING. The Feed: three phones in a dark studio, each alive with our social channels, like a launch event display. Reviews: bright, open and honest, real voices scrolling past. Together the customer should feel: "Lots of people already trust them."

What is wrong now

- White again with blank grey shapes; three static post cards; "No reviews yet / Be the first review"; posts, reviews, Google, tabs and QR crammed side by side.

PART A · THE FEED (graphite studio)

THE SET: background, light, materials, shadows, atmosphere

- Graphite studio with a light pool on a polished floor; three teardown-model phones fanned at angles (−12°, 0°, +12°), each with a softbox reflection, rim light and a floor reflection.

THE FILM: entrance

Time	Shot	What the customer sees
0.0–1.2s	Fan out	The three phones rise from the floor one by one and fan out into position, each settling with a small overshoot.
1.0–2.0s	Live	Their screens power on, each playing a feed (Instagram, TikTok, Facebook) inside G14 safe margins: posts auto-scroll, reels play muted, hearts float up and like counters tick.

INTERACTION

- Hover a phone: it comes forward, straightens and brightens; the others step back slightly.
- "Scan to follow" QR with a soft scan light sweeping over it; follower counts roll (real numbers from the owner).

PART B · WHAT CUSTOMERS SAY (white with soft yellow light)

- A big Google rating card: stars fill one by one, the number of reviews counts up.
- Two rows of real review cards scrolling in opposite directions with fade masks; each card with a light shadow and a quote mark in yellow.
- "Review us on Google" + "Write a review". Never "No reviews yet". Real Google reviews are connected at the build stage.

DONE WHEN (every box must be true, or the section is not done)

[ ] No blank shapes, no "No reviews yet".
[ ] Three live-feed phones with entrance and hover.
[ ] Reviews band separate with the Google card and two rows.

CAPTURE BEFORE REPORTING

The Feed after the entrance; a phone hovered; the reviews band.

ISSUE 16 · IMPROVE

Request console + Visit us

STATUS: The idea (tabs + a printed work order) is strong. Keep it.

THE FEELING. Writing your request on a real machine that prints it as you type, then tearing off the slip and sending it. Tactile and satisfying. Beside it, the shop's front desk: a live clock, today's hours, the door that's open right now.

What is wrong now

- Plain fields, a static tilted slip, a grey "Open now" dot, plain-text hours, an empty gap, a circuit node under the console's edge.

THE SET: background, light, materials, shadows, atmosphere

- Yellow section with grain and a vignette; the console is graphite glass with a soft shadow; the visit card is white with a soft shadow.
- The work order: thermal paper (very slightly warm white, a faint curl at the bottom, perforations, a soft shadow where it hangs from the printer slot).

THE FILM: interaction-driven

Time	Shot	What the customer sees
typing	Print	As each field is filled, its line prints onto the slip with a fast line-by-line feed, the slip moving down a little; a "3 of 4 fields" progress line fills.
tab switch	Reprint	Fields morph smoothly to the new set; the slip's header reprints (TYPE: Bulk quote…).
send	Tear	The slip tears along its perforation with a slight jerk; "SENT" stamps on it with ink texture; the slip folds and flies into the WhatsApp or email icon; Samsoom gives a thumbs-up.

- Status dot per G7. Visit us: a live clock with seconds; "Closes in 3h 59m"; a day-timeline bar with the two shifts as yellow segments and a moving "now" marker; today highlighted; a brand-styled mini map or shop-front frame fills the gap with "Get directions"; WhatsApp and phone icons on the buttons. Circuits 24px away from the console.

DONE WHEN (every box must be true, or the section is not done)

[ ] Live printing works.
[ ] Tear-and-send works.
[ ] Status dot correct.
[ ] Day timeline with now marker.
[ ] Gap filled.
[ ] No circuit near the console.

CAPTURE BEFORE REPORTING

Mid-typing with printed lines; mid tear; the visit card.

ISSUE 17 · FULL REBUILD · PREMIUM

Finale: "A phone on your bench? We have the part."

THE FEELING. The closing shot of a brand film: the lights go down, current runs in from both sides, the emblem powers up, and the three promises switch on like neon signs. Proud and unforgettable. The customer should leave remembering Quality · Warranty · Price.

What is wrong now

- A grey slab phone with a white slash across it, a black floor box, a dead grey band, and a circuit line crossing out the word "Quality".

THE SET: background, light, materials, shadows, atmosphere

- Deep graphite stage (#26282B edges to #34363A centre, never black), one strong soft key light on the emblem, a polished floor with the emblem's fading reflection, dust falling slowly in the light (G12). No floor box, no cone.
- The emblem: the owner's exact logo rebuilt as a premium object, machined metal and glass, a thick yellow edge that glows, studio reflections; about 40% of the screen height.

THE FILM: entrance

Time	Shot	What the customer sees
0.0–1.0s	Current	Circuits from both sides (hero style) carry current streaks towards the centre.
1.0–1.6s	Power	The current reaches the emblem: the two phones inside the logo light up, a soft ring of light shockwaves outward across the floor, and the circuits glow fully for a moment.
1.6–3.0s	Neon	QUALITY · WARRANTY · PRICE switch on one by one like neon signs: a flicker, a pause, then steady, with a soft glow on the floor beneath each. Circuits frame the words but never cross them.
2.4–3.6s	Message	The headline reveals word by word; the buttons rise in; the stats count up.

IDLE LIFE (what keeps moving when nobody touches anything)

- The emblem rotates slowly in 3D with the key light sweeping across its metal; current keeps flowing; the neon words breathe softly (±5%).

DONE WHEN (every box must be true, or the section is not done)

[ ] No phone, slash, floor box or grey band.
[ ] Emblem large, premium, rotating.
[ ] Power-up plays in order.
[ ] No circuit crosses any word.
[ ] Idle continues.

CAPTURE BEFORE REPORTING

Mid-current; the power shockwave; the neon words on; complete.

ISSUE 18 · REDESIGN · PREMIUM

Find My Part (the quick finder, everywhere)

THE FEELING. The fastest, most satisfying search you've ever used: you tap your brand, see your exact phone, see your part as a real studio photo, and add it, in seconds. Premium like the hero, quick like a light switch.

What is wrong now

- Grey on grey: grey tiles on a grey panel on a dimmed grey page. Brand names in mixed styles. Empty tiles. An orphan last row. Model step is text only. A weak step indicator. The "POPULAR" label collides with tiles. Image frames are inconsistent. The quick view does not lead clearly to the full list.

THE SET: background, light, materials, shadows, atmosphere

- The page behind blurs (16px) and dims to graphite at 60%.
- The panel: graphite glass with real depth (soft inner light from the top, fine grain, a thin yellow top edge, a soft large shadow), generous padding. It must feel like the hero, not a settings dialog.
- Tiles: dark glass with a faint top highlight; on hover a yellow edge glow.
- **Step indicator** as a circuit with LEDs (the teardown's language): Brand · Model · Part · Grade. Completed steps light yellow with current flowing to the next and show the choice ("Apple ✓"); click to go back.
- **Step 1 · Brand:** each brand with its **real logo and official wordmark** (G18), and a custom scrollbar with left/right arrows (G19); inside each tile the models count, parts in stock and a stock signal. 14 brands as 7 × 2 (no orphan row). A "Popular" label sits **above** the popular row with 16px clearance, never touching a tile.
- **Step 2 · Model:** every model tile has an **image frame of identical size, angle and lighting**, showing the phone front (a clean lit silhouette of that model's shape until real images exist). Series tabs, instant search by name or model number, "Recently viewed" and "Most searched" chips.
- **Step 3 · Part:** part cards with the **parts library renders (G15)**, stock and "from" price; out-of-stock dimmed with "Notify me".
- **Step 4 · Grade:** grade cards side by side (Original · Service Pack · OLED · Incell · High Copy): price, stock signal, warranty, "best for" line, Add to cart with the fly-to-cart moment.
- **Quick view → full list:** the nav hover opens a compact mega-dropdown (brands → models, each with its image). At its bottom, a clear full-width "See all [brand] models →" button opens the full finder at step 2.

THE FILM: opening and steps

Time	Shot	What the customer sees
0–250ms	Open	The page blurs and dims; the panel rises 24px and scales from 96% to 100%, expo-out.
250–600ms	Tiles	Tiles stagger in (25ms apart), numbers rolling.
on choice	Advance	The chosen tile flies into the step indicator (300ms); its LED lights and current flows to the next step; the next step slides in from the right with depth. Every step transition is under 400ms.

- Footer: a live summary ("Apple · iPhone 16 Pro · Screen"), "Open in Shop with these filters →" and a rolling result count.

DO NOT

✕ No grey-on-grey.
✕ No mixed brand styles beyond each brand's own wordmark.
✕ No orphan rows or empty tile space.
✕ No model without an image frame.
✕ Nothing colliding with the Popular label.
✕ No step transition over 400ms.

DONE WHEN (every box must be true, or the section is not done)

[ ] Premium panel.
[ ] LED circuit step indicator.
[ ] Brand wordmarks, balanced grid, Popular label clear.
[ ] Model image frames consistent.
[ ] Library part renders; grade cards with Add to cart.
[ ] Hover dropdown with a clear path to the full list.

CAPTURE BEFORE REPORTING

All 4 steps; the hover dropdown; one frame mid-transition.

SECTION S · SEND ORDER AND FINAL CHECK

The order you work in

One batch per chat. Read CLAUDE.md first. Build in preview pages. Stop after each batch and wait for my review.

Batch	What	Show me
0	Read everything. Summarise G1–G15 and the Environment Map back to me in your own words.	Text only
1	Global: G15 parts library set up in CLAUDE.md; Issue 4 circuit audit; G6 leftovers; G7 status dots; G8 launcher.	Audit list + frames
2	Issue 1B (hero fixes) + Issue 18 (Find My Part).	CAPTURE frames
3	Issue 2 (What we offer).	CAPTURE frames
4	Issue 3 (Live Board) + Issue 5 (Bench Test).	CAPTURE frames
5	Issue 6 (Showcase) + Issue 7 (Deals).	CAPTURE frames
6	Issue 8 (Trade Floor) + Issue 9 (Worldwide).	CAPTURE frames
7	Issue 10 (Story) + Issue 11 (Badges).	CAPTURE frames
8	Issue 12 (Who are you) + Issue 13 (Charging Station).	CAPTURE frames
9	Issue 14 (Samsoom) + Issue 15 (Feed + reviews).	CAPTURE frames
10	Issue 16 (Request + Visit) + Issue 17 (Finale), then the full home page top to bottom next to the hero and teardown.	Full-page frames
11	Mobile round: every section at 390px.	Mobile frames

Before Batch 0: first Issue 1B (the hero reel, its own chat), then Issue 1 (the teardown, its own chat). Each is written into CLAUDE.md as LOCKED once approved. Maximum two review rounds per section; leftovers go to a polish list.

Before you send any batch, confirm all of this

[ ] I compared every section in this batch with the hero and the teardown, and it is at the same level.
[ ] I built every shot in THE FILM, in order, with the given timings.
[ ] Every set is lit per G11: key, fill, rim, light pools, contact shadows, no visible light shapes, no horizon lines, no black stages.
[ ] Every part shown is from the G15 parts library, at teardown quality. Every other object (cartons, boxes, tags, badges) is at studio quality.
[ ] Something moves in every section: entrance, idle life and interaction. Everything replays on scroll back.
[ ] No circuit touches any content (24px). No off-palette colours.
[ ] No leftovers, no clipped text, no zeros, nothing under the nav.
[ ] The environment matches the map; no two neighbours share a background.
[ ] Every DONE WHEN box answered by name, honestly; any unfinished part listed.

Final word from the owner. The hero and the teardown prove what this website can be. The teardown got there because it was built exactly as it was directed: every shot, every light, every shadow. Do the same for every section here. Build the film, not a summary of it. If anything is unclear or impossible, ask me before you build, not after.