

The existing application with *ingestion, retrieval, MongoDB, frontend, and test case generation* functionality.

For this assignment, extend the existing application by integrating *Jira* without changing the existing functionality [CRITICAL]

Requirements

- * [] Integrate *Jira* with the existing application.
- * [] Fetch the *user story from Jira*.
- * [] User Reviews the *user story from Jira* displayed in UI .
- * [] Ingest the fetched user story into *MongoDB*.
- * [] Retrieve the existing/relevant context from MongoDB.
- * [] Use the Jira user story along with the retrieved context to *generate test cases* using the existing functionality.
- * [] Display the generated test cases in the frontend.

Expected Flow

*Jira → Fetch User Story → ser Reviews the *user story from Jira* displayed in UI → Ingest into MongoDB → Retrieve Existing Context → Generate Test Cases → Display Results*

Note: You do not need to rebuild the existing ingestion, retrieval, or test case generation functionality. Focus on the *Jira integration and connecting it with the existing flow*.

RAG Pipeline | Testleaf Enterprise v2.0 • Testleaf

DATA PIPELINE

Jira User Stories

Convert to JSON

Embeddings & Store

SEARCH ENGINES

Query Preprocessing

Vector Search

BM25 Search

Enterprise AI Stack

MongoDB Atlas • Mistral AI • Groq

RAG Pipeline

Jira User Stories

Fetch, review, and generate from Jira stories

Jira User Stories

Connect to Jira, review a story, ingest it into MongoDB, and generate grounded test cases.

Connect Jira

Credentials are kept on the server and loaded from environment variables.

Search

21:18 26-08-2026

RAG Pipeline | Testleaf Enterprise v2.0 • Testleaf

DATA PIPELINE

Jira User Stories

Convert to JSON

Embeddings & Store

SEARCH ENGINES

Query Preprocessing

Vector Search

BM25 Search

Enterprise AI Stack

MongoDB Atlas • Mistral AI • Groq

RAG Pipeline

Jira User Stories

Fetch, review, and generate from Jira stories

Jira User Stories

Connect to Jira, review a story, ingest it into MongoDB, and generate grounded test cases.

Connect Jira

Credentials are kept on the server and loaded from environment variables.

Jira Story Key

Retrieve Story

Retrieve one story at a time

Connected to Jira. Enter a story key to retrieve it.

Search

21:18 26-08-2026

RAG Pipeline | Testleaf Enterprise v2.0 • Testleaf

DATA PIPELINE

Jira User Stories

Convert to JSON

Embeddings & Store

SEARCH ENGINES

Query Preprocessing

Vector Search

BM25 Search

Enterprise AI Stack

MongoDB Atlas • Mistral AI • Groq

RAG Pipeline > Jira User Stories

Fetch, review, and generate from Jira stories

Jira User Stories

Connect to Jira, review a story, ingest it into MongoDB, and generate grounded test cases.

Connect Jira

Credentials are kept on the server and loaded from environment variables.

Jira Story Key

GN-5

Retrieve Story

Retrieve one story at a time

Search

21:19 26-08-2026

RAG Pipeline | Testleaf Enterprise v2.0 • Testleaf

DATA PIPELINE

Jira User Stories

Convert to JSON

Embeddings & Store

SEARCH ENGINES

Query Preprocessing

Vector Search

BM25 Search

Enterprise AI Stack

MongoDB Atlas • Mistral AI • Groq

RAG Pipeline > Jira User Stories

Fetch, review, and generate from Jira stories

Jira User Stories

Connect to Jira, review a story, ingest it into MongoDB, and generate grounded test cases.

Connect Jira

Credentials are kept on the server and loaded from environment variables.

Jira Story Key

GN-5

Retrieve Story

Retrieve one story at a time

Billing Execution Deposit Refund

GN-5

As a user, I want to billing execution deposit refund so that the related functionality works as expected.

ACCEPTANCE CRITERIA

No acceptance criteria provided.

Ingest into MongoDB

Generate Test Cases

Open in Jira

GN-5 retrieved from Jira.

Search

21:19 26-08-2026

cloud.mongodb.com/v2/6a802f260e1ad45327638dbf#/explorer/6a802f77669cc9eb12f3ed1f/RAG_testCases/FETCHED_JIRA_US/find

ORGANIZATION Sam's Org - 2026-08-15 PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

RAG_testCases

FETCHED_JIRA_US

testcases

userStory

admin

local

sample_mflix

FETCHED_JIRA_US

Cluster0 > RAG_testCases > FETCHED_JIRA_US

Documents 1 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain Reset Find Options

25 1-1 of 1

```
{
  "_id": ObjectId('6a8f09e240822a012da213cf')
  "key": "GN-6"
  "acceptanceCriteria": ""
  "assignee": null
  "components": Array (empty)
  "created": "2026-07-23T08:43:07.578+0530"
  "createdAt": ISODate('2026-08-26T15:44:34.404+00:00')
  "description": "As a user, I want to nurse activities raise request so that the relate..."
  "embedding": Array (1024)
  "fixVersions": Array (empty)
  "issueLinks": Array (empty)
  "jiraMetadata": Object (2)
```

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

localhost:3000

RAG Pipeline Enterprise v2.0 • Testleaf

DATA PIPELINE

Jira User Stories

Convert to JSON

Embeddings & Store

SEARCH ENGINES

Query Preprocessing

Vector Search

BM25 Search

Enterprise AI Stack
MongoDB Atlas • Mistral AI • Groq

RAG Pipeline > Jira User Stories

Fetch, review, and generate from Jira stories

Jira User Stories

Connect to Jira, review a story, ingest it into MongoDB, and generate grounded test cases.

Connect Jira Credentials are kept on the server and loaded from environment variables.

Jira Story Key

GN-5

Retrieve Story

Retrieve one story at a time

Billing Execution Deposit Refund GN-5

As a user, I want to billing execution deposit refund so that the related functionality works as expected.

ACCEPTANCE CRITERIA

No acceptance criteria provided.

Ingest into MongoDB

Generate Test Cases

Open in Jira

GN-5 ingested into MongoDB collection FETCHED_JIRA_US.

cloud.mongodb.com/v2/6a802f260e1ad45327638dbf#explorer/6a802f77669cc9eb12f3ed1f/RAG_testCases/FETCHED_JIRA_US/find

ORGANIZATION Sam's Org - 2026-08-15 PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- RAG_testCases
- admin
- local
- sample_mflix

FETCHED_JIRA_US

Cluster0 > RAG_testCases > FETCHED_JIRA_US

Documents 2 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain Reset Find Options

25 1 - 2 of 2

```
{
  "_id": ObjectId('6a8f0b7040822a012da213d7'),
  "key": "GN-5",
  "acceptanceCriteria": "",
  "assignee": null,
  "components": Array (empty),
  "created": "2026-07-23T08:43:07.060+0530",
  "createdAt": ISODate('2026-08-26T15:51:12.565+00:00') August 26, 2026 at 3:51:12 PM UTC
  "description": "As a user, I want to billing execution deposit refund so that the rela...",
  "embedding": Array (1024),
  "fixVersions": Array (empty),
  "issueLinks": Array (empty),
  "jiraMetadata": Object (2)
}
```

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

localhost:3000

RAG Pipeline Enterprise v2.0 • Testleaf

DATA PIPELINE

- Jira User Stories
- Convert to JSON
- Embeddings & Store

SEARCH ENGINES

- Query Preprocessing
- Vector Search
- BM25 Search

Enterprise AI Stack
MongoDB Atlas • Mistral AI • Groq

RAG Pipeline > Jira User Stories

Fetch, review, and generate from Jira stories

Jira User Stories

Connect to Jira, review a story, ingest it into MongoDB, and generate grounded test cases.

[Connect Jira](#) Credentials are kept on the server and loaded from environment variables.

Jira Story Key

GN-5

Retrieve Story

Retrieve one story at a time

Billing Execution Deposit Refund GN-5

As a user, I want to billing execution deposit refund so that the related functionality works as expected.

ACCEPTANCE CRITERIA

No acceptance criteria provided.

[Ingest into MongoDB](#) [Generate Test Cases](#) [Open in Jira](#)

RAG Pipeline | Testleaf Enterprise v2.0 • Testleaf

Cluster0 Data | Cloud: MongoDB

Ask Gemini

localhost:3000

New Tab | OpenTaps Open So... | (13) WhatsApp | GitHub | Assignments - July2... | Testleaf | Team GenS - Backlo... | User Story to Tests | Workflows - n8n[DEV]

RAG Pipeline > Jira User Stories

Fetch, review, and generate from Jira stories

DATA PIPELINE

- Jira User Stories
- Convert to JSON
- Embeddings & Store

SEARCH ENGINES

- Query Preprocessing
- Vector Search
- BM25 Search

Enterprise AI Stack

MongoDB Atlas • Mistral AI • Groq

GN5_TC_03 **Submit Refund - EFT (IP Billing) - Date Validation**

Ensure that when submitting an EFT refund, the EFT date cannot be a future date and the system rejects such input.

1. Launch the application., 2. Log in with valid IP-billing credentials., 3. Navigate to Functions → Bill Execution → Deposit/Refund via the Billing menu., 4. Enter a valid Registration No and click **Go**, 5. Choose **Transaction Type = Refund** and **Payment Mode = EFT**, 6. Input a valid EFT amount (e.g., 800.00), 7. Set **EFT Date** to tomorrow's date (future date), 8. Click **Add** and then **Submit for Approval**.

The system displays an error "EFT Date cannot be in the future" and prevents submission; no entry is added to the pending approvals list.

GN5_TC_04 **Submit Refund - Card (OP Billing) - Card Type & Auth Code Validation**

Confirm that a card-based refund requires selection of a card type and entry of a valid issuing authority name and approval/auth code before submission.

1. Launch the application., 2. Log in with valid OP-billing credentials., 3. Open Common Support Services → Billing → Functions → Bill Execution → Deposit/Refund., 4. Provide a valid Registration No and press **Go**, 5. Set **Transaction Type = Refund** and **Payment Mode = Card**, 6. Select **Card Type = Visa** from the dropdown., 7. Enter **Issuing Authority Name = ABC Bank** and **Auth Code = 987654**, 8. Input **Card Amount = 250.00**, click

The system accepts the input, shows the "Submitted for Approval" message, and records the card refund with all card details visible in the approval view.

RAG Pipeline | Testleaf Enterprise v2.0 • Testleaf

Cluster0 Data | Cloud: MongoDB

Ask Gemini

localhost:3000

New Tab | OpenTaps Open So... | (13) WhatsApp | GitHub | Assignments - July2... | Testleaf | Team GenS - Backlo... | User Story to Tests | Workflows - n8n[DEV]

RAG Pipeline > Jira User Stories

Fetch, review, and generate from Jira stories

DATA PIPELINE

- Jira User Stories
- Convert to JSON
- Embeddings & Store

SEARCH ENGINES

- Query Preprocessing
- Vector Search
- BM25 Search

Enterprise AI Stack

MongoDB Atlas • Mistral AI • Groq

Billing) -

1. Launch the application., 2. Log in with valid IP-billing credentials., 3. Navigate to Functions → Bill Execution → Deposit/Refund via the Billing menu., 4. Enter a valid Registration No and click **Go**, 5. Choose **Transaction Type = Refund** and **Payment Mode = EFT**, 6. Input a valid EFT amount (e.g., 800.00), 7. Set **EFT Date** to tomorrow's date (future date), 8. Click **Add** and then **Submit for Approval**.

The system displays an error "EFT Date cannot be in the future" and prevents submission; no entry is added to the pending approvals list.

P1 High TC_3411, TC_425

IP Billing) - Validation

1. Launch the application., 2. Log in with valid OP-billing credentials., 3. Open Common Support Services → Billing → Functions → Bill Execution → Deposit/Refund., 4. Provide a valid Registration No and press **Go**, 5. Set **Transaction Type = Refund** and **Payment Mode = Card**, 6. Select **Card Type = Visa** from the dropdown., 7. Enter **Issuing Authority Name = ABC Bank** and **Auth Code = 987654**, 8. Input **Card Amount = 250.00**, click

The system accepts the input, shows the "Submitted for Approval" message, and records the card refund with all card details visible in the approval view.

P1 Medium TC_415, TC_3401

