


1. Use Case: Job Seeker Searches for a Job in Local Area


- **Actor:** Job Seeker
- **Scenario:**
 1. Job Seeker logs into OkHire.
 2. Job Seeker sets location preference to the local area.
 3. OkHire displays jobs in the local area.
 4. Job Seeker swipes through jobs and applies to preferred ones.
- **Alternative Flow:** Job Seeker do not find any appealing jobs.
 1. Job Seekers can adjust search parameters or preferences.
- **Exception:** No jobs available in the local area.
 1. OkHire informs the Job Seeker about the lack of jobs in the local area.



2. Use Case: Company Recruits Local Talent

- **Actor:** Recruiter
- **Scenario:**
 1. Recruiter logs into OkHire.
 2. Recruiter posts a job opening specifying a preference for local candidates.

3. OkHire displays profiles of local job seekers.
 4. The recruiter reviews profiles and initiates contact with potential candidates.
- **Alternative Flow:** Recruiter does not find suitable local candidates.
 1. Recruiter can adjust job requirements or widen the search area.
 - **Exception:** No local candidates available.
 1. OkHire informs the Recruiter about the lack of local candidates.




3. Use Case: Job Seeker Rejects a Job

- **Actor:** Job Seeker
- **Scenario:**
 1. Job Seeker logs into OkHire.
 2. Job Seeker reviews job offers.
 3. Job Seeker rejects a job offer.
 4. OkHire updates the job status as rejected by the Job Seeker.
- **Alternative Flow:** Job Seeker accidentally rejects a job offer.
 1. OkHire provides an option to undo the rejection within a certain time frame.

-
- ```
sequenceDiagram
 actor User
 participant WP as web page
 participant BK as backend

 User->>WP: enter info
 User->>WP: request action
 WP->>BK: verify
 BK-->>WP: response
 WP->>BK: verify
 BK-->>WP: response
 WP->>User: send message
```

- **Actor:** Recruiter
- **Scenario:**
  1. Recruiter logs into OkHire.
  2. The recruiter reviews profiles of job seekers who applied for their job postings.
  3. Recruiter rejects a candidate.
  4. OkHire updates the candidate's status as rejected by the Recruiter.
- **Alternative Flow:** Recruiter accidentally rejects a candidate.
  1. OkHire provides an option to undo the rejection within a certain time frame.
- **Exception:** The recruiter tries to reject a candidate who hasn't applied.
  1. OkHire prevents the action and informs the Recruiter about the error.



## 5. Use Case: Company and Job Seeker Agree on a Job

- **Actor:** Job Seeker, Recruiter
- **Scenario:**
  1. Job Seeker and Recruiter express mutual interest in a job.
  2. OkHire opens a private chat between the Job Seeker and the Recruiter.
  3. Job Seeker and Recruiter discuss further steps in the private chat, such as an in-person interview.
- **Alternative Flow:** Either party does not respond to the chat.
  1. OkHire sends reminders to the non-responsive party.
- **Exception:** Either party misbehaves in the chat.
  1. OkHire provides options to report inappropriate behavior.

