
Jet20, R=0.2, 20 < p_T^lead < 25 GeV, 2 truth jets
A: smear jets, then add (r
B: add, then smear (mear
events
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.2, 25 < p_T^lead < 30 GeV, 2 truth jets
A: smear jets, then add (r
B: add, then smear (mear
events
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.2, 30 < p_T^lead < 35 GeV, 2 truth jets
A: smear jets, then add (r
B: add, then smear (mear
events
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.2, 35 < p_T^lead < 40 GeV, 2 truth jets
A: smear jets, then add (r
B: add, then smear (mear
events
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.2, 40 < p_T^lead < 50 GeV, 2 truth jets
A: smear jets, then add (r
B: add, then smear (mear
events
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.2, 50 < p_T^lead < 60 GeV, 2 truth jets
A: smear jets, then add (r
B: add, then smear (mear
events
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.2, 20 < p_T^lead < 25 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.2, 25 < p_T^lead < 30 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.2, 30 < p_T^lead < 35 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.2, 35 < p_T^lead < 40 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.2, 40 < p_T^lead < 50 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.2, 50 < p_T^lead < 60 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.3, 20 < p_T^lead < 25 GeV, 2 truth jets
events
A: smear jets, then add (r
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.3, 25 < p_T^lead < 30 GeV, 2 truth jets
events
A: smear jets, then add (r
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.3, 30 < p_T^lead < 35 GeV, 2 truth jets
events
A: smear jets, then add (r
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.3, 35 < p_T^lead < 40 GeV, 2 truth jets
events
A: smear jets, then add (r
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.3, 40 < p_T^lead < 50 GeV, 2 truth jets
events
A: smear jets, then add (r
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.3, 50 < p_T^lead < 60 GeV, 2 truth jets
events
A: smear jets, then add (r
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.3, 20 < p_T^lead < 25 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.3, 25 < p_T^lead < 30 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.3, 30 < p_T^lead < 35 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.3, 35 < p_T^lead < 40 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.3, 40 < p_T^lead < 50 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.3, 50 < p_T^lead < 60 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.4, 20 < p_T^lead < 25 GeV, 2 truth jets
events
A: smear jets, then add
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.4, 25 < p_T^lead < 30 GeV, 2 truth jets
events
A: smear jets, then add
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.4, 30 < p_T^lead < 35 GeV, 2 truth jets
events
A: smear jets, then add
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.4, 35 < p_T^lead < 40 GeV, 2 truth jets
events
A: smear jets, then add
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.4, 40 < p_T^lead < 50 GeV, 2 truth jets
events
A: smear jets, then add
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.4, 50 < p_T^lead < 60 GeV, 2 truth jets
events
A: smear jets, then add
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.4, 20 < p_T^lead < 25 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.4, 25 < p_T^lead < 30 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.4, 30 < p_T^lead < 35 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.4, 35 < p_T^lead < 40 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.4, 40 < p_T^lead < 50 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.4, 50 < p_T^lead < 60 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.5, 20 < p_T^lead < 25 GeV, 2 truth jets
events
A: smear jets, then add
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.5, 25 < p_T^lead < 30 GeV, 2 truth jets
events
A: smear jets, then add
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.5, 30 < p_T^lead < 35 GeV, 2 truth jets
events
A: smear jets, then add
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.5, 35 < p_T^lead < 40 GeV, 2 truth jets
events
A: smear jets, then add
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.5, 40 < p_T^lead < 50 GeV, 2 truth jets
events
A: smear jets, then add
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.5, 50 < p_T^lead < 60 GeV, 2 truth jets
events
A: smear jets, then add
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.5, 20 < p_T^lead < 25 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.5, 25 < p_T^lead < 30 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.5, 30 < p_T^lead < 35 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.5, 35 < p_T^lead < 40 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.5, 40 < p_T^lead < 50 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.5, 50 < p_T^lead < 60 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.6, 20 < p_T^lead < 25 GeV, 2 truth jets
A: smear jets, then add (r
B: add, then smear (mear
events
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.6, 25 < p_T^lead < 30 GeV, 2 truth jets
A: smear jets, then add (r
B: add, then smear (mear
events
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.6, 30 < p_T^lead < 35 GeV, 2 truth jets
A: smear jets, then add (r
B: add, then smear (mear
events
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.6, 35 < p_T^lead < 40 GeV, 2 truth jets
A: smear jets, then add (r
B: add, then smear (mear
events
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.6, 40 < p_T^lead < 50 GeV, 2 truth jets
A: smear jets, then add (r
B: add, then smear (mear
events
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.6, 50 < p_T^lead < 60 GeV, 2 truth jets
A: smear jets, then add (r
B: add, then smear (mear
events
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.6, 20 < p_T^lead < 25 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.6, 25 < p_T^lead < 30 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.6, 30 < p_T^lead < 35 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.6, 35 < p_T^lead < 40 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.6, 40 < p_T^lead < 50 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.6, 50 < p_T^lead < 60 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.7, 20 < p_T^lead < 25 GeV, 2 truth jets
events
A: smear jets, then add (r
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.7, 25 < p_T^lead < 30 GeV, 2 truth jets
events
A: smear jets, then add (r
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.7, 30 < p_T^lead < 35 GeV, 2 truth jets
events
A: smear jets, then add (r
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.7, 35 < p_T^lead < 40 GeV, 2 truth jets
events
A: smear jets, then add (r
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.7, 40 < p_T^lead < 50 GeV, 2 truth jets
events
A: smear jets, then add (r
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.7, 50 < p_T^lead < 60 GeV, 2 truth jets
events
A: smear jets, then add (r
B: add, then smear (mear
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.7, 20 < p_T^lead < 25 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.7, 25 < p_T^lead < 30 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.7, 30 < p_T^lead < 35 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.7, 35 < p_T^lead < 40 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.7, 40 < p_T^lead < 50 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.7, 50 < p_T^lead < 60 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.8, 20 < p_T^lead < 25 GeV, 2 truth jets
A: smear jets, then add (r
B: add, then smear (mear
events
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.8, 25 < p_T^lead < 30 GeV, 2 truth jets
A: smear jets, then add (r
B: add, then smear (mear
events
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.8, 30 < p_T^lead < 35 GeV, 2 truth jets
A: smear jets, then add (r
B: add, then smear (mear
events
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.8, 35 < p_T^lead < 40 GeV, 2 truth jets
A: smear jets, then add (r
B: add, then smear (mear
events
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.8, 40 < p_T^lead < 50 GeV, 2 truth jets
A: smear jets, then add (r
B: add, then smear (mear
events
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.8, 50 < p_T^lead < 60 GeV, 2 truth jets
A: smear jets, then add (r
B: add, then smear (mear
events
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.8, 20 < p_T^lead < 25 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.8, 25 < p_T^lead < 30 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.8, 30 < p_T^lead < 35 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.8, 35 < p_T^lead < 40 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.8, 40 < p_T^lead < 50 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j


Jet20, R=0.8, 50 < p_T^lead < 60 GeV, all selected
events
A: smear jets, then add (r
B: add, then smear (mear
x_j