
Jet20, R=0.2, 20 < p_T^lead < 25 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 22.18)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.2, 25 < p_T^lead < 30 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 23.44)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.2, 30 < p_T^lead < 35 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 24.97)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.2, 35 < p_T^lead < 40 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 26.15)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.2, 40 < p_T^lead < 50 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 27.85)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.2, 50 < p_T^lead < 60 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 29.67)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.2, 20 < p_T^lead < 25 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.05)
x_j


Jet20, R=0.2, 25 < p_T^lead < 30 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.22)
x_j


Jet20, R=0.2, 30 < p_T^lead < 35 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.36)
x_j


Jet20, R=0.2, 35 < p_T^lead < 40 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.50)
x_j


Jet20, R=0.2, 40 < p_T^lead < 50 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.61)
x_j


Jet20, R=0.2, 50 < p_T^lead < 60 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.79)
x_j


Jet20, R=0.3, 20 < p_T^lead < 25 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 21.81)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.3, 25 < p_T^lead < 30 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 23.16)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.3, 30 < p_T^lead < 35 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 24.88)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.3, 35 < p_T^lead < 40 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 26.89)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.3, 40 < p_T^lead < 50 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 28.87)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.3, 50 < p_T^lead < 60 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 3
unsmeared (mean 30.76)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.3, 20 < p_T^lead < 25 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.07)
x_j


Jet20, R=0.3, 25 < p_T^lead < 30 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.23)
x_j


Jet20, R=0.3, 30 < p_T^lead < 35 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.36)
x_j


Jet20, R=0.3, 35 < p_T^lead < 40 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.45)
x_j


Jet20, R=0.3, 40 < p_T^lead < 50 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.54)
x_j


Jet20, R=0.3, 50 < p_T^lead < 60 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.72)
x_j


Jet20, R=0.4, 20 < p_T^lead < 25 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 22.08)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.4, 25 < p_T^lead < 30 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 23.56)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.4, 30 < p_T^lead < 35 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 25.72)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.4, 35 < p_T^lead < 40 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 27.53)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.4, 40 < p_T^lead < 50 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 29.10)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.4, 50 < p_T^lead < 60 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 3
unsmeared (mean 29.98)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.4, 20 < p_T^lead < 25 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.06)
x_j


Jet20, R=0.4, 25 < p_T^lead < 30 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.21)
x_j


Jet20, R=0.4, 30 < p_T^lead < 35 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.31)
x_j


Jet20, R=0.4, 35 < p_T^lead < 40 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.40)
x_j


Jet20, R=0.4, 40 < p_T^lead < 50 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.51)
x_j


Jet20, R=0.4, 50 < p_T^lead < 60 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.75)
x_j


Jet20, R=0.5, 20 < p_T^lead < 25 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 22.56)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.5, 25 < p_T^lead < 30 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 24.35)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.5, 30 < p_T^lead < 35 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 26.51)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.5, 35 < p_T^lead < 40 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 28.16)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.5, 40 < p_T^lead < 50 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 29.75)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.5, 50 < p_T^lead < 60 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 3
unsmeared (mean 32.18)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.5, 20 < p_T^lead < 25 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.04)
x_j


Jet20, R=0.5, 25 < p_T^lead < 30 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.16)
x_j


Jet20, R=0.5, 30 < p_T^lead < 35 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.26)
x_j


Jet20, R=0.5, 35 < p_T^lead < 40 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.36)
x_j


Jet20, R=0.5, 40 < p_T^lead < 50 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.48)
x_j


Jet20, R=0.5, 50 < p_T^lead < 60 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.69)
x_j


Jet20, R=0.6, 20 < p_T^lead < 25 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 22.91)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.6, 25 < p_T^lead < 30 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 24.86)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.6, 30 < p_T^lead < 35 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 26.97)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.6, 35 < p_T^lead < 40 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 28.95)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.6, 40 < p_T^lead < 50 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 3
unsmeared (mean 30.31)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.6, 50 < p_T^lead < 60 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 3
unsmeared (mean 32.87)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.6, 20 < p_T^lead < 25 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.03)
x_j


Jet20, R=0.6, 25 < p_T^lead < 30 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.14)
x_j


Jet20, R=0.6, 30 < p_T^lead < 35 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.23)
x_j


Jet20, R=0.6, 35 < p_T^lead < 40 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.32)
x_j


Jet20, R=0.6, 40 < p_T^lead < 50 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.43)
x_j


Jet20, R=0.6, 50 < p_T^lead < 60 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.64)
x_j


Jet20, R=0.7, 20 < p_T^lead < 25 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 22.84)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.7, 25 < p_T^lead < 30 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 24.95)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.7, 30 < p_T^lead < 35 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 27.33)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.7, 35 < p_T^lead < 40 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 28.09)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.7, 40 < p_T^lead < 50 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 29.99)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.7, 50 < p_T^lead < 60 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 0
unsmeared (mean 0.00)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.7, 20 < p_T^lead < 25 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.03)
x_j


Jet20, R=0.7, 25 < p_T^lead < 30 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.13)
x_j


Jet20, R=0.7, 30 < p_T^lead < 35 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.21)
x_j


Jet20, R=0.7, 35 < p_T^lead < 40 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.34)
x_j


Jet20, R=0.7, 40 < p_T^lead < 50 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.43)
x_j


Jet20, R=0.7, 50 < p_T^lead < 60 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 0
unsmeared (mean 0.00)
x_j


Jet20, R=0.8, 20 < p_T^lead < 25 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 23.11)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.8, 25 < p_T^lead < 30 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 24.98)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.8, 30 < p_T^lead < 35 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 26.72)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.8, 35 < p_T^lead < 40 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 28.26)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.8, 40 < p_T^lead < 50 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 29.02)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.8, 50 < p_T^lead < 60 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 25.34)
recoil |p_T,2+p_T,3| (GeV)


Jet20, R=0.8, 20 < p_T^lead < 25 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.02)
x_j


Jet20, R=0.8, 25 < p_T^lead < 30 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.13)
x_j


Jet20, R=0.8, 30 < p_T^lead < 35 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.24)
x_j


Jet20, R=0.8, 35 < p_T^lead < 40 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.32)
x_j


Jet20, R=0.8, 40 < p_T^lead < 50 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 1
unsmeared (mean 1.43)
x_j


Jet20, R=0.8, 50 < p_T^lead < 60 GeV, same events
events
A: smear jets, then add (me
B: add, then smear (mean 2
unsmeared (mean 2.18)
x_j