






sPHENIX Internal
Region A
Jet R=0.2
|η^γ|<0.7, |η^jet|<0.9
Δφ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES = 0.9343 ± 0.0085
Data/MC
p_T^γ [GeV]



sPHENIX Internal
Region A
15 GeV < p_T^γ < 20 GeV
Jet R=0.2
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<0.7, $|\eta^{jet}|$<0.9
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Region A
20 GeV < p_T^γ < 25 GeV
Jet R=0.2
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<0.7, $|\eta^{jet}|$<0.9
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Region A
25 GeV < p_T^γ < 35 GeV
Jet R=0.2
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<0.7, $|\eta^{jet}|$<0.9
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.3
0.35
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Purity-corrected
Jet R=0.2
|η^γ|<0.7, |η^jet|<0.9
Δφ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES = 0.8553 ± 0.0022
Data/MC
p_T^γ [GeV]



sPHENIX Internal
Purity-corrected
15 GeV < p_T^γ < 20 GeV
Jet R=0.2
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.9
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.05
0.1
0.15
0.2
0.25
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Purity-corrected
20 GeV < p_T^γ < 25 GeV
Jet R=0.2
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<0.7, $|\eta^{jet}|$<0.9
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.3
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Purity-corrected
25 GeV < p_T^γ < 35 GeV
Jet R=0.2
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<0.7, $|\eta^{jet}|$<0.9
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.3
0.35
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Region A
Jet R=0.3
|η^γ|<0.7, |η^jet|<0.8
Δφ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES = 0.9362 ± 0.0021
Data/MC
p_T^γ [GeV]



sPHENIX Internal
Region A
15 GeV < p_T^γ < 20 GeV
Jet R=0.3
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.8
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
x_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.24
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Region A
20 GeV < p_T^γ < 25 GeV
Jet R=0.3
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<0.7, $|\eta^{jet}|$<0.8
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Region A
25 GeV < p_T^γ < 35 GeV
Jet R=0.3
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<0.7, $|\eta^{jet}|$<0.8
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.3
0.35
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Purity-corrected
Jet R=0.3
|η^γ|<0.7, |η^jet|<0.8
Δφ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES = 0.8720 ± 0.0054
Data/MC
p_T^γ [GeV]



sPHENIX Internal
Purity-corrected
15 GeV < p_T^γ < 20 GeV
Jet R=0.3
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|≤0.8
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
0
0.05
0.1
0.15
0.2
0.25
0
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2
x_Jγ



sPHENIX Internal
Purity-corrected
20 GeV < p_T^γ < 25 GeV
Jet R=0.3
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.8
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.05
0.1
0.15
0.2
0.25
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Purity-corrected
25 GeV < p_T^γ < 35 GeV
Jet R=0.3
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<0.7, $|\eta^{jet}|$<0.8
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.3
0.35
0.4
0.45
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Region A
Jet R=0.4
|η^γ|<0.7, |η^jet|<0.7
Δφ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Data/MC
Raw ratio
Corrected ratio
Data to MC JES = 0.9373 ± 0.0083
p_T^γ [GeV]



sPHENIX Internal
Region A
15 GeV < p_T^γ < 20 GeV
Jet R=0.4
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.7
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
x_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Region A
20 GeV < p_T^γ < 25 GeV
Jet R=0.4
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.7
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
x_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Region A
25 GeV < p_T^γ < 35 GeV
Jet R=0.4
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<0.7, $|\eta^{jet}|$<0.7
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.3
0.35
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Purity-corrected
Jet R=0.4
|η^γ|<0.7, |η^jet|<0.7
Δφ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES = 0.8991± 0.0080
Data/MC
p_T^γ [GeV]



sPHENIX Internal
Purity-corrected
15 GeV < p_T^γ < 20 GeV
Jet R=0.4
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|≤0.7
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Purity-corrected
20 GeV < p_T^γ < 25 GeV
Jet R=0.4
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.7
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.24
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Purity-corrected
25 GeV < p_T^γ < 35 GeV
Jet R=0.4
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.7
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.05
0.1
0.15
0.2
0.25
0.3
0.35
0.4
0.45
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Region A
Jet R=0.5
|η^γ|<0.7, |η^jet|<0.6
Δφ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES = 0.9416 ± 0.0076
Data/MC
p_T^γ [GeV]



sPHENIX Internal
Region A
15 GeV < p_T^γ < 20 GeV
Jet R=0.5
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.6
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
x_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Region A
20 GeV < p_T^γ < 25 GeV
Jet R=0.5
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.6
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
x_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Region A
25 GeV < p_T^γ < 35 GeV
Jet R=0.5
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.6
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
x_Jγ
0
0.05
0.1
0.15
0.2
0.25
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Purity-corrected
Jet R=0.5
|η^γ|<0.7, |η^jet|<0.6
Δφ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES = 0.8947 ± 0.0095
Data/MC
p_T^γ [GeV]



sPHENIX Internal
Purity-corrected
15 GeV < p_T^γ < 20 GeV
Jet R=0.5
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.6
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Purity-corrected
20 GeV < p_T^γ < 25 GeV
Jet R=0.5
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.6
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Purity-corrected
25 GeV < p_T^γ < 35 GeV
Jet R=0.5
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<0.7, $|\eta^{jet}|$<0.6
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.3
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Region A
Jet R=0.6
|η^γ|<0.7, |η^jet|<0.5
Δφ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES = 0.9513 ± 0.0058
Data/MC
p_T^γ [GeV]



sPHENIX Internal
Region A
15 GeV < p_T^γ < 20 GeV
Jet R=0.6
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.5
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
x_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Region A
20 GeV < p_T^γ < 25 GeV
Jet R=0.6
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.5
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
x_Jγ
0
0.05
0.1
0.15
0.2
0.25
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Region A
25 GeV < p_T^γ < 35 GeV
Jet R=0.6
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.5
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
x_Jγ
0
0.05
0.1
0.15
0.2
0.25
0.3
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Purity-corrected
Jet R=0.6
|η^γ|<0.7, |η^jet|<0.5
Δφ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES = 0.9016 ± 0.0079
Data/MC
p_T^γ [GeV]



sPHENIX Internal
Purity-corrected
15 GeV < p_T^γ < 20 GeV
Jet R=0.6
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.5
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.24
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Purity-corrected
20 GeV < p_T^γ < 25 GeV
Jet R=0.6
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.5
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.05
0.1
0.15
0.2
0.25
0.3
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Purity-corrected
25 GeV < p_T^γ < 35 GeV
Jet R=0.6
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.5
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.05
0.1
0.15
0.2
0.25
0.3
0.35
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Region A
Jet R=0.7
|η^γ|<0.7, |η^jet|<0.4
Δφ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES = 0.9500 ± 0.0075
Data/MC
p_T^γ [GeV]



sPHENIX Internal
Region A
15 GeV < p_T^γ < 20 GeV
Jet R=0.7
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.4
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
x_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Region A
20 GeV < p_T^γ < 25 GeV
Jet R=0.7
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<0.7, $|\eta^{jet}|$<0.4
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Region A
25 GeV < p_T^γ < 35 GeV
Jet R=0.7
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.4
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
x_Jγ
0
0.05
0.1
0.15
0.2
0.25
0.3
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Purity-corrected
Jet R=0.7
|η^γ|<0.7, |η^jet|<0.4
Δφ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES = 0.8991± 0.0091
Data/MC
p_T^γ [GeV]



sPHENIX Internal
Purity-corrected
15 GeV < p_T^γ < 20 GeV
Jet R=0.7
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.4
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Purity-corrected
20 GeV < p_T^γ < 25 GeV
Jet R=0.7
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<0.7, $|\eta^{jet}|$<0.4
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Purity-corrected
25 GeV < p_T^γ < 35 GeV
Jet R=0.7
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<0.7, $|\eta^{jet}|$<0.4
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.3
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Region A
Jet R=0.8
|η^γ|<0.7, |η^jet|<0.3
Δφ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES = 0.9529 ± 0.0085
Data/MC
p_T^γ [GeV]



sPHENIX Internal
Region A
15 GeV < p_T^γ < 20 GeV
Jet R=0.8
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<0.7, $|\eta^{jet}|$<0.3
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2



sPHENIX Internal
Region A
20 GeV < p_T^γ < 25 GeV
Jet R=0.8
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.3
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
x_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.24
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Region A
25 GeV < p_T^γ < 35 GeV
Jet R=0.8
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.3
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
x_Jγ
0
0.05
0.1
0.15
0.2
0.25
0.3
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
Jet R=0.8
|η^γ|<0.7, |η^jet|<0.3
Δφ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES = 0.9126 ± 0.0112
Data/MC
p_T^γ [GeV]


sPHENIX Internal
Purity-corrected
15 GeV < p_T^γ < 20 GeV
Jet R=0.8
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.3
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
20 GeV < p_T^γ < 25 GeV
Jet R=0.8
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<0.7, $|\eta^{jet}|$<0.3
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
25 GeV < p_T^γ < 35 GeV
Jet R=0.8
p_T^jet > 5 GeV
|η^γ|<0.7, |η^jet|<0.3
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.05
0.1
0.15
0.2
0.25
0.3
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2