
sPHENIX Internal
p+p Run24 Data
15 GeV < p_T^γ < 20 GeV
Jet R=0.6, p_T^jet > 5 GeV
Nominal (un-reweighted prior)
√w prior
w prior
w^1.5 prior
Counts / bin width
Variant / Nominal
x_Jγ


sPHENIX Internal
p+p Run24 Data
20 GeV < p_T^γ < 25 GeV
Jet R=0.6, p_T^jet > 5 GeV
Nominal (un-reweighted prior)
√w prior
w prior
w^1.5 prior
Counts / bin width
Variant / Nominal
x_Jγ


sPHENIX Internal
p+p Run24 Data
25 GeV < p_T^γ < 35 GeV
Jet R=0.6, p_T^jet > 5 GeV
Nominal (un-reweighted prior)
√w prior
w prior
w^1.5 prior
Counts / bin width
Variant / Nominal
x_Jγ


15 GeV < p_T^γ < 20 GeV
20 GeV < p_T^γ < 25 GeV
25 GeV < p_T^γ < 35 GeV
(w - Nom.)/Nom.
$x_{J\gamma}$

Graph


sPHENIX Internal
p+p Run24 Data
Jet R=0.6
Nominal: 2 iterations (dashed line)
Prior-sensitivity χ^2/NDF (w vs nominal)
Bayesian unfolding iterations
0
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
0
2
4
6
8
10
12
14
16