
sPHENIX Internal
p+p Run24 Data
15 GeV < p_T^γ < 20 GeV
Jet R=0.7, p_T^jet > 5 GeV
Nominal (un-reweighted prior)
√w prior
w prior
w^1.5 prior
Counts / bin width
Variant / Nominal
x_Jγ


sPHENIX Internal
p+p Run24 Data
20 GeV < p_T^γ < 25 GeV
Jet R=0.7, p_T^jet > 5 GeV
Nominal (un-reweighted prior)
√w prior
w prior
w^1.5 prior
Counts / bin width
Variant / Nominal
x_Jγ


sPHENIX Internal
p+p Run24 Data
25 GeV < $p_T^{\gamma}$ < 35 GeV
Jet R=0.7, $p_T^{jet}$ > 5 GeV
Nominal (un-reweighted prior)
√w prior
w prior
$w^{1.5}$ prior
Counts / bin width
Variant / Nominal
$x_{J\gamma}$


15 GeV < $p_T^\gamma$ < 20 GeV
20 GeV < $p_T^\gamma$ < 25 GeV
25 GeV < $p_T^\gamma$ < 35 GeV
(w - Nom.)/Nom.
$x_{J\gamma}$

# Graph


sPHENIX Internal
p+p Run24 Data
Jet R=0.7
Nominal: 2 iterations (dashed line)
Prior-sensitivity $\chi^2$/NDF (w vs nominal)
Bayesian unfolding iterations
0
0.5
1
1.5
2
2.5
3
3.5
0
2
4
6
8
10
12
14
16