
sPHENIX Internal
p+p Run24 Data
15 GeV < p_T^γ < 20 GeV
Jet R=0.4, p_T^Tjet > 5 GeV, χ²/NDF = 0.62
Measured (purity-corrected)
Refolded + fakes (2 iter.)
Counts / bin width
Refolded / Measured
x_Jγ


sPHENIX Internal
p+p Run24 Data
20 GeV < p_T^γ < 25 GeV
Jet R=0.4, p_T^Tjet > 5 GeV, χ²/NDF = 1.07
Measured (purity-corrected)
Refolded + fakes (2 iter.)
Counts / bin width
Refolded / Measured
x_Jγ


sPHENIX Internal
p+p Run24 Data
25 GeV < p_T^{γ} < 35 GeV
Jet R=0.4, p_T^{Tjet} > 5 GeV, χ^2/NDF = 0.68
Measured (purity-corrected)
Refolded + fakes (2 iter.)
Counts / bin width
Refolded / Measured
$x_{J\gamma}$


×10^6
sPHENIX Internal
Pythia8 γ+jet MC
15 GeV < p_T^γ < 20 GeV
Jet R=0.4, p_T^Tjet > 5 GeV, χ²/NDF = 0.00
Pythia8 reco (training)
Refolded truth + fakes
Counts / bin width
600
500
400
300
200
100
0
1.5
1.4
1.3
1.2
1.1
1
0.9
0.8
0.7
0.6
0.5
0
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2
x_Jγ
Refolded truth / Pythia reco


×10^6
sPHENIX Internal
Pythia8 γ+jet MC
20 GeV < p_T^γ < 25 GeV
Jet R=0.4, p_T^jet > 5 GeV, χ²/NDF = 0.00
Pythia8 reco (training)
Refolded truth + fakes
Counts / bin width
Refolded truth / Pythia reco
x_Jγ


×10^6
sPHENIX Internal
Pythia8 γ+jet MC
25 GeV < p_T^γ < 35 GeV
Jet R=0.4, p_T^jet > 5 GeV, χ²/NDF = 0.00
Pythia8 reco (training)
Refolded truth + fakes
Counts / bin width
Refolded truth / Pythia reco
x_Jγ


sPHENIX Internal
p+p Run24 Data
Jet R=0.4
Nominal: 2 iterations (dashed line)
χ²/NDF (Refolded+Fakes vs Measured)
Bayesian unfolding iterations
0
0.2
0.4
0.6
0.8
1
0
2
4
6
8
10
12
14
16