
sPHENIX Internal
p+p Run24 Data
15 GeV < p_T^γ < 20 GeV
P_A = 0.629 +0.028/-0.028
P_C = 0.122 +0.012/-0.012
Jet R=0.4, p^{jet} > 5 GeV
Region A (raw)
Background (solved from P_A, P_C)
Purity-corrected signal
Mean raw: 0.85 ± 0.01
Mean corr: 0.82 ± 0.01
Counts / bin width
$x_{J\gamma}$
0
500
1000
1500
2000
2500
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
p+p Run24 Data
15 GeV < p_T^γ < 20 GeV
Jet R=0.4, p_T^Tjet > 5 GeV
Purity-corrected (reco)
Unfolded (reco)
Truth (γ+jet MC)
Shape-normalized counts / bin width
Unfolded / Pythia Truth
x_Jγ


sPHENIX Internal
p+p Run24 Data
20 GeV < p_T^γ < 25 GeV
P_A = 0.822 +0.035/-0.041
P_C = 0.253 +0.031/-0.028
Jet R=0.4, p_T^{jet} > 5 GeV
Region A (raw)
Background (solved from P_A, P_C)
Purity-corrected signal
Mean raw: 0.82 ± 0.01
Mean corr: 0.80 ± 0.02
Counts / bin width
$x_{J\gamma}$
0
100
200
300
400
500
0
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
p+p Run24 Data
20 GeV < p_T^γ < 25 GeV
Jet R=0.4, p_T^Tjet > 5 GeV
Purity-corrected (reco)
Unfolded (reco)
Truth (γ+jet MC)
Shape-normalized counts / bin width
Unfolded / Pythia Truth
x_Jγ


sPHENIX Internal
p+p Run24 Data
25 GeV < p_T^γ < 35 GeV
P_A = 0.722 +0.121/-0.172
P_C = 0.189 +0.064/-0.063
Jet R=0.4, p^{jet} > 5 GeV
Region A (raw)
Background (solved from P_A, P_C)
Purity-corrected signal
Mean raw: 0.80 ± 0.03
Mean corr: 0.76 ± 0.04
Counts / bin width
$x_{J\gamma}$
0
20
40
60
80
100
120
140
0
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
p+p Run24 Data
25 GeV < p_T^γ < 35 GeV
Jet R=0.4, p_T^Tjet > 5 GeV
Purity-corrected (reco)
Unfolded (reco)
Truth (γ+jet MC)
Shape-normalized counts / bin width
Unfolded / Pythia Truth
x_Jγ