
sPHENIX Internal
p+p Run24 Data - stat. uncertainty check
Jet R=0.4, niter=2, 10000 toys/side (weighted-Poisson)
Dashed line: perfect agreement (ratio=1)
15-20 GeV
20-25 GeV
25-35 GeV
16th/84th percentile ratio (open)
Combined toy / RooUnfoldBayes analytic error
Bin index (grouped by p_T^γ bin, low-to-high x_Jγ within each)
2.4
2.2
2
1.8
1.6
1.4
1.2
1
0.8
0.6
0
5
10
15
20
25


Unfolded counts / bin width
10000
8000
6000
4000
2000
0
0
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2
$x_{J\gamma}$
Nominal ± RooUnfold analytic error
Nominal ± toy RMS (10000 toys/side, weighted-Poiss
Nominal ± toy 16th/84th percentile
sPHENIX Internal
p+p Run24 Data
15 GeV < p_T^{γ} < 20 GeV
Jet R=0.4, niter=2


Nominal ± RooUnfold analytic error
Nominal ± toy RMS (10000 toys/side, weighted-Poiss
Nominal ± toy 16th/84th percentile
sPHENIX Internal
p+p Run24 Data
20 GeV < p_T^γ < 25 GeV
Jet R=0.4, niter=2
Unfolded counts / bin width
0
500
1000
1500
2000
2500
0
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2
x_Jγ


Nominal ± RooUnfold analytic error
Nominal ± toy RMS (10000 toys/side, weighted-Poiss
Nominal ± toy 16th/84th percentile
sPHENIX Internal
p+p Run24 Data
25 GeV < p_T^γ < 35 GeV
Jet R=0.4, niter=2
Unfolded counts / bin width
0
100
200
300
400
500
600
700
0
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2
x_Jγ