
sPHENIX Internal
Region A
Jet R=0.2
|η^γ|<1.1, |η^jet|<0.9
Δϕ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES (shape χ²) = 0.9579 ± 0.0003
Data/MC
p_T^γ [GeV]


sPHENIX Internal
Region A
15 GeV < p_T^γ < 20 GeV
Jet R=0.2
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.9
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Region A
20 GeV < p_T^γ < 25 GeV
Jet R=0.2
p_T^jet > 5 GeV
|η^γ|<1.1, |η^jet|<0.9
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
X_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.24
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Region A
25 GeV < p_T^γ < 35 GeV
Jet R=0.2
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.9
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.3
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
Jet R=0.2
|η^γ|<1.1, |η^jet|<0.9
Δϕ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES (shape χ²) = 0.9452 ± 0.0012
Data/MC
p_T^γ [GeV]


sPHENIX Internal
Purity-corrected
15 GeV < p_T^γ < 20 GeV
Jet R=0.2
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.9
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
20 GeV < p_T^γ < 25 GeV
Jet R=0.2
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.9
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
25 GeV < p_T^γ < 35 GeV
Jet R=0.2
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.9
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.3
0.35
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Region A
Jet R=0.3
|η^γ|<1.1, |η^jet|<0.8
Δϕ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES (shape χ²) = 0.9925 ± 0.0003
Data/MC
p_T^γ [GeV]


sPHENIX Internal
Region A
15 GeV < p_T^γ < 20 GeV
Jet R=0.3
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.8
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Region A
20 GeV < p_T^γ < 25 GeV
Jet R=0.3
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.8
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Region A
25 GeV < p_T^γ < 35 GeV
Jet R=0.3
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.8
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.3
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
Jet R=0.3
|η^γ|<1.1, |η^jet|<0.8
Δϕ>7π/8
<x_Jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES (shape χ²) = 0.9389 ± 0.0017
Data/MC
p_T^γ [GeV]


sPHENIX Internal
Purity-corrected
15 GeV < p_T^γ < 20 GeV
Jet R=0.3
p_T^jet > 5 GeV
|η^γ|<1.1, |η^jet|<0.8
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
20 GeV < p_T^γ < 25 GeV
Jet R=0.3
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.8
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
25 GeV < p_T^γ < 35 GeV
Jet R=0.3
p_T^jet > 5 GeV
|η^γ|<1.1, |η^jet|<0.8
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.05
0.1
0.15
0.2
0.25
0.3
0.35
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Region A
Jet R=0.4
|η^γ|<1.1, |η^jet|<0.7
Δφ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES (shape χ²) = 0.9874 ± 0.0003
Data/MC
p_T^γ [GeV]


sPHENIX Internal
Region A
15 GeV < p_T^γ < 20 GeV
Jet R=0.4
p_T^jet > 5 GeV
|η^γ|<1.1, |η^jet|<0.7
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
x_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Region A
20 GeV < p_T^γ < 25 GeV
Jet R=0.4
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.7
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Region A
25 GeV < p_T^γ < 35 GeV
Jet R=0.4
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.7
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.3
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
Jet R=0.4
|η^γ|<1.1, |η^jet|<0.7
Δϕ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES (shape χ²) = 0.9425 ± 0.0014
Data/MC
p_T^γ [GeV]


sPHENIX Internal
Purity-corrected
15 GeV < p_T^γ < 20 GeV
Jet R=0.4
p_T^jet > 5 GeV
|η^γ|<1.1, |η^jet|<0.7
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
20 GeV < p_T^γ < 25 GeV
Jet R=0.4
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.7
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
25 GeV < p_T^γ < 35 GeV
Jet R=0.4
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.7
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.3
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Region A
Jet R=0.5
|η^γ|<1.1, |η^jet|<0.6
Δφ>7π/8
<x_Jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES (shape χ²) = 0.9747 ± 0.0003
Data/MC
p_T^γ [GeV]


sPHENIX Internal
Region A
15 GeV < p_T^γ < 20 GeV
Jet R=0.5
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.6
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Region A
20 GeV < p_T^γ < 25 GeV
Jet R=0.5
p_T^{jet} > 5 GeV
$|\eta^\gamma|<1.1$, $|\eta^{jet}|<0.6$
$\Delta\phi>7\pi/8$
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.24
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Region A
25 GeV < p_T^γ < 35 GeV
Jet R=0.5
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.6
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.3
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
Jet R=0.5
|η^γ|<1.1, |η^jet|<0.6
Δϕ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES (shape χ²) = 0.9338 ± 0.0009
Data/MC
p_T^γ [GeV]


sPHENIX Internal
Purity-corrected
15 GeV < p_T^γ < 20 GeV
Jet R=0.5
p_T^jet > 5 GeV
|η^γ|<1.1, |η^jet|<0.6
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
20 GeV < p_T^γ < 25 GeV
Jet R=0.5
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.6
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
25 GeV < p_T^γ < 35 GeV
Jet R=0.5
p_T^jet > 5 GeV
|η^γ|<1.1, |η^jet|<0.6
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.05
0.1
0.15
0.2
0.25
0.3
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Region A
Jet R=0.6
|η^γ|<1.1, |η^jet|<0.5
Δϕ>7π/8
<x_Jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES (shape χ²) = 0.9770 ± 0.0008
Data/MC
p_T^γ [GeV]


sPHENIX Internal
Region A
15 GeV < p_T^γ < 20 GeV
Jet R=0.6
p_T^{jet} > 5 GeV
$|\eta^\gamma|<1.1$, $|\eta^{jet}|<0.5$
$\Delta\phi>7\pi/8$
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Region A
20 GeV < p_T^γ < 25 GeV
Jet R=0.6
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.5
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Region A
25 GeV < p_T^γ < 35 GeV
Jet R=0.6
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.5
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.3
0.35
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
Jet R=0.6
|η^γ|<1.1, |η^jet|<0.5
Δϕ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES (shape χ²) = 0.9502 ± 0.0006
Data/MC
p_T^γ [GeV]


sPHENIX Internal
Purity-corrected
15 GeV < p_T^γ < 20 GeV
Jet R=0.6
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.5
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
20 GeV < p_T^γ < 25 GeV
Jet R=0.6
p_T^jet > 5 GeV
|η^γ|<1.1, |η^jet|<0.5
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.24
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
25 GeV < p_T^γ < 35 GeV
Jet R=0.6
p_T^jet > 5 GeV
|η^γ|<1.1, |η^jet|<0.5
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.05
0.1
0.15
0.2
0.25
0.3
0.35
0.4
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Region A
Jet R=0.7
|η^γ|<1.1, |η^jet|<0.4
Δϕ>7π/8
<x_Jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES (shape χ²) = 0.9920 ± 0.0003
Data/MC
p_T^γ [GeV]


sPHENIX Internal
Region A
15 GeV < p_T^γ < 20 GeV
Jet R=0.7
p_T^jet > 5 GeV
|η^γ|<1.1, |η^jet|<0.4
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
X_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Region A
20 GeV < p_T^γ < 25 GeV
Jet R=0.7
p_T^jet > 5 GeV
|η^γ|<1.1, |η^jet|<0.4
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
0.22
0.2
0.18
0.16
0.14
0.12
0.1
0.08
0.06
0.04
0.02
0
0
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2
x_Jγ


sPHENIX Internal
Region A
25 GeV < p_T^γ < 35 GeV
Jet R=0.7
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.4
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.3
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
Jet R=0.7
|η^γ|<1.1, |η^jet|<0.4
Δφ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES (shape χ²) = 0.9239 ± 0.0006
Data/MC
p_T^γ [GeV]


sPHENIX Internal
Purity-corrected
15 GeV < p_T^γ < 20 GeV
Jet R=0.7
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.4
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
20 GeV < p_T^γ < 25 GeV
Jet R=0.7
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.4
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
25 GeV < p_T^γ < 35 GeV
Jet R=0.7
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.4
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.3
0.35
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Region A
Jet R=0.8
|η^γ|<1.1, |η^jet|<0.3
Δϕ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Raw ratio
Corrected ratio
Data to MC JES (shape χ²) = 0.9862 ± 0.0023
Data/MC
p_T^γ [GeV]


sPHENIX Internal
Region A
15 GeV < p_T^γ < 20 GeV
Jet R=0.8
p_T^jet > 5 GeV
|η^γ|<1.1, |η^jet|<0.3
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2
x_Jγ


sPHENIX Internal
Region A
20 GeV < p_T^γ < 25 GeV
Jet R=0.8
p_T^jet > 5 GeV
|η^γ|<1.1, |η^jet|<0.3
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
X_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.24
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Region A
25 GeV < p_T^γ < 35 GeV
Jet R=0.8
p_T^{jet} > 5 GeV
$|\eta^\gamma|$<1.1, $|\eta^{jet}|$<0.3
$\Delta\phi$>7π/8
Pythia8 γ+jet (reco)
Data (raw)
Data (JES-corrected)
Shape-normalized counts / bin width
$x_{J\gamma}$
0
0.05
0.1
0.15
0.2
0.25
0.3
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
Jet R=0.8
|η^γ|<1.1, |η^jet|<0.3
Δϕ>7π/8
<x_jγ>
Pythia8 γ+jet (reco)
Data (reco)
Data/MC
Raw ratio
Corrected ratio
Data to MC JES (shape χ²) = 0.9755 ± 0.0011
p_T^γ [GeV]


sPHENIX Internal
Purity-corrected
15 GeV < p_T^γ < 20 GeV
Jet R=0.8
p_T^jet > 5 GeV
|η^γ|<1.1, |η^jet|<0.3
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
20 GeV < p_T^γ < 25 GeV
Jet R=0.8
p_T^jet > 5 GeV
|η^γ|<1.1, |η^jet|<0.3
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.02
0.04
0.06
0.08
0.1
0.12
0.14
0.16
0.18
0.2
0.22
0.24
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2


sPHENIX Internal
Purity-corrected
25 GeV < p_T^γ < 35 GeV
Jet R=0.8
p_T^jet > 5 GeV
|η^γ|<1.1, |η^jet|<0.3
Δφ>7π/8
Pythia8 γ+jet (reco)
Data (raw, purity-corr.)
Data (JES+purity-corr.)
Shape-normalized counts / bin width
x_Jγ
0
0.05
0.1
0.15
0.2
0.25
0.3
0.35
0.2
0.4
0.6
0.8
1
1.2
1.4
1.6
1.8
2