1 SNPE-C (reference sample 1, 4-dim parameter space, full observation space)






posterior sample
observation
voltage (mV)
40
−20
−80
0
60
120
time (ms)

2 ESNPE (reference sample 1, 4-dim parameter space, full observation space)






posterior sample
observation
voltage (mV)
40
−20
−80
voltage (mV)
40
−20
−80
voltage (mV)
40
−20
−80
0
60
120
time (ms)

3 SNPE-C (reference sample 2, 4-dim parameter space, full observation space)






posterior sample
observation
40
−20
−80
voltage (mV)
0
60
120
time (ms)

4 ESNPE (reference sample 2, 4-dim parameter space, full observation space)







5 SNPE-C (reference sample 1, 8-dim parameter space, full observation space)




posterior sample
posterior MAP
observation
voltage (mV)
40
−20
−80
0
60
120
time (ms)


posterior sample
observation
voltage (mV)
40
−20
−80
0
60
120
time (ms)

6 ESNPE (reference sample 1, 8-dim parameter space, full observation space)






posterior sample
observation
voltage (mV)
40
−20
−80
voltage (mV)
40
−20
−80
voltage (mV)
40
−20
−80
0
60
120
time (ms)

7 SNPE-C (reference sample 2, 8-dim parameter space, full observation space)






posterior sample
observation
40
−20
−80
voltage (mV)
0
60
120
time (ms)

8 ESNPE (reference sample 2, 8-dim parameter space, full observation space)






posterior sample
observation
40
−20
−80
voltage (mV)
0
60
120
time (ms)