

# Cucumber Report

May 9, 2023, 5:05:46 PM

**Start : May 09, 5:05:30.115 PM**

**End : May 09, 5:05:45.397 PM**

**Duration : 15.282 s**

Features







PASSED - 2  
FAILED - 2  
SKIPPED - 0

Scenarios

PASSED - 7  
FAILED - 17  
SKIPPED - 0

Steps

PASSED - 22  
FAILED - 17  
SKIPPED - 63




<b>Feature</b>				<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>		
<u>feature to test ds algo portal link</u>	6.173 s	1	1	0	0	4	4	0	0		
<u>evaluate home page</u>	0.759 s	2	2	0	0	5	5	0	0		
<u>User enter valid and invalid credentials for login</u>	4.244 s	4	3	1	0	12	11	1	0		
<u>Evaluate arrays module</u>	4.022 s	17	1	16	0	81	2	16	63		


#	Feature Name	Scenario Name
1	<u>User enter valid and invalid credentials for login</u>	<u>User on login page and login with inavalid and validinputs from Excel"Sheet1" and1</u>
2	<u>Evaluate arrays module</u>	<u>User is able to navigate to tryeditor page and run valid python code</u>
3		<u>User is able to navigate to tryeditor page and run invalid python code</u>
4		<u>User is able to navigate to tryeditor page and run valid python code</u>
5		<u>User is able to navigate to tryeditor page and run invalid python code</u>
6		<u>User is able to navigate to tryeditor page and run valid python code</u>
7		<u>User is able to navigate to tryeditor page and run invalid python code</u>
8		<u>User is able to navigate to tryeditor page and run valid python code</u>
9		<u>User is able to navigate to tryeditor page and run invalid python code</u>
10		<u>User is able to navigate to tryeditor page and run valid python code</u>

#	Feature Name	Scenario Name
11	<u>Evaluate arrays module</u>	User is able to navigate to tryeditor page and run invalid python code
12		User is able to navigate to tryeditor page and run valid python code
13		User is able to navigate to tryeditor page and run invalid python code
14		User is able to navigate to tryeditor page and run valid python code
15		User is able to navigate to tryeditor page and run invalid python code
16		User is able to navigate to tryeditor page and run valid python code
17		User is able to navigate to tryeditor page and run invalid python code

<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@portal		1	1	0	0	1	1	0	0
@home		2	2	0	0	1	1	0	0
@login		4	3	1	0	1	0	1	0
@arry		17	1	16	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>feature to test ds algo portal link</u>	1	1	0	0	6.173 s
2	<u>evaluate home page</u>	2	2	0	0	0.759 s
3	<u>User enter valid and invalid credentials for login</u>	4	3	1	0	4.244 s
4	<u>Evaluate arrays module</u>	17	1	16	0	4.022 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>feature to test ds algo portal link</u>	<u>Launch url and navigate to home page</u>	4	4	0	0	6.164 s
2	<u>evaluate home page</u>	<u>User navigate to home page</u>	3	3	0	0	0.394 s
3		<u>Launch url and navigate to home page</u>	2	2	0	0	0.352 s
4	<u>User enter valid and invalid credentials for login</u>	<u>User on login page and login with inavalid and validinputs from Excel"Sheet1" and0</u>	3	3	0	0	1.260 s
5		<u>User on login page and login with inavalid and validinputs from Excel"Sheet1" and1</u>	3	2	1	0	1.534 s
6		<u>User on login page and login with inavalid and validinputs from Excel"Sheet1" and2</u>	3	3	0	0	0.671 s
7		<u>User on login page and login with inavalid and validinputs from Excel"Sheet1" and3</u>	3	3	0	0	0.747 s
8	<u>Evaluate arrays module</u>	<u>The user is able to navigate to a page having Arrays in Python Topic</u>	2	2	0	0	1.511 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
9		<u>User is able to navigate to tryeditor page and run valid python code</u>	4	0	1	3	0.168 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Evaluate arrays module</u>	<u>User is able to navigate to tryeditor page and run invalid python code</u>	4	0	1	3	0.148 s
11		<u>User is able to navigate to tryeditor page and run valid python code</u>	5	0	1	4	0.147 s
12		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	0	1	4	0.151 s
13		<u>User is able to navigate to tryeditor page and run valid python code</u>	5	0	1	4	0.154 s
14		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	0	1	4	0.144 s
15		<u>User is able to navigate to tryeditor page and run valid python code</u>	5	0	1	4	0.143 s
16		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	0	1	4	0.146 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
17	<u>Evaluate arrays module</u>	<u>User is able to navigate to tryeditor page and run valid python code</u>	6	0	1	5	0.144 s
18		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	0	1	4	0.152 s
19		<u>User is able to navigate to tryeditor page and run valid python code</u>	5	0	1	4	0.144 s
20		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	0	1	4	0.161 s
21		<u>User is able to navigate to tryeditor page and run valid python code</u>	5	0	1	4	0.161 s
22		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	0	1	4	0.152 s
23		<u>User is able to navigate to tryeditor page and run valid python code</u>	5	0	1	4	0.155 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
24	<u>Evaluate arrays module</u>	<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	0	1	4	0.162 s

## feature to test ds algo portal link

PASSED	DURATION - 6.173 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 5:05:30.115 PM // 5:05:36.288 PM /					

## Launch url and navigate to home page


PASSED	DURATION - 6.164 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 5:05:30.123 PM // 5:05:36.287 PM /					
feature to test ds algo portal link					
@portal					

#	Step / Hook Details	Status	Duration
1	Given User launch chrome browser	PASSED	0.020 s
2	And User opens dsalgo portal app url	PASSED	0.353 s
3	When User click on Get Started button	PASSED	0.476 s
4	Then User is navigated to Home page	PASSED	0.012 s

## evaluate home page


PASSED	DURATION - 0.759 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 5:05:36.307 PM // 5:05:37.066 PM /					

## User navigate to home page




#	Step / Hook Details	Status	Duration
1	Given User click on Data Structures dropdown	PASSED	0.073 s
2	When User click on arrays from the dropdown	PASSED	0.265 s
3	Then It shows error message "You are not logged in"	PASSED	0.048 s

### Launch url and navigate to home page




#	Step / Hook Details	Status	Duration
1	When User click on one of the module from home page	PASSED	0.306 s
2	Then It is showing error message You are not logged in	PASSED	0.038 s

### User enter valid and invalid credentials for login




## User on login page and login with invalid and valid inputs from Excel "Sheet1" and 0



#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.129 s
2	When The user enter sheet "Sheet1" and 0	PASSED	0.928 s
3	Then click login button	PASSED	0.194 s



## User on login page and login with invalid and valid inputs from Excel "Sheet1" and 1



#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.089 s
2	When The user enter sheet "Sheet1" and 1	PASSED	0.196 s
3	Then click login button  org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input type="submit" value="Login"> is not clickable at point (959, 126). Other element would receive the click: <iframe scrolling="no" frameborder="0" style="border: 0px; height: 50px; width: 48px; left: 927px; top: 102px; z-index: 2147483647; position: absolute;" src="https://gc.kis.v2.scr.kaspersky-labs.com/E3E8934C-235A-4B0E-825A-35A08381A191/kpm/kpm_promo_balloon.html?cssSrc=https%3A%2F%2Fgc.kis.v2.scr.kaspersky-labs.com%2FE3E8934C-235A-4B0E-825A-35A08381A191%2Fkpm%2Ftooltip.css"></iframe> (Session info: chrome=112.0.5615.138) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4d0fc9fed4f1e7a7a4407e6655237e6f, clickElement {id=161b2c46-abbf-4b34-b722-a7dc1b93b97b}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion:	FAILED	1.075 s



#	Step / Hook Details	Status	Duration
	<pre>112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:51158}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51158/devtoo..., se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (4d0fc9fed4f1e7a7a4407e6655237e6f)] -&gt; xpath: //input[@value='Login']] Session ID: 4d0fc9fed4f1e7a7a4407e6655237e6f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at pageObjects.LoginPage.loginbtnclk(LoginPage.java:46) at stepdefinitions.LoginpageSteps.click_login_button(LoginpageSteps.java:58) at ?.click login button(file:///C:/Users/kiran/eclipse-workspace/ZoomDs_algo/src/test/resources/features/4LoginPage.feature:6)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>User on login page and login with invalid and validinputs from Excel"Sheet1" and1</p> 	PASSED	0.165 s

User on login page and login with invalid and validinputs from Excel"Sheet1" and2

PASSED	DURATION - 0.671 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:05:39.906 PM // 5:05:40.577 PM /				
User enter valid and invalid credentials for login				
@login				


#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.207 s
2	When The user enter sheet"Sheet1" and 2	PASSED	0.193 s
3	Then click login button	PASSED	0.267 s

### User on login page and login with invalid and valid inputs from Excel"Sheet1" and 3


PASSED	DURATION - 0.747 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:05:40.586 PM // 5:05:41.333 PM /				
User enter valid and invalid credentials for login				
@login				

#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.088 s
2	When The user enter sheet"Sheet1" and 3	PASSED	0.281 s
3	Then click login button	PASSED	0.375 s

### Evaluate arrays module




### The user is able to navigate to a page having Arrays in Python Topic



#	Step / Hook Details	Status	Duration
1	Given User click on get started button on array module and navigate to array page	PASSED	1.108 s
2	When User click on Arrays in Python Topic and navigate to arrays in python page	PASSED	0.395 s


### User is able to navigate to tryeditor page and run valid python code



#	Step / Hook Details	Status	Duration
1	Given User click on Try here button on Arrays in Python page and navigate to try edidor page  java.lang.NullPointerException: Cannot invoke "pageObjects.ArraysPage.TryHere()" because "this.arraypage" is null at stepdefinitions.ArraysSteps.user_click_on_try_here_button_on_arrays_in_python_page(ArraysSteps.java:62) at ?.User click on Try here button on Arrays in Python page and navigate to try edidor page(file:///C:/Users/kiran/eclipse-workspace/)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	ZoomDs_algo/src/test/resources/features/6ArraysPage.feature:11) * Not displayable characters are replaced by '?'.		
2	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.002 s
3	And User click on run button	SKIPPED	0.001 s
4	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)  User is able to navigate to tryeditor page and run valid python code  	PASSED	0.159 s



### User is able to navigate to tryeditor page and run invalid python code



#	Step / Hook Details	Status	Duration
1	Given User click on Try here button on Arrays in Python page and navigate to try edidor page  java.lang.NullPointerException: Cannot invoke "pageObjects.ArraysPage.TryHere()" because "this.arraypage" is null at stepdefinitions.ArraysSteps.user_click_on_try_here_button_on_arrays_in_python_page(ArraysSteps.java:62) at ?.User click on Try here button on Arrays in Python page and navigate to try edidor page(file:///C:/Users/kiran/eclipse-workspace/ZoomDs_algo/src/test/resources/features/6ArraysPage.feature:23) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.001 s
3	And User click on run button	SKIPPED	0.000 s
4	Then User should get alert message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)  User is able to navigate to tryeditor page and run invalid python code	PASSED	0.141 s


#	Step / Hook Details	Status	Duration
			

### User is able to navigate to tryeditor page and run valid python code

FAILED	<b>DURATION - 0.147 s</b>		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
	/ 5:05:43.220 PM // 5:05:43.367 PM /			
	Evaluate arrays module			
	@arry			


#	Step / Hook Details	Status	Duration
1	Given User click on Arrays Using List topic  java.lang.NullPointerException: Cannot invoke "pageObjects.ArraysPage.arraysList()" because "this.arraypage" is null at stepdefinitions.ArraysSteps.user_click_on_arrays_using_list_topic(ArraysSteps.java:127) at ?.User click on Arrays Using List topic(file:///C:/Users/kiran/eclipse-workspace/ZoomDs_algo/src/test/resources/features/6ArraysPage.feature:32) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	And click Try here button and navigate to try editor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)  User is able to navigate to tryeditor page and run valid python code  	PASSED	0.141 s

### User is able to navigate to tryeditor page and run invalid python code




#	Step / Hook Details	Status	Duration
1	Given User click on Arrays Using List topic  java.lang.NullPointerException: Cannot invoke "pageObjects.ArraysPage.arraysList()" because "this.arraypage" is null at stepdefinitions.ArraysSteps.user_click_on_arrays_using_list_topic(ArraysSteps.java:127) at ?.User click on Arrays Using List topic(file:///C:/Users/kiran/eclipse-workspace/ZoomDs_algo/src/test/resources/features/6ArraysPage.feature:43) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.001 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.001 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)  User is able to navigate to tryeditor page and run invalid python code  	PASSED	0.144 s

User is able to navigate to tryeditor page and run valid python code





#	Step / Hook Details	Status	Duration
1	Given User click on basic Operations in Lists  java.lang.NullPointerException: Cannot invoke "pageObjects.ArraysPage.BasicOpInList()" because "this.arraypage" is null at stepdefinitions.ArraysSteps.user_click_on_basic_operations_in_lists(ArraysSteps.java:137) at ?.User click on basic Operations in Lists(file:///C:/Users/kiran/eclipse-workspace/ZoomDs_algo/src/test/resources/features/6ArraysPage.feature:54) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should be presented with run result	SKIPPED	0.004 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)  User is able to navigate to tryeditor page and run valid python code  	PASSED	0.143 s

User is able to navigate to tryeditor page and run invalid python code




#	Step / Hook Details	Status	Duration
1	Given User click on basic Operations in Lists  java.lang.NullPointerException: Cannot invoke "pageObjects.ArraysPage.BasicOpInList()" because "this.arraypage" is null at stepdefinitions.ArraysSteps.user_click_on_basic_operations_in_lists(ArraysSteps.java:137) at ?.User click on basic Operations in Lists(file:///C:/Users/kiran/eclipse-workspace/ZoomDs_algo/src/test/resources/features/6ArraysPage.feature:65) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.001 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.001 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.001 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)  User is able to navigate to tryeditor page and run invalid python code  	PASSED	0.137 s

User is able to navigate to tryeditor page and run valid python code




#	Step / Hook Details	Status	Duration
1	Given User click on Applications of Array  <i>java.lang.NullPointerException: Cannot invoke "pageObjects.ArraysPage.ApplOfArray()" because "this.arraypage" is null</i> <i>at stepdefinitions.ArraysSteps.user_click_on_applications_of_array(ArraysSteps.java:142)</i> <i>at ?.User click on Applications of Array(file:///C:/Users/kiran/eclipse-workspace/ZoomDs_algo/src/test/resources/features/6ArraysPage.feature:77)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.002 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)  <i>User is able to navigate to tryeditor page and run valid python code</i>	PASSED	0.137 s

User is able to navigate to tryeditor page and run invalid python code




#	Step / Hook Details	Status	Duration
1	Given User click on Applications of Array  java.lang.NullPointerException: Cannot invoke "pageObjects.ArraysPage.ApplOfArray()" because "this.arraypage" is null at stepdefinitions.ArraysSteps.user_click_on_applications_of_array(ArraysSteps.java:142) at ?.User click on Applications of Array(file:///C:/Users/kiran/eclipse-workspace/ZoomDs_algo/src/test/resources/features/6ArraysPage.feature:88) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)  User is able to navigate to tryeditor page and run invalid python code  	PASSED	0.141 s

User is able to navigate to tryeditor page and run valid python code




#	Step / Hook Details	Status	Duration
1	Given User click on Practies Questions  java.lang.NullPointerException: Cannot invoke "pageObjects.ArraysPage.PraQues()" because "this.arraypage" is null at stepdefinitions.ArraysSteps.user_click_on_practices_questions(ArraysSteps.java:147) at ?.User click on Practies Questions(file:///C:/Users/kiran/eclipse-workspace/ZoomDs_algo/src/test/resources/features/6ArraysPage.feature:99) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
2	When User click on Question1 its navigate to tryeditor page	SKIPPED	0.000 s
3	And User clear the tryeditor textbox	SKIPPED	0.000 s
4	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
5	And User click on run button	SKIPPED	0.001 s
6	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)  User is able to navigate to tryeditor page and run valid python code	PASSED	0.135 s
			

User is able to navigate to tryeditor page and run invalid python code




#	Step / Hook Details	Status	Duration
1	When User click on Question1 its navigate to tryeditor page  java.lang.NullPointerException: Cannot invoke "pageObjects.ArraysPage.que1()" because "this.arraypage" is null at stepdefinitions.ArraysSteps.user_click_on_question1_its_navigate_to_tryeditor_page(ArraysSteps.java:152) at ?.User click on Question1 its navigate to tryeditor page(file:///C:/Users/kiran/eclipse-workspace/ZoomDs_algo/src/test/resources/features/6ArraysPage.feature:112) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)  User is able to navigate to tryeditor page and run invalid python code  	PASSED	0.146 s

User is able to navigate to tryeditor page and run valid python code





#	Step / Hook Details	Status	Duration
1	When User click on Question2 its navigate to tryeditor page  java.lang.NullPointerException: Cannot invoke "pageObjects.ArraysPage.que2()" because "this.arraypage" is null at stepdefinitions.ArraysSteps.user_click_on_question2_its_navigate_to_tryeditor_page(ArraysSteps.java:163) at ?.User click on Question2 its navigate to tryeditor page(file:///C:/Users/kiran/eclipse-workspace/ZoomDs_algo/src/test/resources/features/6ArraysPage.feature:124) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)  User is able to navigate to tryeditor page and run valid python code  	PASSED	0.137 s

User is able to navigate to tryeditor page and run invalid python code




#	Step / Hook Details	Status	Duration
1	When User click on Question2 its navigate to tryeditor page  java.lang.NullPointerException: Cannot invoke "pageObjects.ArraysPage.que2()" because "this.arraypage" is null at stepdefinitions.ArraysSteps.user_click_on_question2_its_navigate_to_tryeditor_page(ArraysSteps.java:163) at ?.User click on Question2 its navigate to tryeditor page(file:///C:/Users/kiran/eclipse-workspace/ZoomDs_algo/src/test/resources/features/6ArraysPage.feature:136) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	And User clear the tryeditor textbox	SKIPPED	0.001 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)  User is able to navigate to tryeditor page and run invalid python code  	PASSED	0.154 s

User is able to navigate to tryeditor page and run valid python code




#	Step / Hook Details	Status	Duration
1	<p>When User click on Question3 its navigate to tryeditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "pageObjects.ArraysPage.que3()" because "this.arraypage" is null   at stepdefinitions.ArraysSteps.user_click_on_question3_its_navigate_to_tryeditor_page(ArraysSteps.java:168)   at ?.User click on Question3 its navigate to tryeditor page(file:///C:/Users/kiran/eclipse-workspace/ZoomDs_algo/src/test/resources/features/6ArraysPage.feature:149) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.001 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.001 s
	<p>AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>User is able to navigate to tryeditor page and run valid python code</p>	PASSED	0.152 s

User is able to navigate to tryeditor page and run invalid python code




#	Step / Hook Details	Status	Duration
1	When User click on Question3 its navigate to tryeditor page  java.lang.NullPointerException: Cannot invoke "pageObjects.ArraysPage.que3()" because "this.arraypage" is null at stepdefinitions.ArraysSteps.user_click_on_question3_its_navigate_to_tryeditor_page(ArraysSteps.java:168) at ?.User click on Question3 its navigate to tryeditor page(file:///C:/Users/kiran/eclipse-workspace/ZoomDs_algo/src/test/resources/features/6ArraysPage.feature:162) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	And User clear the tryeditor textbox	SKIPPED	0.001 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.001 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)  User is able to navigate to tryeditor page and run invalid python code  	PASSED	0.146 s

User is able to navigate to tryeditor page and run valid python code



#	Step / Hook Details	Status	Duration
1	When User click on Question4 its navigate to tryeditor page  java.lang.NullPointerException: Cannot invoke "pageObjects.ArraysPage.que4()" because "this.arraypage" is null at stepdefinitions.ArraysSteps.user_click_on_question4_its_navigate_to_tryeditor_page(ArraysSteps.java:173) at ?.User click on Question4 its navigate to tryeditor page(file:///C:/Users/kiran/eclipse-workspace/ZoomDs_algo/src/test/resources/features/6ArraysPage.feature:174) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)  User is able to navigate to tryeditor page and run valid python code  	PASSED	0.149 s

User is able to navigate to tryeditor page and run invalid python code



#	Step / Hook Details	Status	Duration
1	When User click on Question4 its navigate to tryeditor page  java.lang.NullPointerException: Cannot invoke "pageObjects.ArraysPage.que4()" because "this.arraypage" is null at stepdefinitions.ArraysSteps.user_click_on_question4_its_navigate_to_tryeditor_page(ArraysSteps.java:173) at ?.User click on Question4 its navigate to tryeditor page(file:///C:/Users/kiran/eclipse-workspace/ZoomDs_algo/src/test/resources/features/6ArraysPage.feature:187) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	And User clear the tryeditor textbox	SKIPPED	0.001 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)  User is able to navigate to tryeditor page and run invalid python code  	PASSED	0.157 s