

Cucumber Report

May 11, 2023, 1:11:48 PM

Start : May 11, 1:11:45.210 PM

End : May 11, 1:11:46.934 PM

Duration : 1.724 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 7
SKIPPED - 0

PASSED - 0
FAILED - 55
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 243



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>feature to test ds algo portal link</u>	0.609 s	1	0	1	0	4	0	0	4
<u>evaluate home page</u>	0.041 s	2	0	2	0	5	0	0	5
<u>feature to test new user registration</u>	0.214 s	11	0	11	0	33	0	0	33
<u>User enter valid and invalid credentials for login</u>	0.070 s	4	0	4	0	12	0	0	12
<u>Evaluate Data structures Introduction</u>	0.040 s	3	0	3	0	12	0	0	12
<u>Evaluate arrays module</u>	0.314 s	17	0	17	0	81	0	0	81
<u>Evaluate Linkedlist Module</u>	0.265 s	17	0	17	0	96	0	0	96

#	Feature Name	Scenario Name
1	<u>feature to test ds algo portal link</u>	<u>Launch url and navigate to home page</u>
2	<u>evaluate home page</u>	<u>User navigate to home page</u>
3		<u>Launch url and navigate to home page</u>
4	<u>feature to test new user registration</u>	<u>user navigate to registration page</u>
5		<u>user navigate to registration page</u>
6		<u>user navigate to registration page</u>
7		<u>user navigate to registration page</u>
8		<u>user navigate to registration page</u>
9		<u>user navigate to registration page</u>
10		<u>user navigate to registration page</u>

#	Feature Name	Scenario Name
11	<u>feature to test new user registration</u>	<u>user navigate to registration page</u>
12		<u>user navigate to registration page</u>
13		<u>user navigate to registration page</u>
14		<u>user navigate to registration page</u>
15	<u>User enter valid and invalid credentials for login</u>	<u>User on login page and login with inavalid and validinputs from Excel"Sheet1" and0</u>
16		<u>User on login page and login with inavalid and validinputs from Excel"Sheet1" and1</u>
17		<u>User on login page and login with inavalid and validinputs from Excel"Sheet1" and2</u>
18		<u>User on login page and login with inavalid and validinputs from Excel"Sheet1" and3</u>
19	<u>Evaluate Data sturctures Introduction</u>	<u>User is able to navigate Data Structures Introduction</u>
20		<u>User is able to navigate to tryeditor page and run invalid python code</u>


#	Feature Name	Scenario Name
21	<u>Evaluate Data structures Introduction</u>	<u>User is able to navigate to practice questions</u>
22	<u>Evaluate arrays module</u>	<u>The user is able to navigate to a page having Arrays in Python Topic</u>
23		<u>User is able to navigate to tryeditor page and run valid python code</u>
24		<u>User is able to navigate to tryeditor page and run invalid python code</u>
25		<u>User is able to navigate to tryeditor page and run valid python code</u>
26		<u>User is able to navigate to tryeditor page and run invalid python code</u>
27		<u>User is able to navigate to tryeditor page and run valid python code</u>
28		<u>User is able to navigate to tryeditor page and run invalid python code</u>
29		<u>User is able to navigate to tryeditor page and run valid python code</u>
30		<u>User is able to navigate to tryeditor page and run invalid python code</u>

#	Feature Name	Scenario Name
31	<u>Evaluate arrays module</u>	<u>User is able to navigate to tryeditor page and run valid python code</u>
32		<u>User is able to navigate to tryeditor page and run invalid python code</u>
33		<u>User is able to navigate to tryeditor page and run valid python code</u>
34		<u>User is able to navigate to tryeditor page and run invalid python code</u>
35		<u>User is able to navigate to tryeditor page and run valid python code</u>
36		<u>User is able to navigate to tryeditor page and run invalid python code</u>
37		<u>User is able to navigate to tryeditor page and run valid python code</u>
38		<u>User is able to navigate to tryeditor page and run invalid python code</u>
39	<u>Evaluate Linkedlist Module</u>	<u>User is Logged in to DSAalgo portal</u>
40		<u>User Navigating to LinkedList Page</u>


#	Feature Name	Scenario Name
41	<u>Evaluate Linkedlist Module</u>	<u>user navigating to Introduction of LinkedlistPage and using Data from Excel to evaluate</u>
42		<u>user navigating to Introduction of LinkedlistPage and using Data from Excel to evaluate</u>
43		<u>User navigating to Creating a Linked list page</u>
44		<u>User navigating to Creating a Linked list page</u>
45		<u>User navigating to Types of Linked list page</u>
46		<u>User navigating to Types of Linked list page</u>
47		<u>User navigating to Implement Linked list page</u>
48		<u>User navigating to Implement Linked list page</u>
49		<u>User navigating to Traversal of Linked list page</u>
50		<u>User navigating to Traversal of Linked list page</u>

#	Feature Name	Scenario Name
51	<u>Evaluate Linkedlist Module</u>	<u>User navigating to Insertion of Linked list page</u>
52		<u>User navigating to Insertion of Linked list page</u>
53		<u>User navigating to Deletion of Linked list page</u>
54		<u>User navigating to Deletion of Linked list page</u>
55		<u>User validating Practice Questions Page</u>


TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@portal	1	0	1	0	1	0	1	0
@home	2	0	2	0	1	0	1	0
@register	11	0	11	0	1	0	1	0
@login	4	0	4	0	1	0	1	0
@dstruct	3	0	3	0	1	0	1	0
@arry	17	0	17	0	1	0	1	0
@llist	17	0	17	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>feature to test ds algo portal link</u>	1	0	1	0	0.609 s
2	<u>evaluate home page</u>	2	0	2	0	0.041 s
3	<u>feature to test new user registration</u>	11	0	11	0	0.214 s
4	<u>User enter valid and invalid credentials for login</u>	4	0	4	0	0.070 s
5	<u>Evaluate Data sturctures Introduction</u>	3	0	3	0	0.040 s
6	<u>Evaluate arrays module</u>	17	0	17	0	0.314 s
7	<u>Evaluate Linkedlist Module</u>	17	0	17	0	0.265 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>feature to test ds algo portal link</u>	<u>Launch url and navigate to home page</u>	4	0	0	4	0.605 s
2	<u>evaluate home page</u>	<u>User navigate to home page</u>	3	0	0	3	0.009 s
3		<u>Launch url and navigate to home page</u>	2	0	0	2	0.013 s
4	<u>feature to test new user registration</u>	<u>user navigate to registration page</u>	3	0	0	3	0.011 s
5		<u>user navigate to registration page</u>	3	0	0	3	0.008 s
6		<u>user navigate to registration page</u>	3	0	0	3	0.014 s
7		<u>user navigate to registration page</u>	3	0	0	3	0.010 s
8		<u>user navigate to registration page</u>	3	0	0	3	0.011 s
9		<u>user navigate to registration page</u>	3	0	0	3	0.008 s
10		<u>user navigate to registration page</u>	3	0	0	3	0.010 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>feature to test new user registration</u>	<u>user navigate to registration page</u>	3	0	0	3	0.011 s
12		<u>user navigate to registration page</u>	3	0	0	3	0.008 s
13		<u>user navigate to registration page</u>	3	0	0	3	0.009 s
14		<u>user navigate to registration page</u>	3	0	0	3	0.009 s
15	<u>User enter valid and invalid credentials for login</u>	<u>User on login page and login with inavalid and validinputs from Excel"Sheet1" and0</u>	3	0	0	3	0.008 s
16		<u>User on login page and login with inavalid and validinputs from Excel"Sheet1" and1</u>	3	0	0	3	0.013 s
17		<u>User on login page and login with inavalid and validinputs from Excel"Sheet1" and2</u>	3	0	0	3	0.010 s
18		<u>User on login page and login with inavalid and validinputs from Excel"Sheet1" and3</u>	3	0	0	3	0.010 s
19	<u>Evaluate Data sturctures Introduction</u>	<u>User is able to navigate Data Structures Introduction</u>	6	0	0	6	0.012 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>Evaluate Data structures Introduction</u>	<u>User is able to navigate to tryeditor page and run invalid python code</u>	4	0	0	4	0.007 s
21		<u>User is able to navigate to practice questions</u>	2	0	0	2	0.007 s
22	<u>Evaluate arrays module</u>	<u>The user is able to navigate to a page having Arrays in Python Topic</u>	2	0	0	2	0.007 s
23		<u>User is able to navigate to tryeditor page and run valid python code</u>	4	0	0	4	0.016 s
24		<u>User is able to navigate to tryeditor page and run invalid python code</u>	4	0	0	4	0.013 s
25		<u>User is able to navigate to tryeditor page and run valid python code</u>	5	0	0	5	0.024 s
26		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	0	0	5	0.010 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
27		<u>User is able to navigate to tryeditor page and run valid python code</u>	5	0	0	5	0.009 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
28	<u>Evaluate arrays module</u>	<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	0	0	5	0.010 s
29		<u>User is able to navigate to tryeditor page and run valid python code</u>	5	0	0	5	0.011 s
30		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	0	0	5	0.008 s
31		<u>User is able to navigate to tryeditor page and run valid python code</u>	6	0	0	6	0.009 s
32		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	0	0	5	0.010 s
33		<u>User is able to navigate to tryeditor page and run valid python code</u>	5	0	0	5	0.010 s
34		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	0	0	5	0.010 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
35	<u>Evaluate arrays module</u>	<u>User is able to navigate to tryeditor page and run valid python code</u>	5	0	0	5	0.010 s
36		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	0	0	5	0.013 s
37		<u>User is able to navigate to tryeditor page and run valid python code</u>	5	0	0	5	0.008 s
38		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	0	0	5	0.008 s
39	<u>Evaluate Linkedlist Module</u>	<u>User is Logged in to DSAalgo portal</u>	3	0	0	3	0.008 s
40		<u>User Navigating to LinkedList Page</u>	8	0	0	8	0.012 s
41		<u>user navigating to Introduction of LinkedListPage and using Data from Excel to evaluate</u>	5	0	0	5	0.011 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
42		<u>user navigating to Introduction of LinkedListPage and using Data from Excel to evaluate</u>	5	0	0	5	0.011 s
43		<u>User navigating to Creating a Linked list page</u>	6	0	0	6	0.008 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
44	<u>Evaluate LinkedList Module</u>	<u>User navigating to Creating a Linked list page</u>	6	0	0	6	0.008 s
45		<u>User navigating to Types of Linked list page</u>	6	0	0	6	0.008 s
46		<u>User navigating to Types of Linked list page</u>	6	0	0	6	0.009 s
47		<u>User navigating to Implement Linked list page</u>	6	0	0	6	0.008 s
48		<u>User navigating to Implement Linked list page</u>	6	0	0	6	0.007 s
49		<u>User navigating to Traversal of Linked list page</u>	6	0	0	6	0.010 s
50		<u>User navigating to Traversal of Linked list page</u>	6	0	0	6	0.006 s
51		<u>User navigating to Insertion of Linked list page</u>	6	0	0	6	0.009 s
52		<u>User navigating to Insertion of Linked list page</u>	6	0	0	6	0.008 s
53		<u>User navigating to Deletion of Linked list page</u>	6	0	0	6	0.008 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
54	<u>Evaluate LinkedList Module</u>	<u>User navigating to Deletion of Linked list page</u>	6	0	0	6	0.007 s
55		<u>User validating Practice Questions Page</u>	3	0	0	3	0.005 s

feature to test ds algo portal link



FAILED	DURATION - 0.609 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 1:11:45.210 PM // 1:11:45.819 PM /					

Launch url and navigate to home page



<div>FAILED</div> <div>DURATION - 0.605 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	<div></div>
<div>/ 1:11:45.214 PM // 1:11:45.819 PM /</div>				
<div>feature to test ds algo portal link</div>				
<div>@portal</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.571 s
1	Given User launch chrome browser	SKIPPED	0.002 s
2	And User opens dsalgo portal app url	SKIPPED	0.000 s
3	When User click on Get Started button	SKIPPED	0.004 s
4	Then User is navigated to Home page	SKIPPED	0.001 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.007 s

evaluate home page



FAILED	DURATION - 0.041 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 1:11:45.864 PM // 1:11:45.905 PM /					

User navigate to home page

<div>FAILED</div> <div>DURATION - 0.009 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 1:11:45.864 PM // 1:11:45.873 PM /				
evaluate home page				
@home				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.003 s
1	Given User click on Data Structures dropdown	SKIPPED	0.000 s
2	When User click on arrays from the dropdown	SKIPPED	0.001 s
3	Then It shows error message "You are not logged in"	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.002 s

Launch url and navigate to home page



FAILED	DURATION - 0.013 s		<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 2</div>	
/ 1:11:45.892 PM // 1:11:45.905 PM /				
evaluate home page				
@home				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	When User click on one of the module from home page	SKIPPED	0.002 s
2	Then It is showing error message You are not logged in	SKIPPED	0.001 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.002 s

feature to test new user registration



<div>FAILED</div>	<div>DURATION - 0.214 s</div>	<div>Scenarios</div> <div>Total - 11</div> <div>Pass - 0</div> <div>Fail - 11</div> <div>Skip - 0</div>	<div><div></div><div>11</div></div>	<div>Steps</div> <div>Total - 33</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 33</div>	<div><div></div><div>33</div></div>
<div>/ 1:11:45.934 PM // 1:11:46.148 PM /</div>					

user navigate to registration page

FAILED	DURATION - 0.011 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 1:11:45.938 PM // 1:11:45.949 PM /				
feature to test new user registration				
@register				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	Given user click registration link	SKIPPED	0.001 s
2	When user enter username,password,confirm password from given "Sheet1" and 0	SKIPPED	0.001 s
3	Then user click register button with expected message	SKIPPED	0.001 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.002 s



user navigate to registration page

FAILED	DURATION - 0.008 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 1:11:45.961 PM // 1:11:45.969 PM /				
feature to test new user registration				
@register				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)		
1	Given user click registration link	SKIPPED	0.000 s
2	When user enter username,password,confirm password from given "Sheet1" and 1	SKIPPED	0.000 s
3	Then user click register button with expected message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.002 s

user navigate to registration page

FAILED	DURATION - 0.014 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 1:11:45.980 PM // 1:11:45.994 PM /				
feature to test new user registration				
@register				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.001 s
1	Given user click registration link	SKIPPED	0.001 s
2	When user enter username,password,confirm password from given "Sheet1" and 2	SKIPPED	0.002 s
3	Then user click register button with expected message	SKIPPED	0.001 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.001 s

user navigate to registration page

FAILED	DURATION - 0.010 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 1:11:46.004 PM // 1:11:46.014 PM /				
feature to test new user registration				
@register				



#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	Given user click registration link	SKIPPED	0.000 s
2	When user enter username,password,confirm password from given "Sheet1" and 3	SKIPPED	0.000 s
3	Then user click register button with expected message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.002 s

user navigate to registration page

FAILED	DURATION - 0.011 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 1:11:46.024 PM // 1:11:46.035 PM /				
feature to test new user registration				
@register				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.001 s
1	Given user click registration link	SKIPPED	0.001 s
2	When user enter username,password,confirm password from given "Sheet1" and 4	SKIPPED	0.001 s
3	Then user click register button with expected message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.002 s



user navigate to registration page

FAILED	DURATION - 0.008 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 1:11:46.045 PM // 1:11:46.053 PM /				
feature to test new user registration				
@register				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	Given user click registration link	SKIPPED	0.001 s
2	When user enter username,password,confirm password from given "Sheet1" and 5	SKIPPED	0.000 s
3	Then user click register button with expected message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null	FAILED	0.003 s



#	Step / Hook Details	Status	Duration
	at HooksPkg.Hooks.tearDown(Hooks.java:28)		

user navigate to registration page

<div>FAILED</div>	<div>DURATION - 0.010 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
<div>/ 1:11:46.063 PM // 1:11:46.073 PM /</div>				
<div>feature to test new user registration</div>				
<div>@register</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	Given user click registration link	SKIPPED	0.001 s
2	When user enter username,password,confirm password from given "Sheet1" and 6	SKIPPED	0.000 s
3	Then user click register button with expected message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.002 s

user navigate to registration page

FAILED	DURATION - 0.011 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 1:11:46.085 PM // 1:11:46.096 PM /				
feature to test new user registration				
@register				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.001 s
1	Given user click registration link	SKIPPED	0.000 s
2	When user enter username,password,confirm password from given "Sheet1" and 7	SKIPPED	0.001 s
3	Then user click register button with expected message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.002 s



user navigate to registration page

FAILED	DURATION - 0.008 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 1:11:46.103 PM // 1:11:46.111 PM /				
feature to test new user registration				
@register				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)		
1	Given user click registration link	SKIPPED	0.000 s
2	When user enter username,password,confirm password from given "Sheet1" and 8	SKIPPED	0.000 s
3	Then user click register button with expected message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.002 s

user navigate to registration page

FAILED	DURATION - 0.009 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 1:11:46.120 PM // 1:11:46.129 PM /				
feature to test new user registration				
@register				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.001 s
1	Given user click registration link	SKIPPED	0.000 s
2	When user enter username,password,confirm password from given "Sheet1" and 9	SKIPPED	0.001 s
3	Then user click register button with expected message	SKIPPED	0.001 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.002 s

user navigate to registration page



FAILED	DURATION - 0.009 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 1:11:46.139 PM // 1:11:46.148 PM /				
feature to test new user registration				
@register				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	Given user click registration link	SKIPPED	0.001 s
2	When user enter username,password,confirm password from given "Sheet1" and 10	SKIPPED	0.000 s
3	Then user click register button with expected message	SKIPPED	0.001 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.001 s

User enter valid and invalid credentials for login



FAILED	DURATION - 0.070 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 12 Pass - 0 Fail - 0 Skip - 12	
/ 1:11:46.165 PM // 1:11:46.235 PM /					

User on login page and login with invalid and valid inputs from Excel"Sheet1" and 0

<div>FAILED</div> <div>DURATION - 0.008 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 1:11:46.165 PM // 1:11:46.173 PM /				
User enter valid and invalid credentials for login				
@login				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	Given The user is on login page	SKIPPED	0.000 s
2	When The user enter sheet"Sheet1" and 0	SKIPPED	0.001 s
3	Then click login button	SKIPPED	0.001 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.001 s



User on login page and login with invalid and valid inputs from Excel"Sheet1" and1

FAILED	DURATION - 0.013 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 1:11:46.187 PM // 1:11:46.200 PM /				
User enter valid and invalid credentials for login				
@login				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)		
1	Given The user is on login page	SKIPPED	0.002 s
2	When The user enter sheet"Sheet1" and 1	SKIPPED	0.001 s
3	Then click login button	SKIPPED	0.001 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.002 s

User on login page and login with inavalid and validinputs from Excel"Sheet1" and2

FAILED	DURATION - 0.010 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 1:11:46.208 PM // 1:11:46.218 PM /				
User enter valid and invalid credentials for login				
@login				



#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	Given The user is on login page	SKIPPED	0.001 s
2	When The user enter sheet"Sheet1" and 2	SKIPPED	0.000 s
3	Then click login button	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.001 s

User on login page and login with invalid and valid inputs from Excel"Sheet1" and 3



FAILED	DURATION - 0.010 s		Steps	
/ 1:11:46.225 PM // 1:11:46.235 PM /			Total - 3	
User enter valid and invalid credentials for login			Pass - 0	
@login			Fail - 0	
			Skip - 3	

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.001 s
1	Given The user is on login page	SKIPPED	0.001 s
2	When The user enter sheet"Sheet1" and 3	SKIPPED	0.001 s
3	Then click login button	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.001 s

Evaluate Data sturctures Introduction



FAILED	DURATION - 0.040 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 12 Pass - 0 Fail - 0 Skip - 12	
/ 1:11:46.246 PM // 1:11:46.286 PM /					

User is able to navigate Data Structures Introduction

FAILED	DURATION - 0.012 s		<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 1:11:46.246 PM // 1:11:46.258 PM /				
Evaluate Data structures Introduction				
@dstruct				



#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.001 s
1	Given User click on Get started button in data Structures module	SKIPPED	0.000 s
2	When User click on Time Complexity button	SKIPPED	0.001 s
3	And click Try here button and navigate to try editor page	SKIPPED	0.000 s
4	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.001 s
5	And User click on run button	SKIPPED	0.001 s
6	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.002 s

User is able to navigate to tryeditor page and run invalid python code

FAILED	DURATION - 0.007 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 1:11:46.265 PM // 1:11:46.272 PM /				
Evaluate Data structures Introduction				
@dstruct				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	Given click Try here button and navigate to try editor page	SKIPPED	0.000 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
3	And User click on run button	SKIPPED	0.000 s
4	Then User should get alert message	SKIPPED	0.002 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.002 s



User is able to navigate to practice questions

FAILED	DURATION - 0.007 s		Steps Total - 2 Pass - 0 Fail - 0 Skip - 2	
/ 1:11:46.279 PM // 1:11:46.286 PM /				
Evaluate Data structures Introduction				
@dstruct				



#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.001 s
1	Given User click on practice questions	SKIPPED	0.000 s
2	And Navigate back to data structures introduction page	SKIPPED	0.002 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at HooksPkg.Hooks.tearDown(Hooks.java:28)		

Evaluate arrays module



FAILED	DURATION - 0.314 s	Scenarios		Steps	
/ 1:11:46.332 PM // 1:11:46.646 PM /		Total - 17		Total - 81	
		Pass - 0		Pass - 0	
		Fail - 17		Fail - 0	
		Skip - 0		Skip - 81	

The user is able to navigate to a page having Arrays in Python Topic

FAILED	DURATION - 0.007 s		Steps	
/ 1:11:46.332 PM // 1:11:46.339 PM /			Total - 2	
Evaluate arrays module			Pass - 0	
@array			Fail - 0	
			Skip - 2	



#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp()	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)		
1	Given User click on get started button on array module and navigate to array page	SKIPPED	0.001 s
2	When User click on Arrays in Python Topic and navigate to arrays in python page	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)		

User is able to navigate to tryeditor page and run valid python code

<div>FAILED</div>	<div>DURATION - 0.016 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
<div>/ 1:11:46.346 PM // 1:11:46.362 PM /</div>				
<div>Evaluate arrays module</div>				
<div>@arry</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.003 s
1	Given User click on Try here button on Arrays in Python page and navigate to try edidor page	SKIPPED	0.001 s
2	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.001 s
3	And User click on run button	SKIPPED	0.001 s
4	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.005 s

User is able to navigate to tryeditor page and run invalid python code

<div>FAILED</div> <div>DURATION - 0.013 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 1:11:46.377 PM // 1:11:46.390 PM /				
Evaluate arrays module				
@arry				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	Given User click on Try here button on Arrays in Python page and navigate to try editor page	SKIPPED	0.001 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.001 s
3	And User click on run button	SKIPPED	0.001 s
4	Then User should get alert message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.003 s



User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.024 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 1:11:46.402 PM // 1:11:46.426 PM /				
Evaluate arrays module				
@arry				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.007 s
1	Given User click on Arrays Using List topic	SKIPPED	0.000 s
2	And click Try here button and navigate to try editor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.001 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should be presented with run result	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)		

User is able to navigate to tryeditor page and run invalid python code

FAILED		DURATION - 0.010 s			Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 1:11:46.437 PM // 1:11:46.447 PM /						
Evaluate arrays module						
@arry						



#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)		
1	Given User click on Arrays Using List topic	SKIPPED	0.001 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.001 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.001 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)		

User is able to navigate to tryeditor page and run valid python code

<div>FAILED</div> <div>DURATION - 0.009 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 1:11:46.454 PM // 1:11:46.463 PM /				
Evaluate arrays module				
@arry				



#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	Given User click on basic Operations in Lists	SKIPPED	0.001 s
2	And click Try here button and navigate to try editor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.001 s

User is able to navigate to tryeditor page and run invalid python code

<div>FAILED</div> <div>DURATION - 0.010 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 1:11:46.470 PM // 1:11:46.480 PM /				
Evaluate arrays module				
@arry				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	Given User click on basic Operations in Lists	SKIPPED	0.001 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.001 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.001 s



User is able to navigate to tryeditor page and run valid python code

FAILED		DURATION - 0.011 s			Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 1:11:46.488 PM // 1:11:46.499 PM /						
Evaluate arrays module						
@arry						

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.003 s
1	Given User click on Applications of Array	SKIPPED	0.000 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.001 s



#	Step / Hook Details	Status	Duration
5	Then User should be presented with run result	SKIPPED	0.001 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)		

User is able to navigate to tryeditor page and run invalid python code

FAILED		DURATION - 0.008 s			Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 1:11:46.506 PM // 1:11:46.514 PM /						
Evaluate arrays module						
@arry						



#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp()	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)		
1	Given User click on Applications of Array	SKIPPED	0.000 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)		

User is able to navigate to tryeditor page and run valid python code

<div>FAILED</div> <div>DURATION - 0.009 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 1:11:46.521 PM // 1:11:46.530 PM /				
Evaluate arrays module				
@arry				



#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	Given User click on Practies Questions	SKIPPED	0.000 s
2	When User click on Question1 its navigate to tryeditor page	SKIPPED	0.001 s
3	And User clear the tryeditor textbox	SKIPPED	0.001 s
4	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
5	And User click on run button	SKIPPED	0.000 s
6	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.002 s

User is able to navigate to tryeditor page and run invalid python code

<div>FAILED</div> <div>DURATION - 0.010 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 1:11:46.538 PM // 1:11:46.548 PM /				
Evaluate arrays module				
@arry				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.001 s
1	When User click on Question1 its navigate to tryeditor page	SKIPPED	0.001 s
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.002 s



User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.010 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 1:11:46.555 PM // 1:11:46.565 PM /				
Evaluate arrays module				
@arry				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.003 s
1	When User click on Question2 its navigate to tryeditor page	SKIPPED	0.001 s
2	And User clear the tryeditor textbox	SKIPPED	0.001 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
5	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)		

User is able to navigate to tryeditor page and run invalid python code

FAILED		DURATION - 0.010 s			Steps Total - 5 Pass - 0 Fail - 0 Skip - 5			
/ 1:11:46.570 PM // 1:11:46.580 PM /								
Evaluate arrays module								
@arry								



#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp()	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)		
1	When User click on Question2 its navigate to tryeditor page	SKIPPED	0.002 s
2	And User clear the tryeditor textbox	SKIPPED	0.001 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.001 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)		

User is able to navigate to tryeditor page and run valid python code

<div><div>FAILED</div><div>DURATION - 0.010 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 5</div><div>Pass - 0</div><div>Fail - 0</div><div>Skip - 5</div></div>	<div></div>
/ 1:11:46.588 PM // 1:11:46.598 PM /				
Evaluate arrays module				
@arry				



#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	When User click on Question3 its navigate to tryeditor page	SKIPPED	0.001 s
2	And User clear the tryeditor textbox	SKIPPED	0.001 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.002 s

User is able to navigate to tryeditor page and run invalid python code

<div>FAILED</div> <div>DURATION - 0.013 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	<div></div>
<div>/ 1:11:46.605 PM // 1:11:46.618 PM /</div>				
<div>Evaluate arrays module</div>				
<div>@arry</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	When User click on Question3 its navigate to tryeditor page	SKIPPED	0.000 s
2	And User clear the tryeditor textbox	SKIPPED	0.002 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.002 s



User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.008 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 1:11:46.624 PM // 1:11:46.632 PM /				
Evaluate arrays module				
@arry				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	When User click on Question4 its navigate to tryeditor page	SKIPPED	0.000 s
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.001 s
4	And User click on run button	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
5	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)		

User is able to navigate to tryeditor page and run invalid python code



FAILED		DURATION - 0.008 s			Steps Total - 5 Pass - 0 Fail - 0 Skip - 5			
/ 1:11:46.638 PM // 1:11:46.646 PM /								
Evaluate arrays module								
@arry								

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)		
1	When User click on Question4 its navigate to tryeditor page	SKIPPED	0.001 s
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.002 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)		

Evaluate Linkedlist Module



FAILED	DURATION - 0.265 s	Scenarios Total - 17 Pass - 0 Fail - 17 Skip - 0		Steps Total - 96 Pass - 0 Fail - 0 Skip - 96	
/ 1:11:46.669 PM // 1:11:46.934 PM /					

User is Logged in to DSAIgo portal

<div>FAILED</div> <div>DURATION - 0.008 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 1:11:46.669 PM // 1:11:46.677 PM /				
Evaluate Linkedlist Module				
@l1ist				



#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	Given The user is on signIn Page of DSAIgo portal	SKIPPED	0.000 s
2	When user enter valid username "nitha" and password "nithasdet109"	SKIPPED	0.001 s
3	Then user click on login button	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.001 s

User Navigating to LinkedList Page

<div>FAILED</div> <div>DURATION - 0.012 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	
/ 1:11:46.685 PM // 1:11:46.697 PM /				
Evaluate Linkedlist Module				
@l1ist				



#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.003 s
1	Given The user is in the Home page after logged in	SKIPPED	0.000 s
2	When The user selecting linkedlist item from the drop down menu	SKIPPED	0.000 s
3	Then The user should be directed to Linked List Page	SKIPPED	0.000 s
4	And The user clicks on "introduction" link	SKIPPED	0.001 s
5	When The user clicks "Try Here" button in the "introduction" page	SKIPPED	0.000 s
6	Then The user should be redirected to a page having an tryEditor with a Run button to test	SKIPPED	0.001 s
7	And user will navigate back and returns to tryEditor to give invalid python code	SKIPPED	0.000 s
8	Then user will get alert message and accept it	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.001 s

user navigating to Introduction of LinkedlistPage and using Data from Excel to evaluate

<div>FAILED</div> <div>DURATION - 0.011 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 1:11:46.705 PM // 1:11:46.716 PM /				
Evaluate Linkedlist Module				
@l1ist				



#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.003 s
1	Given The user is in a try here page having tryEditor with a Run button to test	SKIPPED	0.000 s
2	And user clicks on tryHere button	SKIPPED	0.001 s
3	When The user Enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
4	And user click on Run button	SKIPPED	0.000 s
5	Then The user should be presented with the Run output	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.003 s

user navigating to Introduction of LinkedListPage and using Data from Excel to evaluate

<div>FAILED</div> <div>DURATION - 0.011 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 1:11:46.723 PM // 1:11:46.734 PM /				
Evaluate Linkedlist Module				
@l1ist				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.004 s
1	Given The user is in a try here page having tryEditor with a Run button to test	SKIPPED	0.000 s
2	And user clicks on tryHere button	SKIPPED	0.000 s
3	When The user Enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And user click on Run button	SKIPPED	0.000 s
5	Then The user should get Alert message	SKIPPED	0.001 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.002 s



User navigating to Creating a Linked list page

FAILED	DURATION - 0.008 s		Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 1:11:46.741 PM // 1:11:46.749 PM /				
Evaluate LinkedList Module				
@lList				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	Given The user is in Linked List page	SKIPPED	0.000 s
2	When The user clicks the "Creating" a Linked List button	SKIPPED	0.001 s
3	Then The user should be redirected to tryEditor page with a Run button to test	SKIPPED	0.000 s
4	And The user Enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
5	And user click on Run button	SKIPPED	0.000 s
6	Then The user should be presented with the Run output	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.001 s

User navigating to Creating a Linked list page

FAILED	DURATION - 0.008 s		Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 1:11:46.757 PM // 1:11:46.765 PM /				
Evaluate Linkedlist Module				
@list				



#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	Given The user is in Linked List page	SKIPPED	0.000 s
2	When The user clicks the "Creating" a Linked List button	SKIPPED	0.001 s
3	Then The user should be redirected to tryEditor page with a Run button to test	SKIPPED	0.000 s
4	And The user Enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
5	And user click on Run button	SKIPPED	0.000 s
6	Then The user should get Alert message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.001 s

User navigating to Types of Linked list page

<div>FAILED</div> <div>DURATION - 0.008 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 1:11:46.772 PM // 1:11:46.780 PM /				
Evaluate Linkedlist Module				
@l1ist				



#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.001 s
1	Given The user is in Linked List page	SKIPPED	0.000 s
2	When The user clicks the "Types of" Linked List hyperlink	SKIPPED	0.001 s
3	Then The user should be redirected to tryEditor page with a Run button to test	SKIPPED	0.000 s
4	And The user Enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
5	And user click on Run button	SKIPPED	0.000 s
6	Then The user should be presented with the Run output	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.001 s

User navigating to Types of Linked list page

FAILED	DURATION - 0.009 s		Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 1:11:46.788 PM // 1:11:46.797 PM /				
Evaluate Linkedlist Module				
@l1ist				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	Given The user is in Linked List page	SKIPPED	0.000 s
2	When The user clicks the "Types of" Linked List hyperlink	SKIPPED	0.000 s
3	Then The user should be redirected to tryEditor page with a Run button to test	SKIPPED	0.000 s
4	And The user Enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
5	And user click on Run button	SKIPPED	0.001 s
6	Then The user should get Alert message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.001 s



User navigating to Implement Linked list page

FAILED	DURATION - 0.008 s		Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 1:11:46.807 PM // 1:11:46.815 PM /				
Evaluate LinkedList Module				
@lList				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	Given The user is in Linked List page	SKIPPED	0.000 s
2	When The user clicks the "Implement Linked list" link	SKIPPED	0.001 s
3	Then The user should be redirected to tryEditor page with a Run button to test	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
4	And The user Enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.001 s
5	And user click on Run button	SKIPPED	0.000 s
6	Then The user should be presented with the Run output	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)		

User navigating to Implement Linked list page

FAILED		DURATION - 0.007 s			Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 1:11:46.821 PM // 1:11:46.828 PM /						
Evaluate Linkedlist Module						
@l1ist						



#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)		
1	Given The user is in Linked List page	SKIPPED	0.000 s
2	When The user clicks the "Implement Linked List" link	SKIPPED	0.000 s
3	Then The user should be redirected to tryEditor page with a Run button to test	SKIPPED	0.001 s
4	And The user Enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
5	And user click on Run button	SKIPPED	0.001 s
6	Then The user should get Alert message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)		

User navigating to Traversal of Linked list page

<div>FAILED</div> <div>DURATION - 0.010 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 1:11:46.835 PM // 1:11:46.845 PM /				
Evaluate Linkedlist Module				
@lList				



#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	Given The user is in Linked List page	SKIPPED	0.000 s
2	When The user clicks "Traversal Linked list" link	SKIPPED	0.001 s
3	Then The user should be redirected to tryEditor page with a Run button to test	SKIPPED	0.001 s
4	And The user Enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
5	And user click on Run button	SKIPPED	0.000 s
6	Then The user should be presented with the Run output	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.001 s

User navigating to Traversal of Linked list page

<div>FAILED</div> <div>DURATION - 0.006 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 1:11:46.851 PM // 1:11:46.857 PM /				
Evaluate Linkedlist Module				
@l1ist				



#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	Given The user is in Linked List page	SKIPPED	0.000 s
2	When The user clicks "Traversal Linked list" link	SKIPPED	0.001 s
3	Then The user should be redirected to tryEditor page with a Run button to test	SKIPPED	0.000 s
4	And The user Enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
5	And user click on Run button	SKIPPED	0.001 s
6	Then The user should get Alert message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.001 s

User navigating to Insertion of Linked list page

<div>FAILED</div> <div>DURATION - 0.009 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 1:11:46.866 PM // 1:11:46.875 PM /				
Evaluate Linkedlist Module				
@l1ist				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.004 s
1	Given The user is in Linked List page	SKIPPED	0.000 s
2	When The user clicks on "the Insertion Linked list link"	SKIPPED	0.000 s
3	Then The user should be redirected to tryEditor page with a Run button to test	SKIPPED	0.000 s
4	And The user Enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
5	And user click on Run button	SKIPPED	0.000 s
6	Then The user should be presented with the Run output	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.001 s



User navigating to Insertion of Linked list page

FAILED	DURATION - 0.008 s		Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 1:11:46.883 PM // 1:11:46.891 PM /				
Evaluate LinkedList Module				
@lList				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	Given The user is in Linked List page	SKIPPED	0.001 s
2	When The user clicks on "the Insertion Linked List link"	SKIPPED	0.000 s
3	Then The user should be redirected to tryEditor page with a Run button to test	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
4	And The user Enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
5	And user click on Run button	SKIPPED	0.000 s
6	Then The user should get Alert message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)		

User navigating to Deletion of Linked list page

FAILED	DURATION - 0.008 s		Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 1:11:46.898 PM // 1:11:46.906 PM /				
Evaluate Linkedlist Module				
@l1ist				



#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp()	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)		
1	Given The user is in Linked List page	SKIPPED	0.000 s
2	When The user clicks the "Deletion" link of "Linked list"	SKIPPED	0.000 s
3	Then The user should be redirected to tryEditor page with a Run button to test	SKIPPED	0.000 s
4	And The user Enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
5	And user click on Run button	SKIPPED	0.001 s
6	Then The user should be presented with the Run output	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)		

User navigating to Deletion of Linked list page

<div>FAILED</div> <div>DURATION - 0.007 s</div>		 <p>A line graph with a y-axis from 0 to 0.15 and an x-axis from 1 to 6. The line is flat at 0 for all steps.</p>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	 <p>A donut chart showing 6 steps, all of which are skipped (yellow).</p>
/ 1:11:46.916 PM // 1:11:46.923 PM /				
Evaluate Linkedlist Module				
@l1ist				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.002 s
1	Given The user is in Linked List page	SKIPPED	0.000 s
2	When The user clicks the "Deletion" link of "Linked List"	SKIPPED	0.000 s
3	Then The user should be redirected to tryEditor page with a Run button to test	SKIPPED	0.000 s
4	And The user Enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
5	And user click on Run button	SKIPPED	0.000 s
6	Then The user should get Alert message	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.002 s

User validating Practice Questions Page

<div>FAILED</div> <div>DURATION - 0.005 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 1:11:46.929 PM // 1:11:46.934 PM /				
Evaluate Linkedlist Module				
@l1ist				

#	Step / Hook Details	Status	Duration
	BEFORE - HooksPkg.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "driverFactory.DriverSetUp.browserType" is null at driverFactory.DriverSetUp.getchromeDriver(DriverSetUp.java:23) at driverFactory.DriverSetUp.setUpDriver(DriverSetUp.java:74) at HooksPkg.Hooks.setUp(Hooks.java:14)	FAILED	0.001 s
1	Given The user is in Linked List page	SKIPPED	0.000 s
2	When The user clicks on to the "parctice questions" link	SKIPPED	0.000 s
3	Then The user should be directed to Practice Questions of Linked List Page	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "driverFactory.DriverSetUp.getDriver()" is null at HooksPkg.Hooks.tearDown(Hooks.java:28)	FAILED	0.001 s