
Cucumber Report




Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
evaluate home page	12.822 s	2	0	2	0	5	0	2	3	
feature to test ds algo portal link	0.037 s	1	0	1	0	4	1	1	2	

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	evaluate home page	User navigate to home page
2		Launch url and navigate to home page
3	feature to test ds algo portal link	Launch url and navigate to home page

TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@home	2	0	2	0	1	0	1	0
@portal	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	evaluate home page	2	0	2	0	12.822 s
2	feature to test ds algo portal link	1	0	1	0	0.037 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	evaluate home page	User navigate to home page	3	0	1	2	8.127 s
2		Launch url and navigate to home page	2	0	1	1	4.680 s
3	feature to test ds algo portal link	Launch url and navigate to home page	4	1	1	2	0.037 s

DETAILED SECTION -- 7 --

evaluate home page

Scenarios		Steps	
Total - 2		Total - 5	
Pass - 0	2	Pass - 0	5
Fail - 2		Fail - 2) J
Skip - 0		Skip - 3	
	Total - 2 Pass - 0 Fail - 2	Total - 2 Pass - 0 Fail - 2	Total - 2 Pass - 0 Fail - 2 Total - 5 Pass - 0 Fail - 2


User navigate to home page



#	Step / Hook Details	Status	Duration
1	Given User click on Data Structures dropdown	FAILED	5.056 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//div[@class='nav-item dropdown']/a"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9faf4083f8ba432bb770c8a09ae83fb7, findElement {using=xpath, value=//div[@class='nav-item dropdown']/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:Users\kiran\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:65124}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65124/devtoo, se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9faf4083f8ba432bb770c8a09ae83fb7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at pageObjects.HomePage.dropDownclk(HomePage.java:48) at stepdefinitions.HomepageSteps.user_click_on_data_structures_dropdown(HomepageSteps.java:18) at ?.User click on Data Structures dropdown(file:///C:/Users/kiran/eclipse-workspace/ZoomDs_algo/src/test/resources/features/Homepage.feature:5) * Not displayable characters are replaced by '?'.		
2	When User click on arrays from the dropdown	SKIPPED	0.001 s
3	Then It shows error message "You are not logged in"	SKIPPED	0.000 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) User navigate to home page	PASSED	0.143 s

Launch url and navigate to home page




#	Step / Hook Details	Status	Duration
1	When User click on one of the module from home page	FAILED	4.658 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //h5[text()='Array']///a For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at pageObjects.HomePage.modulegtstarted(HomePage.java:61) at stepdefinitions.HomepageSteps.user_click_on_one_of_the_module_from_home_page(HomepageSteps.java:36) at ?.User click on one of the module from home page(file:///C:/Users/kiran/eclipse-workspace/ZoomDs_algo/src/test/resources/features/Homepage.feature:11) * Not displayable characters are replaced by '?'.		
2	Then It is showing error message You are not logged in	SKIPPED	0.001 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.012 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.138) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9fat0483f8ba432bb770c8a09ae83fb7, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: (chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:Ubserskliran\AppData\Loca}), goog:chromeOptions: {debuggerAddress: localhost.65124}, hetworkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost.65124/devtoo, se:cdp.Version: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:intualAuthenticators: true} Session ID: 9fat4083f8ba432bb770c8a09ae83fb7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:490) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:230) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:158) at org.openqa.selenium.		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at HooksPkg.Hooks.tearDown(Hooks.java:28)		

feature to test ds algo portal link

FAILED	DURATION - 0.037 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 2:03:34.234 PM // 2	2:03:34.271 PM /	Pass - 0	1	Pass - 1	4
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

Launch url and navigate to home page



#	Step / Hook Details	Status	Duration
1	Given User launch chrome browser	PASSED	0.004 s
2	And User opens dsalgo portal app url	FAILED	0.009 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.138) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9faf4083f8ba432bb770c8a09ae83fb7, get {url=https://dsportalapp.herokuapp.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\kiran\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:65124}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65124/devtoo, se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9faf4083f8ba432bb770c8a09ae83fb7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:297) at driverFactory.DriverSetUp.openPage(DriverSetUp.java:52) at stepdefinitions.PortalSteps.user_opens_dsalgo_portal_app_url(PortalSteps.java:22) at ?.User opens dsalgo portal app url(file:///C:/Users/kiran/eclipse-workspace/ZoomDs_algo/src/test/resources/features/portalOpen.feature:8)		
3	* Not displayable characters are replaced by '?'. When User click on Get Started button	SKIPPED	0.001 s
-			
4	Then User is navigated to Home page	SKIPPED	0.001 s
	AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.138) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: 'gfaf4083f8ba432bb770c8a09ae83fb7, screenshot {}} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\kiran\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:65124}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65124/devtoo, se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9faf4083f8ba432bb770c8a09ae83fb7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.	FAILED	0.008 s

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at HooksPkg.Hooks.tearDown(Hooks.java:28)		