

Cucumber Report

May 19, 2023, 4:16:00 PM

Start : May 19, 4:13:47.385 PM

End : May 19, 4:15:59.523 PM

Duration : 2 m 12.138 s

Features







PASSED - 5
FAILED - 6
SKIPPED - 0

Scenarios

PASSED - 45
FAILED - 46
SKIPPED - 0

Steps

PASSED - 236
FAILED - 46
SKIPPED - 103



Feature		Scenario					Step			
Name	Duration	T	P	F	S	T	P	F	S	
<u>feature to test ds algo portal link</u>	5.773 s	1	1	0	0	4	4	0	0	
<u>evaluate home page</u>	0.852 s	2	2	0	0	5	5	0	0	
<u>feature to test new user registration</u>	15.468 s	11	1	10	0	33	23	10	0	
<u>User enter valid and invalid credentials for login</u>	3.993 s	4	3	1	0	12	11	1	0	
<u>Evaluate Data stuructures Introduction</u>	2.810 s	3	3	0	0	12	12	0	0	
<u>Evaluate arrays module</u>	23.279 s	17	17	0	0	81	81	0	0	
<u>Evaluate Linkedlist Module</u>	14.650 s	17	17	0	0	96	96	0	0	
<u>user navigate to stack module and able to try Python code both valid and invalid data</u>	36.325 s	8	1	7	0	31	4	7	20	
<u>user navigate to queue module and able to try Python code both valid and invalid datas</u>	28.513 s	10	0	10	0	40	0	10	30	
<u>user navigate to queue module and able to try Python code both valid and invalid datas</u>	0.154 s	10	0	10	0	40	0	10	30	
<u>user navigate to stack module and able to try Python code both valid and invalid datas</u>	0.141 s	8	0	8	0	31	0	8	23	

#	Feature Name	Scenario Name
1	<u>feature to test new user registration</u>	<u>user navigate to registration page</u>
2		<u>user navigate to registration page</u>
3		<u>user navigate to registration page</u>
4		<u>user navigate to registration page</u>
5		<u>user navigate to registration page</u>
6		<u>user navigate to registration page</u>
7		<u>user navigate to registration page</u>
8		<u>user navigate to registration page</u>
9		<u>user navigate to registration page</u>
10		<u>user navigate to registration page</u>

#	Feature Name	Scenario Name
11	<u>User enter valid and invalid credentials for login</u>	<u>User on login page and login with invalid and valid inputs from Excel "Sheet1" and 1</u>
12	<u>user navigate to stack module and able to try Python code both valid and invalid data</u>	<u>user try python code after clicked Try here button for validation</u>
13		<u>user try python code after clicked Try here button for invalidation</u>
14		<u>user try python code after clicked Try here button in implementation page</u>
15		<u>user try python code after clicked Try here button in implemenetation page</u>
16		<u>user try python code after clicked Try here button in applications page</u>
17		<u>user try python code after clicked Try here button in applications page</u>
18		<u>user select practice questions</u>
19	<u>user navigate to queue module and able to try Python code both valid and invalid datas</u>	<u>User select Queue module from drop down</u>
20		<u>user try code in queue in python after clicked Try here button for validation</u>


#	Feature Name	Scenario Name
21	<u>user navigate to queue module and able to try Python code both valid and invalid datas</u>	<u>user try code in queue in python after clicked Try here button for invalidation</u>
22		<u>user try python code after clicked Try here button in using collections page</u>
23		<u>user try python code after clicked Try here button in usind collections page</u>
24		<u>user try python code after clicked Try here button in using array page</u>
25		<u>user try python code after clicked Try here button in using array page</u>
26		<u>user try python code after clicked Try here button in queue operation page</u>
27		<u>user try python code after clicked Try here button in queue operation page</u>
28		<u>user select practice questions in queue</u>
29		<u>User select Queue module from drop down</u>
30		<u>user try code in queue in python after clicked Try here button for validation</u>

#	Feature Name	Scenario Name
31	<u>user navigate to queue module and able to try Python code both valid and invalid datas</u>	<u>user try code in queue in python after clicked Try here button for invalidation</u>
32		<u>user try python code after clicked Try here button in using collections page</u>
33		<u>user try python code after clicked Try here button in usind collections page</u>
34		<u>user try python code after clicked Try here button in using array page</u>
35		<u>user try python code after clicked Try here button in using array page</u>
36		<u>user try python code after clicked Try here button in queue operation page</u>
37		<u>user try python code after clicked Try here button in queue operation page</u>
38		<u>user select practice questions in queue</u>
39	<u>user navigate to stack module and able to try Python code both valid and invalid datas</u>	<u>User select Stack module from drop down</u>
40		<u>user try python code after clicked Try here button for validation</u>


#	Feature Name	Scenario Name
41	<u>user navigate to stack module and able to try Python code both valid and invalid datas</u>	<u>user try python code after clicked Try here button for invalidation</u>
42		<u>user try python code after clicked Try here button in implenation page</u>
43		<u>user try python code after clicked Try here button in implenetaion page</u>
44		<u>user try python code after clicked Try here button in applications page</u>
45		<u>user try python code after clicked Try here button in applications page</u>
46		<u>user select practice questions</u>

TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@portal		1	1	0	0	1	1	0	0
@home		2	2	0	0	1	1	0	0
@register		11	1	10	0	1	0	1	0
@login		4	3	1	0	1	0	1	0
@dstruct		3	3	0	0	1	1	0	0
@arry		17	17	0	0	1	1	0	0
@llist		17	17	0	0	1	1	0	0
@stack		8	1	7	0	1	0	1	0
@queue		10	0	10	0	1	0	1	0
@tag17		1	0	1	0	1	0	1	0
@tag18		2	0	2	0	1	0	1	0
@tag19		2	0	2	0	1	0	1	0
@tag20		2	0	2	0	1	0	1	0
@tag21		2	0	2	0	1	0	1	0
@tag22		1	0	1	0	1	0	1	0
@tag12		1	0	1	0	1	0	1	0
@tag13		2	0	2	0	1	0	1	0


TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
@tag14		2	0	2	0	1	0	1	0
@tag15		2	0	2	0	1	0	1	0
@tag16		1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>feature to test ds algo portal link</u>	1	1	0	0	5.773 s
2	<u>evaluate home page</u>	2	2	0	0	0.852 s
3	<u>feature to test new user registration</u>	11	1	10	0	15.468 s
4	<u>User enter valid and invalid credentials for login</u>	4	3	1	0	3.993 s
5	<u>Evaluate Data stuructures Introduction</u>	3	3	0	0	2.810 s
6	<u>Evaluate arrays module</u>	17	17	0	0	23.279 s
7	<u>Evaluate Linkedlist Module</u>	17	17	0	0	14.650 s
8	<u>user navigate to stack module and able to try Python code both valid and invalid data</u>	8	1	7	0	36.325 s
9	<u>user navigate to queue module and able to try Python code both valid and invalid datas</u>	10	0	10	0	28.513 s
10	<u>user navigate to queue module and able to try Python code both valid and invalid datas</u>	10	0	10	0	0.154 s




#	Feature Name	T	P	F	S	Duration
11	<u>user navigate to stack module and able to try Python code both valid and invalid datas</u>	8	0	8	0	0.141 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>feature to test ds algo portal link</u>	<u>Launch url and navigate to home page</u>	4	4	0	0	5.770 s
2	<u>evaluate home page</u>	<u>User navigate to home page</u>	3	3	0	0	0.430 s
3		<u>Launch url and navigate to home page</u>	2	2	0	0	0.408 s
4	<u>feature to test new user registration</u>	<u>user navigate to registration page</u>	3	3	0	0	1.544 s
5		<u>user navigate to registration page</u>	3	2	1	0	0.805 s
6		<u>user navigate to registration page</u>	3	2	1	0	0.915 s
7		<u>user navigate to registration page</u>	3	2	1	0	0.904 s
8		<u>user navigate to registration page</u>	3	2	1	0	1.007 s
9		<u>user navigate to registration page</u>	3	2	1	0	0.882 s
10		<u>user navigate to registration page</u>	3	2	1	0	0.939 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>feature to test new user registration</u>	<u>user navigate to registration page</u>	3	2	1	0	0.808 s
12		<u>user navigate to registration page</u>	3	2	1	0	0.817 s
13		<u>user navigate to registration page</u>	3	2	1	0	0.878 s
14		<u>user navigate to registration page</u>	3	2	1	0	5.885 s
15	<u>User enter valid and invalid credentials for login</u>	<u>User on login page and login with invalid and valid inputs from Excel"Sheet1" and0</u>	3	3	0	0	0.900 s
16		<u>User on login page and login with invalid and valid inputs from Excel"Sheet1" and1</u>	3	2	1	0	1.633 s
17		<u>User on login page and login with invalid and valid inputs from Excel"Sheet1" and2</u>	3	3	0	0	0.654 s
18		<u>User on login page and login with invalid and valid inputs from Excel"Sheet1" and3</u>	3	3	0	0	0.788 s
19	<u>Evaluate Data structures Introduction</u>	<u>User is able to navigate Data Structures Introduction</u>	6	6	0	0	1.822 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>Evaluate Data structures Introduction</u>	<u>User is able to navigate to tryeditor page and run invalid python code</u>	4	4	0	0	0.538 s
21		<u>User is able to navigate to practice questions</u>	2	2	0	0	0.435 s
22	<u>Evaluate arrays module</u>	<u>The user is able to navigate to a page having Arrays in Python Topic</u>	2	2	0	0	1.874 s
23		<u>User is able to navigate to tryeditor page and run valid python code</u>	4	4	0	0	4.561 s
24		<u>User is able to navigate to tryeditor page and run invalid python code</u>	4	4	0	0	3.319 s
25		<u>User is able to navigate to tryeditor page and run valid python code</u>	5	5	0	0	4.092 s
26		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	5	0	0	0.683 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
27		<u>User is able to navigate to tryeditor page and run valid python code</u>	5	5	0	0	0.745 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
28	<u>Evaluate arrays module</u>	<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	5	0	0	0.689 s
29		<u>User is able to navigate to tryeditor page and run valid python code</u>	5	5	0	0	0.725 s
30		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	5	0	0	0.675 s
31		<u>User is able to navigate to tryeditor page and run valid python code</u>	6	6	0	0	1.056 s
32		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	5	0	0	0.582 s
33		<u>User is able to navigate to tryeditor page and run valid python code</u>	5	5	0	0	0.708 s
34		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	5	0	0	0.886 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
35	<u>Evaluate arrays module</u>	<u>User is able to navigate to tryeditor page and run valid python code</u>	5	5	0	0	0.648 s
36		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	5	0	0	0.632 s
37		<u>User is able to navigate to tryeditor page and run valid python code</u>	5	5	0	0	0.675 s
38		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	5	0	0	0.598 s
39	<u>Evaluate Linkedlist Module</u>	<u>User is Logged in to DSAlgo portal</u>	3	3	0	0	1.131 s
40		<u>User Navigating to LinkedList Page</u>	8	8	0	0	2.670 s
41		<u>user navigating to Introduction of LinkedListPage and using Data from Excel to evaluate</u>	5	5	0	0	1.123 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
42		<u><i>user navigating to Introduction of LinkedlistPage and using Data from Excel to evaluate</i></u>	5	5	0	0	0.441 s
43		<u><i>User navigating to Creating a Linked list page</i></u>	6	6	0	0	0.933 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
44	<u>Evaluate Linkedlist Module</u>	<u>User navigating to Creating a Linked list page</u>	6	6	0	0	0.832 s
45		<u>User navigating to Types of Linked list page</u>	6	6	0	0	0.815 s
46		<u>User navigating to Types of Linked list page</u>	6	6	0	0	0.644 s
47		<u>User navigating to Implement Linked list page</u>	6	6	0	0	0.738 s
48		<u>User navigating to Implement Linked list page</u>	6	6	0	0	0.790 s
49		<u>User navigating to Traversal of Linked list page</u>	6	6	0	0	0.710 s
50		<u>User navigating to Traversal of Linked list page</u>	6	6	0	0	0.641 s
51		<u>User navigating to Insertion of Linked list page</u>	6	6	0	0	0.734 s
52		<u>User navigating to Insertion of Linked list page</u>	6	6	0	0	0.668 s
53		<u>User navigating to Deletion of Linked list page</u>	6	6	0	0	0.780 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
54	<u>Evaluate Linkedlist Module</u>	<u>User navigating to Deletion of Linked list page</u>	6	6	0	0	0.617 s
55		<u>User validating Practice Questions Page</u>	3	3	0	0	0.288 s
56	<u>user navigate to stack module and able to try Python code both valid and invalid *</u>	<u>User select Stack module from drop down</u>	3	3	0	0	3.743 s
57		<u>user try python code after clicked Try here button for validation</u>	4	1	1	2	1.419 s
58		<u>user try python code after clicked Try here button for invalidation</u>	4	0	1	3	5.210 s
59		<u>user try python code after clicked Try here button in implemenation page</u>	5	0	1	4	5.193 s
60		<u>user try python code after clicked Try here button in implemenetation page</u>	4	0	1	3	5.198 s

* The feature name and/or scenario name has been cropped to fit in the available space.


#	Feature Name	Scenario Name	T	P	F	S	Duration
61		<u>user try python code after clicked Try here button in applications page</u>	5	0	1	4	5.172 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
62	<u>user navigate to stack module and able to try Python code both valid and invalid *</u>	<u>user try python code after clicked Try here button in applications page</u>	4	0	1	3	5.145 s
63		<u>user select practice questions</u>	2	0	1	1	5.160 s
64	<u>user navigate to queue module and able to try Python code both valid and invalid *</u>	<u>User select Queue module from drop down</u>	3	0	1	2	5.175 s
65		<u>user try code in queue in python after clicked Try here button for validation</u>	4	0	1	3	5.181 s
66		<u>user try code in queue in python after clicked Try here button for invalidation</u>	4	0	1	3	5.195 s
67		<u>user try python code after clicked Try here button in using collections page</u>	5	0	1	4	5.178 s
68		<u>user try python code after clicked Try here button in using collections page</u>	4	0	1	3	5.186 s

* The feature name and/or scenario name has been cropped to fit in the available space.


#	Feature Name	Scenario Name	T	P	F	S	Duration
69		<u>user try python code after clicked Try here button in using array page</u>	5	0	1	4	2.413 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
70	<u>user navigate to queue module and able to try Python code both valid and *</u>	<u>user try python code after clicked Try here button in using array page</u>	4	0	1	3	0.072 s
71		<u>user try python code after clicked Try here button in queue operation page</u>	5	0	1	4	0.020 s
72		<u>user try python code after clicked Try here button in queue operation page</u>	4	0	1	3	0.013 s
73		<u>user select practice questions in queue</u>	2	0	1	1	0.011 s
74		<u>User select Queue module from drop down</u>	3	0	1	2	0.013 s
75		<u>user try code in queue in python after clicked Try here button for validation</u>	4	0	1	3	0.009 s
76		<u>user try code in queue in python after clicked Try here button for invalidation</u>	4	0	1	3	0.009 s

* The feature name and/or scenario name has been cropped to fit in the available space.


#	Feature Name	Scenario Name	T	P	F	S	Duration
77		<u>user try python code after clicked Try here button in using collections page</u>	5	0	1	4	0.007 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
78	<u>user navigate to queue module and able to try Python code both valid and invalid *</u>	<u>user try python code after clicked Try here button in using collections page</u>	4	0	1	3	0.010 s
79		<u>user try python code after clicked Try here button in using array page</u>	5	0	1	4	0.008 s
80		<u>user try python code after clicked Try here button in using array page</u>	4	0	1	3	0.010 s
81		<u>user try python code after clicked Try here button in queue operation page</u>	5	0	1	4	0.007 s
82		<u>user try python code after clicked Try here button in queue operation page</u>	4	0	1	3	0.006 s
83		<u>user select practice questions in queue</u>	2	0	1	1	0.012 s
84		<u>User select Stack module from drop down</u>	3	0	1	2	0.008 s

* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
85		<u>user try python code after clicked Try here button for validation</u>	4	0	1	3	0.007 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
86	<u>user navigate to stack module and able to try Python code both valid and invalid</u> *	<u>user try python code after clicked Try here button for invalidation</u>	4	0	1	3	0.011 s
87		<u>user try python code after clicked Try here button in implemenation page</u>	5	0	1	4	0.011 s
88		<u>user try python code after clicked Try here button in implemenetation page</u>	4	0	1	3	0.007 s
89		<u>user try python code after clicked Try here button in applications page</u>	5	0	1	4	0.014 s
90		<u>user try python code after clicked Try here button in applications page</u>	4	0	1	3	0.018 s
91		<u>user select practice questions</u>	2	0	1	1	0.019 s

* The feature name and/or scenario name has been cropped to fit in the available space.

feature to test ds algo portal link

PASSED	DURATION - 5.773 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:13:47.385 PM // 4:13:53.158 PM /					

Launch url and navigate to home page


PASSED	DURATION - 5.770 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:13:47.388 PM // 4:13:53.158 PM /					
feature to test ds algo portal link					
@portal					

#	Step / Hook Details	Status	Duration
1	Given User launch chrome browser	PASSED	0.020 s
2	And User opens dsalgo portal app url	PASSED	0.414 s
3	When User click on Get Started button	PASSED	0.520 s
4	Then User is navigated to Home page	PASSED	0.026 s

evaluate home page


PASSED	DURATION - 0.852 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 4:13:53.188 PM // 4:13:54.040 PM /					

User navigate to home page



#	Step / Hook Details	Status	Duration
1	Given User click on Data Structures dropdown	PASSED	0.086 s
2	When User click on arrays from the dropdown	PASSED	0.293 s
3	Then It shows error message "You are not logged in"	PASSED	0.044 s

Launch url and navigate to home page




#	Step / Hook Details	Status	Duration
1	When User click on one of the module from home page	PASSED	0.369 s
2	Then It is showing error message You are not logged in	PASSED	0.036 s

feature to test new user registration




user navigate to registration page



#	Step / Hook Details	Status	Duration
1	Given user click registration link	PASSED	0.202 s
2	When user enter username,password,confirm password from given "Sheet1" and 0	PASSED	1.141 s
3	Then user click register button with expected message	PASSED	0.197 s



user navigate to registration page



#	Step / Hook Details	Status	Duration
1	Given user click registration link	PASSED	0.150 s
2	When user enter username,password,confirm password from given "Sheet1" and 1	PASSED	0.233 s
3	Then user click register button with expected message org.junit.ComparisonFailure: expected:<[]> but was:<[Please fill out this field.]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepdefinitions.registrationsd.user_click_register_button_with_expected_message(registrationsd.java:64) at ?.user click register button with expected message(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/Registration.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.192 s


#	Step / Hook Details	Status	Duration
	<p>AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>user navigate to registration page</p> 	PASSED	0.225 s

user navigate to registration page

FAILED	DURATION - 0.915 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 4:13:56.448 PM // 4:13:57.363 PM /				
feature to test new user registration				
@register				


#	Step / Hook Details	Status	Duration
1	Given user click registration link	PASSED	0.263 s
2	When user enter username,password,confirm password from given "Sheet1" and 2	PASSED	0.301 s
3	Then user click register button with expected message org.junit.ComparisonFailure: expected:<[]> but was:<[Please fill out this field.]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepdefinitions.registrationsd.user_click_register_button_with_expected_message(registrationsd.java:64) at ?.user click register button with expected message(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/Registration.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.150 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) user navigate to registration page 	PASSED	0.196 s

user navigate to registration page




#	Step / Hook Details	Status	Duration
1	Given user click registration link	PASSED	0.190 s
2	When user enter username,password,confirm password from given "Sheet1" and 3	PASSED	0.363 s
3	Then user click register button with expected message org.junit.ComparisonFailure: expected:<password_mis[match:The two password fields didn't match.> but was:<password_mis[smatch:The two password fields didn't match.> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepdefinitions.registrationsd.user_click_register_button_with_expected_message(registrationsd.java:69) at ?.user click register button with expected message(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/3registration.feature:8) * Not displayable characters are replaced by '?'. AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.195 s
	user navigate to registration page 	PASSED	0.153 s

user navigate to registration page




#	Step / Hook Details	Status	Duration
1	Given user click registration link	PASSED	0.186 s
2	When user enter username,password,confirm password from given "Sheet1" and 4	PASSED	0.390 s
3	<p>Then user click register button with expected message</p> <pre>org.junit.ComparisonFailure: expected:<password_mis[match:The two password fields didn't match.> but was:<password_mis[smatch:The two password fields didn't match.> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepdefinitions.registrationsd.user_click_register_button_with_expected_message(registrationsd.java:69) at ?.user click register button with expected message(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/3registration.feature:8) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.254 s
	<p>AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>user navigate to registration page</p> 	PASSED	0.175 s

user navigate to registration page




#	Step / Hook Details	Status	Duration
1	Given user click registration link	PASSED	0.167 s
2	When user enter username,password,confirm password from given "Sheet1" and 5	PASSED	0.334 s
3	Then user click register button with expected message org.junit.ComparisonFailure: expected:<password_mis[match:The two password fields didn't match.> but was:<password_mis[smatch:The two password fields didn't match.> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepdefinitions.registrationsd.user_click_register_button_with_expected_message(registrationsd.java:69) at ?.user click register button with expected message(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/3registration.feature:8) * Not displayable characters are replaced by '?'. AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) user navigate to registration page 	FAILED	0.237 s
		PASSED	0.141 s

user navigate to registration page




#	Step / Hook Details	Status	Duration
1	Given user click registration link	PASSED	0.160 s
2	When user enter username,password,confirm password from given "Sheet1" and 6	PASSED	0.406 s
3	Then user click register button with expected message org.junit.ComparisonFailure: expected:<password_mis[match:The two password fields didn't match.> but was:<password_mis[smatch:The two password fields didn't match.> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepdefinitions.registrationsd.user_click_register_button_with_expected_message(registrationsd.java:69) at ?.user click register button with expected message(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/3registration.feature:8) * Not displayable characters are replaced by '?'. AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) user navigate to registration page 	FAILED	0.228 s
		PASSED	0.143 s

user navigate to registration page




#	Step / Hook Details	Status	Duration
1	Given user click registration link	PASSED	0.185 s
2	When user enter username,password,confirm password from given "Sheet1" and 7	PASSED	0.295 s
3	<p>Then user click register button with expected message</p> <pre>org.junit.ComparisonFailure: expected:<password_mis[match:The two password fields didn't match.> but was:<password_mis[smatch:The two password fields didn't match.> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepdefinitions.registrationsd.user_click_register_button_with_expected_message(registrationsd.java:69) at ?.user click register button with expected message(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/3registration.feature:8) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.189 s
	<p>AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>user navigate to registration page</p> 	PASSED	0.135 s

user navigate to registration page




#	Step / Hook Details	Status	Duration
1	Given user click registration link	PASSED	0.177 s
2	When user enter username,password,confirm password from given "Sheet1" and 8	PASSED	0.306 s
3	Then user click register button with expected message org.junit.ComparisonFailure: expected:<password_mis[match:The two password fields didn't match.> but was:<password_mis[smatch:The two password fields didn't match.> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepdefinitions.registrationsd.user_click_register_button_with_expected_message(registrationsd.java:69) at ?.user click register button with expected message(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/3registration.feature:8) * Not displayable characters are replaced by '?'. AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) user navigate to registration page 	FAILED	0.197 s
		PASSED	0.134 s

user navigate to registration page



#	Step / Hook Details	Status	Duration
1	Given user click registration link	PASSED	0.172 s
2	When user enter username,password,confirm password from given "Sheet1" and 9	PASSED	0.349 s
3	Then user click register button with expected message org.junit.ComparisonFailure: expected:<password_mis[match:The two password fields didn't match.> but was:<password_mis[smatch:The two password fields didn't match.> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepdefinitions.registrationsd.user_click_register_button_with_expected_message(registrationsd.java:69) at ?.user click register button with expected message(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/3registration.feature:8) * Not displayable characters are replaced by '?'. AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) user navigate to registration page 	FAILED	0.195 s
		PASSED	0.160 s

user navigate to registration page




#	Step / Hook Details	Status	Duration
1	Given user click registration link	PASSED	0.163 s
2	When user enter username,password,confirm password from given "Sheet1" and 10	PASSED	0.348 s
3	<p>Then user click register button with expected message</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Sign out"} (Session info: chrome=113.0.5672.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Sign out}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	FAILED	5.217 s

#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.Loginpage.signoutclk(Loginpage.java:51) at stepdefinitions.registrationsd.user_click_register_button_with_expected_message(registrationsd.java:76) at ?.user click register button with expected message(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/3registration.feature:8) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>user navigate to registration page</p> 	PASSED	0.153 s

User enter valid and invalid credentials for login




User on login page and login with invalid and valid inputs from Excel "Sheet1" and 0



#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.243 s
2	When The user enter sheet "Sheet1" and 0	PASSED	0.480 s

#	Step / Hook Details	Status	Duration
3	Then click login button	PASSED	0.172 s


User on login page and login with invalid and valid inputs from Excel "Sheet1" and 1



#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.115 s
2	When The user enter sheet "Sheet1" and 1	PASSED	0.247 s
3	<p>Then click login button</p> <pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input type="submit" value="Login"> is not clickable at point (959, 126). Other element would receive the click: <iframe scrolling="no" frameborder="0" style="border: 0px; height: 50px; width: 48px; left: 927px; top: 102px; z-index: 2147483647; position: absolute;" src="https://gc.kis.v2.scr.kaspersky-labs.com/E3E8934C-235A-4B0E-825A-35A08381A191/kpm/kpm_promo_balloon.html?cssSrc=https%3A%2F%2Fgc.kis.v2.scr.kaspersky-labs.com%2FE3E8934C-235A-4B0E-825A-35A08381A191%2Fkpm%2Ftooltip.css"></iframe> (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, clickElement {id=596FF7AF7732CEF887774388B2167D26_element_175}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca..}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (32dc150362fc5dfadfd17ca06104f90d)] -> xpath: //input[@value='Login']] Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)</pre>	FAILED	1.116 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.Loginpage.loginbtnclk(Loginpage.java:47) at stepdefinitions.Loginsteps.click_login_button(Loginsteps.java:57) at ?.click login button(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/4LoginPage.feature:7) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>User on login page and login with invalid and validinputs from Excel"Sheet1" and1</p> 	PASSED	0.151 s

User on login page and login with invalid and validinputs from Excel"Sheet1" and2



#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.100 s
2	When The user enter sheet"Sheet1" and 2	PASSED	0.314 s
3	Then click login button	PASSED	0.237 s

User on login page and login with invalid and validinputs from Excel"Sheet1" and3




#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.107 s
2	When The user enter sheet"Sheet1" and 3	PASSED	0.306 s
3	Then click login button	PASSED	0.371 s

Evaluate Data stuructures Introduction




User is able to navigate Data Structures Introduction



#	Step / Hook Details	Status	Duration
1	Given User click on Get started button in data Structures module	PASSED	0.255 s
2	When User click on Time Complexity button	PASSED	0.248 s


#	Step / Hook Details	Status	Duration
3	And click Try here button and navigate to try edidor page	PASSED	0.920 s
4	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	PASSED	0.148 s
5	And User click on run button	PASSED	0.115 s
6	Then User should be presented with run result	PASSED	0.133 s

User is able to navigate to tryeditor page and run invalid python code



#	Step / Hook Details	Status	Duration
1	Given click Try here button and navigate to try edidor page	PASSED	0.234 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	PASSED	0.108 s
3	And User click on run button	PASSED	0.090 s
4	Then User should get alert message	PASSED	0.101 s

User is able to navigate to practice questions




#	Step / Hook Details	Status	Duration
1	Given User click on practice questons	PASSED	0.332 s
2	And Navigate back to data stuctures introduction page	PASSED	0.098 s

Evaluate arrays module




The user is able to navigate to a page having Arrays in Python Topic



#	Step / Hook Details	Status	Duration
1	Given User click on get started button on array module and navigate to array page	PASSED	0.944 s
2	When User click on Arrays in Python Topic and navigate to arrays in python page	PASSED	0.926 s


User is able to navigate to tryeditor page and run valid python code



#	Step / Hook Details	Status	Duration
1	Given User click on Try here button on Arrays in Python page and navigate to try edidor page	PASSED	4.211 s
2	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	PASSED	0.123 s


#	Step / Hook Details	Status	Duration
3	And User click on run button	PASSED	0.096 s
4	Then User should be presented with run result	PASSED	0.128 s

User is able to navigate to tryeditor page and run invalid python code



#	Step / Hook Details	Status	Duration
1	Given User click on Try here button on Arrays in Python page and navigate to try edidor page	PASSED	3.071 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	PASSED	0.109 s
3	And User click on run button	PASSED	0.047 s
4	Then User should get alert message	PASSED	0.086 s


User is able to navigate to tryeditor page and run valid python code



#	Step / Hook Details	Status	Duration
1	Given User click on Arrays Using List topic	PASSED	3.486 s
2	And click Try here button and navigate to try edidor page	PASSED	0.281 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	PASSED	0.116 s
4	And User click on run button	PASSED	0.080 s


#	Step / Hook Details	Status	Duration
5	Then User should be presented with run result	PASSED	0.122 s

User is able to navigate to tryeditor page and run invalid python code



#	Step / Hook Details	Status	Duration
1	Given User click on Arrays Using List topic	PASSED	0.234 s
2	And click Try here button and navigate to try editor page	PASSED	0.193 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	PASSED	0.108 s
4	And User click on run button	PASSED	0.050 s
5	Then User should get alert message	PASSED	0.094 s


User is able to navigate to tryeditor page and run valid python code



#	Step / Hook Details	Status	Duration
1	Given User click on basic Operations in Lists	PASSED	0.230 s
2	And click Try here button and navigate to try editor page	PASSED	0.219 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	PASSED	0.107 s
4	And User click on run button	PASSED	0.055 s


#	Step / Hook Details	Status	Duration
5	Then User should be presented with run result	PASSED	0.128 s

User is able to navigate to tryeditor page and run invalid python code



#	Step / Hook Details	Status	Duration
1	Given User click on basic Operations in Lists	PASSED	0.210 s
2	And click Try here button and navigate to try edidor page	PASSED	0.245 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	PASSED	0.088 s
4	And User click on run button	PASSED	0.050 s
5	Then User should get alert message	PASSED	0.090 s


User is able to navigate to tryeditor page and run valid python code



#	Step / Hook Details	Status	Duration
1	Given User click on Applications of Array	PASSED	0.223 s
2	And click Try here button and navigate to try edidor page	PASSED	0.218 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	PASSED	0.104 s
4	And User click on run button	PASSED	0.051 s


#	Step / Hook Details	Status	Duration
5	Then User should be presented with run result	PASSED	0.123 s

User is able to navigate to tryeditor page and run invalid python code



#	Step / Hook Details	Status	Duration
1	Given User click on Applications of Array	PASSED	0.195 s
2	And click Try here button and navigate to try edidor page	PASSED	0.228 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	PASSED	0.107 s
4	And User click on run button	PASSED	0.047 s
5	Then User should get alert message	PASSED	0.091 s


User is able to navigate to tryeditor page and run valid python code



#	Step / Hook Details	Status	Duration
1	Given User click on Practies Questions	PASSED	0.228 s
2	When User click on Question1 its navigate to tryeditor page	PASSED	0.378 s
3	And User clear the tryeditor textbox	PASSED	0.135 s
4	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	PASSED	0.111 s


#	Step / Hook Details	Status	Duration
5	And User click on run button	PASSED	0.061 s
6	Then User should be presented with run result	PASSED	0.139 s

User is able to navigate to tryeditor page and run invalid python code



#	Step / Hook Details	Status	Duration
1	When User click on Question1 its navigate to tryeditor page	PASSED	0.238 s
2	And User clear the tryeditor textbox	PASSED	0.085 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	PASSED	0.107 s
4	And User click on run button	PASSED	0.047 s
5	Then User should get alert message	PASSED	0.102 s


User is able to navigate to tryeditor page and run valid python code



#	Step / Hook Details	Status	Duration
1	When User click on Question2 its navigate to tryeditor page	PASSED	0.273 s
2	And User clear the tryeditor textbox	PASSED	0.133 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	PASSED	0.102 s


#	Step / Hook Details	Status	Duration
4	And User click on run button	PASSED	0.045 s
5	Then User should be presented with run result	PASSED	0.148 s

User is able to navigate to tryeditor page and run invalid python code



#	Step / Hook Details	Status	Duration
1	When User click on Question2 its navigate to tryeditor page	PASSED	0.495 s
2	And User clear the tryeditor textbox	PASSED	0.125 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	PASSED	0.105 s
4	And User click on run button	PASSED	0.046 s
5	Then User should get alert message	PASSED	0.110 s


User is able to navigate to tryeditor page and run valid python code



#	Step / Hook Details	Status	Duration
1	When User click on Question3 its navigate to tryeditor page	PASSED	0.286 s
2	And User clear the tryeditor textbox	PASSED	0.079 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	PASSED	0.105 s


#	Step / Hook Details	Status	Duration
4	And User click on run button	PASSED	0.050 s
5	Then User should be presented with run result	PASSED	0.122 s

User is able to navigate to tryeditor page and run invalid python code



#	Step / Hook Details	Status	Duration
1	When User click on Question3 its navigate to tryeditor page	PASSED	0.278 s
2	And User clear the tryeditor textbox	PASSED	0.074 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	PASSED	0.106 s
4	And User click on run button	PASSED	0.042 s
5	Then User should get alert message	PASSED	0.126 s


User is able to navigate to tryeditor page and run valid python code



#	Step / Hook Details	Status	Duration
1	When User click on Question4 its navigate to tryeditor page	PASSED	0.268 s
2	And User clear the tryeditor textbox	PASSED	0.115 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	PASSED	0.108 s


#	Step / Hook Details	Status	Duration
4	And User click on run button	PASSED	0.055 s
5	Then User should be presented with run result	PASSED	0.125 s

User is able to navigate to tryeditor page and run invalid python code




#	Step / Hook Details	Status	Duration
1	When User click on Question4 its navigate to tryeditor page	PASSED	0.224 s
2	And User clear the tryeditor textbox	PASSED	0.107 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	PASSED	0.097 s
4	And User click on run button	PASSED	0.059 s
5	Then User should get alert message	PASSED	0.107 s

Evaluate Linkedlist Module




User is Logged in to DSAlgo portal




#	Step / Hook Details	Status	Duration
1	Given The user is on signIn Page of DSAlgo portal	PASSED	0.120 s
2	When user enter valid username "nitha" and password "nithasdet109"	PASSED	0.324 s
3	Then user click on login button	PASSED	0.683 s

User Navigating to LinkedList Page




#	Step / Hook Details	Status	Duration
1	Given The user is in the Home page after logged in	PASSED	0.001 s
2	When The user selecting linkedlist item from the drop down menu	PASSED	1.148 s
3	Then The user should be directed to Linked List Page	PASSED	0.000 s
4	And The user clicks on "introduction" link	PASSED	0.454 s
5	When The user clicks "Try Here" button in the "introduction" page	PASSED	0.286 s
6	Then The user should be redirected to a page having an tryEditor with a Run button to test	PASSED	0.193 s
7	And user will navigate back and returns to tryEditor to give invalid python code	PASSED	0.494 s
8	Then user will get alert message and accept it	PASSED	0.090 s

user navigating to Introduction of LinkedListPage and using Data from Excel to evaluate




#	Step / Hook Details	Status	Duration
1	Given The user is in a try here page having tryEditor with a Run button to test	PASSED	0.002 s
2	And user clicks on tryHere button	PASSED	0.823 s
3	When The user Enter valid python code in tryEditor from sheet "Sheet1" and 0	PASSED	0.121 s
4	And user click on Run button	PASSED	0.050 s
5	Then The user should be presented with the Run output	PASSED	0.125 s

user navigating to Introduction of LinkedlistPage and using Data from Excel to evaluate




#	Step / Hook Details	Status	Duration
1	Given The user is in a try here page having tryEditor with a Run button to test	PASSED	0.001 s
2	And user clicks on tryHere button	PASSED	0.193 s
3	When The user Enter invalid python code in tryEditor from sheet "Sheet1" and 1	PASSED	0.104 s
4	And user click on Run button	PASSED	0.044 s
5	Then The user should get Alert message	PASSED	0.096 s

User navigating to Creating a Linked list page




#	Step / Hook Details	Status	Duration
1	Given The user is in Linked List page	PASSED	0.001 s
2	When The user clicks the "Creating" a Linked List button	PASSED	0.384 s
3	Then The user should be redirected to tryEditor page with a Run button to test	PASSED	0.248 s
4	And The user Enter valid python code in tryEditor from sheet "Sheet1" and 0	PASSED	0.109 s
5	And user click on Run button	PASSED	0.054 s
6	Then The user should be presented with the Run output	PASSED	0.132 s

User navigating to Creating a Linked list page




#	Step / Hook Details	Status	Duration
1	Given The user is in Linked List page	PASSED	0.001 s
2	When The user clicks the "Creating" a Linked List button	PASSED	0.321 s
3	Then The user should be redirected to tryEditor page with a Run button to test	PASSED	0.267 s
4	And The user Enter invalid python code in tryEditor from sheet "Sheet1" and 1	PASSED	0.113 s
5	And user click on Run button	PASSED	0.045 s
6	Then The user should get Alert message	PASSED	0.082 s

User navigating to Types of Linked list page




#	Step / Hook Details	Status	Duration
1	Given The user is in Linked List page	PASSED	0.000 s
2	When The user clicks the "Types of" Linked List hyperlink	PASSED	0.290 s
3	Then The user should be redirected to tryEditor page with a Run button to test	PASSED	0.230 s
4	And The user Enter valid python code in tryEditor from sheet "Sheet1" and 0	PASSED	0.106 s
5	And user click on Run button	PASSED	0.051 s
6	Then The user should be presented with the Run output	PASSED	0.132 s

User navigating to Types of Linked list page




#	Step / Hook Details	Status	Duration
1	Given The user is in Linked List page	PASSED	0.001 s
2	When The user clicks the "Types of" Linked List hyperlink	PASSED	0.179 s
3	Then The user should be redirected to tryEditor page with a Run button to test	PASSED	0.214 s
4	And The user Enter invalid python code in tryEditor from sheet "Sheet1" and 1	PASSED	0.112 s
5	And user click on Run button	PASSED	0.045 s
6	Then The user should get Alert message	PASSED	0.090 s

User navigating to Implement Linked list page




#	Step / Hook Details	Status	Duration
1	Given The user is in Linked List page	PASSED	0.000 s
2	When The user clicks the "Implement Linked list" link	PASSED	0.207 s
3	Then The user should be redirected to tryEditor page with a Run button to test	PASSED	0.276 s
4	And The user Enter valid python code in tryEditor from sheet "Sheet1" and 0	PASSED	0.073 s
5	And user click on Run button	PASSED	0.054 s
6	Then The user should be presented with the Run output	PASSED	0.124 s

User navigating to Implement Linked list page




#	Step / Hook Details	Status	Duration
1	Given The user is in Linked List page	PASSED	0.001 s
2	When The user clicks the "Implement Linked List" link	PASSED	0.259 s
3	Then The user should be redirected to tryEditor page with a Run button to test	PASSED	0.251 s
4	And The user Enter invalid python code in tryEditor from sheet "Sheet1" and 1	PASSED	0.114 s
5	And user click on Run button	PASSED	0.048 s
6	Then The user should get Alert message	PASSED	0.112 s

User navigating to Traversal of Linked list page




#	Step / Hook Details	Status	Duration
1	Given The user is in Linked List page	PASSED	0.001 s
2	When The user clicks "Traversal Linked list" link	PASSED	0.211 s
3	Then The user should be redirected to tryEditor page with a Run button to test	PASSED	0.237 s
4	And The user Enter valid python code in tryEditor from sheet "Sheet1" and 0	PASSED	0.076 s
5	And user click on Run button	PASSED	0.043 s
6	Then The user should be presented with the Run output	PASSED	0.138 s

User navigating to Traversal of Linked list page




#	Step / Hook Details	Status	Duration
1	Given The user is in Linked List page	PASSED	0.001 s
2	When The user clicks "Traversal Linked list" link	PASSED	0.184 s
3	Then The user should be redirected to tryEditor page with a Run button to test	PASSED	0.218 s
4	And The user Enter invalid python code in tryEditor from sheet "Sheet1" and 1	PASSED	0.094 s
5	And user click on Run button	PASSED	0.045 s
6	Then The user should get Alert message	PASSED	0.097 s

User navigating to Insertion of Linked list page




#	Step / Hook Details	Status	Duration
1	Given The user is in Linked List page	PASSED	0.001 s
2	When The user clicks on "the Insertion Linked list link"	PASSED	0.211 s
3	Then The user should be redirected to tryEditor page with a Run button to test	PASSED	0.233 s
4	And The user Enter valid python code in tryEditor from sheet "Sheet1" and 0	PASSED	0.115 s
5	And user click on Run button	PASSED	0.050 s
6	Then The user should be presented with the Run output	PASSED	0.122 s

User navigating to Insertion of Linked list page




#	Step / Hook Details	Status	Duration
1	Given The user is in Linked List page	PASSED	0.001 s
2	When The user clicks on "the Insertion Linked List link"	PASSED	0.191 s
3	Then The user should be redirected to tryEditor page with a Run button to test	PASSED	0.232 s
4	And The user Enter invalid python code in tryEditor from sheet "Sheet1" and 1	PASSED	0.100 s
5	And user click on Run button	PASSED	0.044 s
6	Then The user should get Alert message	PASSED	0.096 s

User navigating to Deletion of Linked list page




#	Step / Hook Details	Status	Duration
1	Given The user is in Linked List page	PASSED	0.000 s
2	When The user clicks the "Deletion" link of "Linked list"	PASSED	0.261 s
3	Then The user should be redirected to tryEditor page with a Run button to test	PASSED	0.237 s
4	And The user Enter valid python code in tryEditor from sheet "Sheet1" and 0	PASSED	0.077 s
5	And user click on Run button	PASSED	0.047 s
6	Then The user should be presented with the Run output	PASSED	0.155 s

User navigating to Deletion of Linked list page



#	Step / Hook Details	Status	Duration
1	Given The user is in Linked List page	PASSED	0.001 s
2	When The user clicks the "Deletion" link of "Linked List"	PASSED	0.186 s
3	Then The user should be redirected to tryEditor page with a Run button to test	PASSED	0.195 s
4	And The user Enter invalid python code in tryEditor from sheet "Sheet1" and 1	PASSED	0.112 s
5	And user click on Run button	PASSED	0.048 s
6	Then The user should get Alert message	PASSED	0.071 s

User validating Practice Questions Page




#	Step / Hook Details	Status	Duration
1	Given The user is in Linked List page	PASSED	0.000 s
2	When The user clicks on to the "parctice questions" link	PASSED	0.190 s
3	Then The user should be directed to Practice Questions of Linked List Page	PASSED	0.095 s

user navigate to stack module and able to try Python code both valid and invalid data





User select Stack module from drop down




#	Step / Hook Details	Status	Duration
1	Given user able to click on dropdown	PASSED	1.098 s
2	When user select stack option	PASSED	1.229 s
3	And user select operations in stack	PASSED	1.413 s



user try python code after clicked Try here button for validation

FAILED	DURATION - 1.419 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 4:14:58.102 PM // 4:14:59.521 PM /				
user navigate to stack module and able to try Python code both valid and invalid data				
@stack				


#	Step / Hook Details	Status	Duration
1	Given user click on Try Here button	PASSED	1.291 s
2	When user enter valid python code from given "Sheet1" and 0 java.io.FileNotFoundException: .\src\test\resources\ExcelData\PythonExcel.xlsx at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:302) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:277) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:255) at utilities.ExcelReader.getWorkBook(ExcelReader.java:42) at utilities.ExcelReader.getSheetByName(ExcelReader.java:32) at utilities.ExcelReader.getData(ExcelReader.java:20) at stepdefinitions.Stacksteps.user_enter_valid_python_code_from_given_and(Stacksteps.java:71) at ?.user enter valid python code from given "Sheet1" and 0(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/8Stack.feature:17) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
3	And user click run button	SKIPPED	0.001 s
4	Then user should see output	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.124 s
	user try python code after clicked Try here button for validation		

#	Step / Hook Details	Status	Duration
			


user try python code after clicked Try here button for invalidation

FAILED	DURATION - 5.210 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 4:14:59.525 PM // 4:15:04.735 PM /				
user navigate to stack module and able to try Python code both valid and invalid data				
@stack				

#	Step / Hook Details	Status	Duration
1	<p>Given user click on Try Here button</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here>>>"} (Session info: chrome=113.0.5672.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Try here>>>} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</pre>	FAILED	5.066 s


#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.StackPage.trybtnclk(StackPage.java:55) at stepdefinitions.Stacksteps.user_click_on_try_here_button(Stacksteps.java:62) at ?.user click on Try Here button(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/8Stack.feature:27) * Not displayable characters are replaced by '?'.</pre>		
2	When user enter invalid python code from given "Sheet1" and 1	SKIPPED	0.000 s
3	And user click run button	SKIPPED	0.000 s
4	Then user should get alert	SKIPPED	0.000 s
	<p>AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>user try python code after clicked Try here button for invalidation</p> 	PASSED	0.142 s

user try python code after clicked Try here button in implenation page





#	Step / Hook Details	Status	Duration
1	Given user select implementation <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation"} (Session info: chrome=113.0.5672.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element</pre>	FAILED	5.045 s


#	Step / Hook Details	Status	Duration
	<pre> info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Implementation}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDatumDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.StackPage.menuselection(StackPage.java:43) at stepdefinitions.Stacksteps.user_select_implementation(Stacksteps.java:131) at ?.user select implementation(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/8Stack.feature:42) * Not displayable characters are replaced by '?'. </pre>		
2	And user click on Try Here button	SKIPPED	0.000 s
3	When user enter valid python code for implemenetation from given "Sheet1" and 0	SKIPPED	0.000 s
4	And user click run button	SKIPPED	0.000 s
5	Then user should see output	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.147 s
	user try python code after clicked Try here button in implemenation page		

#	Step / Hook Details	Status	Duration
			


user try python code after clicked Try here button in implemenetation page

FAILED	DURATION - 5.198 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 4:15:09.988 PM // 4:15:15.186 PM /				
user navigate to stack module and able to try Python code both valid and invalid data				
@stack				

#	Step / Hook Details	Status	Duration
1	<p>Given user click on Try Here button</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here>>>"} (Session info: chrome=113.0.5672.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Try here>>>} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDatadir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</pre>	FAILED	5.057 s


#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.StackPage.trybtnclk(StackPage.java:55) at stepdefinitions.Stacksteps.user_click_on_try_here_button(Stacksteps.java:62) at ?.user click on Try Here button(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/8Stack.feature:55)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
2	When user enter invalid python code for implemenetation from given "Sheet1" and 1	SKIPPED	0.001 s
3	And user click run button	SKIPPED	0.000 s
4	Then user should get alert	SKIPPED	0.000 s
	<p>AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>user try python code after clicked Try here button in implemenetation page</p> 	PASSED	0.137 s

user try python code after clicked Try here button in applications page





#	Step / Hook Details	Status	Duration
1	<p>Given user select applications</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Applications"} (Session info: chrome=113.0.5672.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element</pre>	FAILED	5.046 s

#	Step / Hook Details	Status	Duration
	<pre> info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Applications}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.StackPage.menuselection(StackPage.java:45) at stepdefinitions.Stacksteps.user_select_applications(Stacksteps.java:140) at ?.user select applications(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/8Stack.feature:71) * Not displayable characters are replaced by '?'. </pre>		
2	And user click on Try Here button	SKIPPED	0.000 s
3	When user enter valid python code for applications from given "Sheet1" and 0	SKIPPED	0.000 s
4	And user click run button	SKIPPED	0.000 s
5	Then user should see output	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.123 s
	user try python code after clicked Try here button in applications page		

#	Step / Hook Details	Status	Duration
			


user try python code after clicked Try here button in applications page

FAILED	DURATION - 5.145 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 4:15:20.371 PM // 4:15:25.516 PM /				
user navigate to stack module and able to try Python code both valid and invalid data				
@stack				


#	Step / Hook Details	Status	Duration
1	<p>Given user click on Try Here button</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here>>>"} (Session info: chrome=113.0.5672.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Try here>>>} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDatadir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</pre>	FAILED	5.022 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.StackPage.trybtnclk(StackPage.java:55) at stepdefinitions.Stacksteps.user_click_on_try_here_button(Stacksteps.java:62) at ?.user click on Try Here button(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/8Stack.feature:84) * Not displayable characters are replaced by '?'.</pre>		
2	When user enter invalid python code for applicatons from given "Sheet1" and 1	SKIPPED	0.000 s
3	And user click run button	SKIPPED	0.000 s
4	Then user should get alert	SKIPPED	0.000 s
	<p>AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>user try python code after clicked Try here button in applications page</p> 	PASSED	0.123 s


user select practice questions




#	Step / Hook Details	Status	Duration
1	<p>Given user select practice questions</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Practice Questions"} (Session info: chrome=113.0.5672.126) For documentation on this error, please visit: https://selenium.dev/exceptions/</pre>	FAILED	5.020 s

#	Step / Hook Details	Status	Duration
	<pre>#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Practice Questions}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae...}, userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.StackPage.menuselection(StackPage.java:47) at stepdefinitions.Stacksteps.user_select_practice_questions(Stacksteps.java:148) at ?.user select practice questions(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/8Stack.feature:96) * Not displayable characters are replaced by '?'.</pre>		
2	And navigate back to login page	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) user select practice questions 	PASSED	0.138 s


user navigate to queue module and able to try Python code both valid and invalid datas




User select Queue module from drop down



#	Step / Hook Details	Status	Duration
1	<p>Given user able to click on dropdown for queue</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='nav-item dropdown']/a"} (Session info: chrome=113.0.5672.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=xpath, value=//div[@class='nav-item dropdown']/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)</pre>	FAILED	5.036 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.HomePage.dropDownclk(HomePage.java:54) at stepdefinitions.QueueSteps.user_able_to_click_on_dropdown_for_queue(QueueSteps.java:38) at ?.user able to click on dropdown for queue(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/9Queue.feature:7) * Not displayable characters are replaced by '?'. </pre>		
2	When user select queue option	SKIPPED	0.000 s
3	And user select queue in python	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User select Queue module from drop down 	PASSED	0.135 s

user try code in queue in python after clicked Try here button for validation





#	Step / Hook Details	Status	Duration
1	Given user click on Try Here button in queue <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here>>>"} (Session info: chrome=113.0.5672.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element </pre>	FAILED	5.057 s


#	Step / Hook Details	Status	Duration
	<pre> info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.QueuePage.queuetrybtnclick(QueuePage.java:52) at stepdefinitions.QueueSteps.user_click_on_try_here_button_in_queue(QueueSteps.java:58) at ?.user click on Try Here button in queue(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/9Queue.feature:14) * Not displayable characters are replaced by '?'. </pre>		
2	When user enter valid code in queue in python from given "Sheet1" and 0	SKIPPED	0.000 s
3	And user click run button in queue	SKIPPED	0.000 s
4	Then user should see output in queue	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.120 s
	user try code in queue in python after clicked Try here button for validation		

#	Step / Hook Details	Status	Duration


user try code in queue in python after clicked Try here button for invalidation

FAILED	DURATION - 5.195 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 4:15:41.051 PM // 4:15:46.246 PM /				
user navigate to queue module and able to try Python code both valid and invalid datas				
@queue				

#	Step / Hook Details	Status	Duration
1	<p>Given user click on Try Here button in queue</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here>>>"} (Session info: chrome=113.0.5672.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</pre>	FAILED	5.053 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.QueuePage.queueTryBtnClick(QueuePage.java:52) at stepdefinitions.QueueSteps.user_click_on_try_here_button_in_queue(QueueSteps.java:58) at ?.user click on Try Here button in queue(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/9Queue.feature:25) * Not displayable characters are replaced by '?'. </pre>		
2	When user enter invalid code in queue in python from given "Sheet1" and 1	SKIPPED	0.000 s
3	And user click run button in queue	SKIPPED	0.000 s
4	Then user should get alert in queue	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) user try code in queue in python after clicked Try here button for invalidation 	PASSED	0.139 s

user try python code after clicked Try here button in using collections page





#	Step / Hook Details	Status	Duration
1	Given user select using collections <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation"}</pre>	FAILED	5.032 s


#	Step / Hook Details	Status	Duration
	<pre>using collections.deque"} (Session info: chrome=113.0.5672.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Implementation using collections.deque}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.QueuePage.queueMenuSelection(QueuePage.java:38) at stepdefinitions.QueueSteps.user_select_using_collections(QueueSteps.java:119) at ?.user select using collections(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/9Queue.feature:39)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
2	And user click on Try Here button in queue	SKIPPED	0.001 s
3	When user enter valid code for using collections from given "Sheet1" and 0	SKIPPED	0.000 s
4	And user click run button in queue	SKIPPED	0.000 s
5	Then user should see output in queue	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.144 s
	user try python code after clicked Try here button in using collections page		

#	Step / Hook Details	Status	Duration
			


user try python code after clicked Try here button in usind collections page

FAILED	DURATION - 5.186 s	 <p>Steps Total - 4 Pass - 0 Fail - 1 Skip - 3</p>	
/ 4:15:51.435 PM // 4:15:56.621 PM /	user navigate to queue module and able to try Python code both valid and invalid datas	@queue	

#	Step / Hook Details	Status	Duration
1	<p>Given user click on Try Here button in queue</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here>>>"} (Session info: chrome=113.0.5672.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Try here>>>} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</pre>	FAILED	5.056 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.QueuePage.queueTryBtnClick(QueuePage.java:52) at stepdefinitions.QueueSteps.user_click_on_try_here_button_in_queue(QueueSteps.java:58) at ?.user click on Try Here button in queue(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/9Queue.feature:52) * Not displayable characters are replaced by '?'. </pre>		
2	When user enter invalid code for using collections from given "Sheet1" and 1	SKIPPED	0.000 s
3	And user click run button in queue	SKIPPED	0.000 s
4	Then user should get alert in queue	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) user try python code after clicked Try here button in usind collections page 	PASSED	0.129 s

user try python code after clicked Try here button in using array page




#	Step / Hook Details	Status	Duration
1	Given user select using array page org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.linkText: Implementation using array For documentation	FAILED	2.404 s

#	Step / Hook Details	Status	Duration
	<p>on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: driver.version: RemoteWebDriver</p> <pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.QueuePage.queueMenuSelection(QueuePage.java:40) at stepdefinitions.QueueSteps.user_select_using_array_page(QueueSteps.java:126) at ?.user select using array page(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/9Queue.feature:65) * Not displayable characters are replaced by '?'. </pre>		
2	And user click on Try Here button in queue	SKIPPED	0.000 s
3	When user enter valid python code for using array from given "Sheet1" and 0	SKIPPED	0.000 s
4	And user click run button in queue	SKIPPED	0.002 s
5	Then user should see output in queue	SKIPPED	0.000 s
	<p>AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) </pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29)		


user try python code after clicked Try here button in using array page



#	Step / Hook Details	Status	Duration
1	<p>Given user click on Try Here button in queue</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\skiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</pre>	FAILED	0.043 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.QueuePage.queuetrybtnclk(QueuePage.java:52) at stepdefinitions.QueueSteps.user_click_on_try_here_button_in_queue(QueueSteps.java:58) at ?.user click on Try Here button in queue(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/9Queue.feature:78) * Not displayable characters are replaced by '?'. </pre>		
2	When user enter invalid python code for using array from given "Sheet1" and 1	SKIPPED	0.000 s
3	And user click run button in queue	SKIPPED	0.000 s
4	Then user should get alert in queue	SKIPPED	0.003 s
	<p>AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29) </pre>	FAILED	0.017 s


user try python code after clicked Try here button in queue operation page



#	Step / Hook Details	Status	Duration
1	<p>Given user select queue operation page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Queue Operations}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.QueuePage.queueMenuSelection(QueuePage.java:42) at stepdefinitions.QueueSteps.user_select_queue_operation_page(QueueSteps.java:133) at ?.user select queue operation page(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/9Queue.</pre>	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	feature:91) * Not displayable characters are replaced by '?'.		
2	And user click on Try Here button in queue	SKIPPED	0.000 s
3	When user enter valid python code for queue operation from given "Sheet1" and 0	SKIPPED	0.001 s
4	And user click run button in queue	SKIPPED	0.000 s
5	Then user should see output in queue	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29)	FAILED	0.006 s


user try python code after clicked Try here button in queue operation page



#	Step / Hook Details	Status	Duration
1	<p>Given user click on Try Here button in queue</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.QueuePage.queuetrybtnclk(QueuePage.java:52) at stepdefinitions.QueueSteps.user_click_on_try_here_button_in_queue(QueueSteps.java:58) at ?.user click on Try Here button in queue(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/9Queue.</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	feature:104) * Not displayable characters are replaced by '?'.		
2	When user enter invalid python code for queue operation from given "Sheet1" and 1	SKIPPED	0.000 s
3	And user click run button in queue	SKIPPED	0.001 s
4	Then user should get alert in queue	SKIPPED	0.001 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29)	FAILED	0.003 s

user select practice questions in queue




#	Step / Hook Details	Status	Duration
1	<p>Given user select practice questions in queue</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Practice Questions}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.QueuePage.queueMenuSelection(QueuePage.java:44) at stepdefinitions.QueueSteps.user_select_practice_questions_in_queue(QueueSteps.java:141) at ?.user select practice questions in queue(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/9Queue.</pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	feature:117) * Not displayable characters are replaced by '?'.		
2	And navigate back to login page from queue AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29)	SKIPPED	0.000 s

user navigate to queue module and able to try Python code both valid and invalid datas




User select Queue module from drop down



#	Step / Hook Details	Status	Duration
1	<p>Given user able to click on dropdown for queue</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=xpath, value=/div[@class='nav-item dropdown']/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo... , se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.HomePage.dropDownclk(HomePage.java:54) at stepdefinitions.QueueSteps.user_able_to_click_on_dropdown_for_queue(QueueSteps.java:38)</pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	at ?.user able to click on dropdown for queue(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/Queue.feature:7) * Not displayable characters are replaced by '?'. 2 When user select queue option 3 And user select queue in python		
2	When user select queue option	SKIPPED	0.000 s
3	And user select queue in python	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29)	FAILED	0.005 s


user try code in queue in python after clicked Try here button for validation



#	Step / Hook Details	Status	Duration
1	<p>Given user click on Try Here button in queue</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.QueuePage.queuetrybtnclk(QueuePage.java:52) at stepdefinitions.QueueSteps.user_click_on_try_here_button_in_queue(QueueSteps.java:58) at ?.user click on Try Here button in queue(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/Queue.</pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	feature:14) * Not displayable characters are replaced by '?'.		
2	When user enter valid code in queue in python from given "Sheet1" and 0	SKIPPED	0.000 s
3	And user click run button in queue	SKIPPED	0.000 s
4	Then user should see output in queue	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29)	FAILED	0.004 s


user try code in queue in python after clicked Try here button for invalidation



#	Step / Hook Details	Status	Duration
1	<p>Given user click on Try Here button in queue</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.QueuePage.queuetrybtnclk(QueuePage.java:52) at stepdefinitions.QueueSteps.user_click_on_try_here_button_in_queue(QueueSteps.java:58) at ?.user click on Try Here button in queue(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/Queue.</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	feature:25) * Not displayable characters are replaced by '?'.		
2	When user enter invalid code in queue in python from given "Sheet1" and 1	SKIPPED	0.001 s
3	And user click run button in queue	SKIPPED	0.000 s
4	Then user should get alert in queue	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29)	FAILED	0.002 s


user try python code after clicked Try here button in using collections page



#	Step / Hook Details	Status	Duration
1	<p>Given user select using collections</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Implementation using collections.deque}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo... , se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.QueuePage.queueMenuSelection(QueuePage.java:38) at stepdefinitions.QueueSteps.user_select_using_collections(QueueSteps.java:119)</pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at ?.user select using collections(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/Queue.feature:39) * Not displayable characters are replaced by '?'.		
2	And user click on Try Here button in queue	SKIPPED	0.000 s
3	When user enter valid code in queue in python from given "Sheet1" and 0	SKIPPED	0.000 s
4	And user click run button in queue	SKIPPED	0.000 s
5	Then user should see output in queue	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29)	FAILED	0.003 s


user try python code after clicked Try here button in usind collections page



#	Step / Hook Details	Status	Duration
1	<p>Given user click on Try Here button in queue</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.QueuePage.queuetrybtnclk(QueuePage.java:52) at stepdefinitions.QueueSteps.user_click_on_try_here_button_in_queue(QueueSteps.java:58) at ?.user click on Try Here button in queue(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/Queue.</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	feature:52) * Not displayable characters are replaced by '?'.		
2	When user enter invalid code in queue in python from given "Sheet1" and 1	SKIPPED	0.001 s
3	And user click run button in queue	SKIPPED	0.000 s
4	Then user should get alert in queue	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29)	FAILED	0.003 s


user try python code after clicked Try here button in using array page



#	Step / Hook Details	Status	Duration
1	<p>Given user select using array page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Implementation using array}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.QueuePage.queueMenuSelection(QueuePage.java:40) at stepdefinitions.QueueSteps.user_select_using_array_page(QueueSteps.java:126) at ?.user select using array page(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/Queue.feature:65)</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
2	And user click on Try Here button in queue	SKIPPED	0.000 s
3	When user enter valid code in queue in python from given "Sheet1" and 0	SKIPPED	0.000 s
4	And user click run button in queue	SKIPPED	0.001 s
5	Then user should see output in queue	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29)	FAILED	0.002 s


user try python code after clicked Try here button in using array page



#	Step / Hook Details	Status	Duration
1	<p>Given user click on Try Here button in queue</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.QueuePage.queuetrybtnclk(QueuePage.java:52) at stepdefinitions.QueueSteps.user_click_on_try_here_button_in_queue(QueueSteps.java:58) at ?.user click on Try Here button in queue(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/Queue.</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	feature:78) * Not displayable characters are replaced by '?'.		
2	When user enter invalid code in queue in python from given "Sheet1" and 1	SKIPPED	0.000 s
3	And user click run button in queue	SKIPPED	0.000 s
4	Then user should get alert in queue	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29)	FAILED	0.003 s


user try python code after clicked Try here button in queue operation page



#	Step / Hook Details	Status	Duration
1	<p>Given user select queue operation page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Queue Operations}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.QueuePage.queueMenuSelection(QueuePage.java:42) at stepdefinitions.QueueSteps.user_select_queue_operation_page(QueueSteps.java:133) at ?.user select queue operation page(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/Queue.feature:91)</pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
2	And user click on Try Here button in queue	SKIPPED	0.000 s
3	When user enter valid code in queue in python from given "Sheet1" and 0	SKIPPED	0.000 s
4	And user click run button in queue	SKIPPED	0.000 s
5	Then user should see output in queue	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29)	FAILED	0.003 s


user try python code after clicked Try here button in queue operation page



#	Step / Hook Details	Status	Duration
1	<p>Given user click on Try Here button in queue</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.QueuePage.queuetrybtnclk(QueuePage.java:52) at stepdefinitions.QueueSteps.user_click_on_try_here_button_in_queue(QueueSteps.java:58) at ?.user click on Try Here button in queue(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/Queue.</pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	feature:104) * Not displayable characters are replaced by '?'.		
2	When user enter invalid code in queue in python from given "Sheet1" and 1	SKIPPED	0.000 s
3	And user click run button in queue	SKIPPED	0.000 s
4	Then user should get alert in queue	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29)	FAILED	0.002 s


user select practice questions in queue




#	Step / Hook Details	Status	Duration
1	<p>Given user select practice questions in queue</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Practice Questions}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.QueuePage.queueMenuSelection(QueuePage.java:44) at stepdefinitions.QueueSteps.user_select_practice_questions_in_queue(QueueSteps.java:141) at ?.user select practice questions in queue(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/Queue.</pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	feature:117) * Not displayable characters are replaced by '?'.		
2	And navigate back to login page from queue AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29)	SKIPPED	0.001 s

user navigate to stack module and able to try Python code both valid and invalid datas




User select Stack module from drop down



#	Step / Hook Details	Status	Duration
1	<p>Given user able to click on dropdown</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=xpath, value=/div[@class='nav-item dropdown']/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo... , se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.HomePage.dropDownclk(HomePage.java:54) at stepdefinitions.Stacksteps.user_able_to_click_on_dropdown(Stacksteps.java:41)</pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at ?.user able to click on dropdown(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/Stack.feature:25) * Not displayable characters are replaced by '?'.		
2	When user select stack option	SKIPPED	0.000 s
3	And user select operations in stack	SKIPPED	0.000 s
	<p>AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29)</pre>	FAILED	0.003 s


user try python code after clicked Try here button for validation



#	Step / Hook Details	Status	Duration
1	<p>Given user click on Try Here button</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.StackPage.trybtnclk(StackPage.java:55) at stepdefinitions.Stacksteps.user_click_on_try_here_button(Stacksteps.java:62) at ?.user click on Try Here button(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/Stack.feature:32)</pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
2	When user enter valid python code from given "Sheet1" and 0	SKIPPED	0.000 s
3	And user click run button	SKIPPED	0.000 s
4	Then user should see output	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29)	FAILED	0.003 s


user try python code after clicked Try here button for invalidation



#	Step / Hook Details	Status	Duration
1	<p>Given user click on Try Here button</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.StackPage.trybtnclk(StackPage.java:55) at stepdefinitions.Stacksteps.user_click_on_try_here_button(Stacksteps.java:62) at ?.user click on Try Here button(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/Stack.feature:43)</pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
2	When user enter invalid python code from given "Sheet1" and 1	SKIPPED	0.000 s
3	And user click run button	SKIPPED	0.000 s
4	Then user should get alert	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29)	FAILED	0.004 s


user try python code after clicked Try here button in implenation page



#	Step / Hook Details	Status	Duration
1	<p>Given user select implementation</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Implementation}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.StackPage.menuselection(StackPage.java:43) at stepdefinitions.Stacksteps.user_selectImplementation(Stacksteps.java:131) at ?.user select implementation(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/Stack.feature:58)</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. 2 And user click on Try Here button 3 When user enter valid python code from given "Sheet1" and 0 4 And user click run button 5 Then user should see output	SKIPPED SKIPPED SKIPPED SKIPPED	0.000 s 0.001 s 0.000 s 0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29)	FAILED	0.003 s


user try python code after clicked Try here button in implenetation page



#	Step / Hook Details	Status	Duration
1	<p>Given user click on Try Here button</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.StackPage.trybtnclk(StackPage.java:55) at stepdefinitions.Stacksteps.user_click_on_try_here_button(Stacksteps.java:62) at ?.user click on Try Here button(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/Stack.feature:71)</pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
2	When user enter invalid python code from given "Sheet1" and 1	SKIPPED	0.000 s
3	And user click run button	SKIPPED	0.000 s
4	Then user should get alert	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29)	FAILED	0.002 s


user try python code after clicked Try here button in applications page



#	Step / Hook Details	Status	Duration
1	<p>Given user select applications</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Applications}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.StackPage.menuselection(StackPage.java:45) at stepdefinitions.Stacksteps.user_select_applications(Stacksteps.java:140) at ?.user select applications(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/Stack.feature:87)</pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. 2 And user click on Try Here button 3 When user enter valid python code from given "Sheet1" and 0 4 And user click run button 5 Then user should see output	SKIPPED SKIPPED SKIPPED SKIPPED	0.000 s 0.000 s 0.000 s 0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29)	FAILED	0.004 s


user try python code after clicked Try here button in applications page



#	Step / Hook Details	Status	Duration
1	<p>Given user click on Try Here button</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.StackPage.trybtnclk(StackPage.java:55) at stepdefinitions.Stacksteps.user_click_on_try_here_button(Stacksteps.java:62) at ?.user click on Try Here button(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/Stack.feature:100)</pre>	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
2	When user enter invalid python code from given "Sheet1" and 1	SKIPPED	0.000 s
3	And user click run button	SKIPPED	0.000 s
4	Then user should get alert	SKIPPED	0.001 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29)</pre>		

user select practice questions



#	Step / Hook Details	Status	Duration
1	<p>Given user select practice questions</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, findElement {using=link text, value=Practice Questions}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at PageObjects.StackPage.menuselection(StackPage.java:47) at stepdefinitions.Stacksteps.user_select_practice_questions(Stacksteps.java:148) at ?.user select practice questions(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/Stack.feature:112)</pre>	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. 2 And navigate back to login page	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.126) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32dc150362fc5dfadfd17ca06104f90d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60296}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60296/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 32dc150362fc5dfadfd17ca06104f90d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at Allhooks.Hooks.tearDown(Hooks.java:29)	FAILED	0.004 s