Cucumber Report

| Start : Jul 12, 11:51:31.759 AM	End : Jul 12, 11:52:03.270 AM	Duration : 31.511 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 2 SKIPPED - 0	PASSED - 4 FAILED - 3 SKIPPED - 0	PASSED - 15 FAILED - 3 SKIPPED - 3

3

7

21

40 50 60
Pass %
30 70
20 80
10 90
0 33 % 100

40 50 60
Pass %
30 70
20 80
10 90
0 57 % 100

40 50 60
Pass %
30 70
20 80
10 90
0 71 % 100

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
feature to test ds algo portal link	5.211 s	1	1	0	0	4	4	0	0
evaluate home page	13.266 s	2	0	2	0	5	0	2	3
User enter valid and invalid credentials for login	12.981 s	4	3	1	0	12	11	1	0

#	Feature Name	Scenario Name
1	evaluate home page	User navigate to home page
2		Launch url and navigate to home page
3	User enter valid and invalid credentials for login	User on login page and login with inavalid and validinputs from Excel"Sheet1" and1

| TAG | Scenario | | | | Feature | | | |
Name	T	P	F	S	T	P	F	S
@portal	1	1	0	0	1	1	0	0
@home	2	0	2	0	1	0	1	0
@login	4	3	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	feature to test ds algo portal link	1	1	0	0	5.211 s
2	evaluate home page	2	0	2	0	13.266 s
3	User enter valid and invalid credentials for login	4	3	1	0	12.981 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	feature to test ds algo portal link	Launch url and navigate to home page	4	4	0	0	5.211 s
2	evaluate home page	User navigate to home page	3	0	1	2	6.630 s
3		Launch url and navigate to home page	2	0	1	1	6.617 s
4	User enter valid and invalid credentials for login	User on login page and login with inavalid and validinputs from Excel"Sheet1" and0	3	3	0	0	3.729 s
5		User on login page and login with inavalid and validinputs from Excel"Sheet1" and1	3	2	1	0	3.469 s
6		User on login page and login with inavalid and validinputs from Excel"Sheet1" and2	3	3	0	0	2.851 s
7		User on login page and login with inavalid and validinputs from Excel"Sheet1" and3	3	3	0	0	2.917 s

feature to test ds algo portal link

PASSED	DURATION - 5.211 s	Scenarios		Steps	
/ 11:51:31.759 AM // 11:51:36.970 AM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 4 Pass - 4 Fail - 0 Skip - 0	4

Launch url and navigate to home page

PASSED	DURATION - 5.211 s		Steps	
/ 11:51:31.759 AM // 11:51:36.970 AM /			Total - 4	
feature to test ds algo portal link			Pass - 4 Fail - 0 Skip - 0	4
@portal				

#	Step / Hook Details	Status	Duration
1	Given User launch chrome browser	PASSED	0.015 s
2	And User opens dsalgo portal app url	PASSED	0.585 s
3	When User click on Get Started button	PASSED	0.440 s
4	Then User is navigated to Home page	PASSED	0.018 s

evaluate home page

FAILED	DURATION - 13.266 s	Scenarios		Steps	
/ 11:51:37.004 AM // 11:51:50.270 AM /		Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Total - 5 Pass - 0 Fail - 2 Skip - 3	5

User navigate to home page

FAILED	DURATION - 6.630 s
/ 11:51:37.004 AM // 11:51:43.634 AM /	
evaluate home page	
@home	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given User click on Data Structures dropdown	FAILED	5.048 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='nav-item dropdown']/a"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [77b8c87772a40e0b062edf0c56b23746, findElement {using=xpath, value=//div[@class='nav-item dropdown']/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57244}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57244/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 77b8c87772a40e0b062edf0c56b23746
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy40.click(Unknown Source)
	    at PageObjects.HomePage.dropDownclk(HomePage.java:54)
	    at stepdefinitions.HomePageSteps.user_click_on_data_structures_dropdown(HomePageSteps.java:20)		

#	Step / Hook Details	Status	Duration
	at ?.User click on Data Structures dropdown(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/2homepage.feature:5) * Not displayable characters are replaced by '?'.		
2	When User click on arrays from the dropdown	SKIPPED	0.000 s
3	Then It shows error message "You are not logged in"	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User navigate to home page	PASSED	0.353 s

Launch url and navigate to home page

FAILED	DURATION - 6.617 s	
/ 11:51:43.653 AM // 11:51:50.270 AM /		
evaluate home page		
@home		

Steps
Total - 2
Pass - 0
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	When User click on one of the module from home page	FAILED	5.067 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()='Array']/..//a"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [410d3843919dcd83ac33cf9e463fb97c, findElement {using=xpath, value=//h5[text()='Array']/..//a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57260}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57260/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 410d3843919dcd83ac33cf9e463fb97c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy40.click(Unknown Source) at PageObjects.HomePage.modulegtstarted(HomePage.java:67) at stepdefinitions.HomePageSteps.user_click_on_one_of_the_module_from_home_page(HomePageSteps.java:39) at ?.User click on one of the module from home page(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/2homepage.feature:11) * Not displayable characters are replaced by '?'.		
2	Then It is showing error message You are not logged in	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) Launch url and navigate to home page	PASSED	0.376 s

User enter valid and invalid credentials for login

FAILED	DURATION - 12.981 s	Scenarios Total - 4 Pass - 3 Fail - 1 Skip - 0	4	Steps Total - 12 Pass - 11 Fail - 1 Skip - 0	12
	/ 11:51:50.289 AM // 11:52:03.270 AM /				

User on login page and login with inavalid and validinputs from Excel"Sheet1" and0

PASSED	DURATION - 3.729 s
/ 11:51:50.289 AM // 11:51:54.018 AM /	
User enter valid and invalid credentials for login	
@login	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	1.338 s
2	When The user enter sheet"Sheet1" and 0	PASSED	0.849 s
3	Then click login button	PASSED	0.123 s

User on login page and login with inavalid and validinputs from Excel"Sheet1" and1

FAILED	DURATION - 3.469 s
/ 11:51:54.031 AM // 11:51:57.500 AM /	
User enter valid and invalid credentials for login	
@login	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.460 s
2	When The user enter sheet"Sheet1" and 1	PASSED	0.191 s
3	Then click login button	FAILED	1.170 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input type="submit" value="Login"> is not clickable at point (959, 126). Other element would receive the click: <iframe scrolling="no" frameborder="0" style="border: 0px; height: 50px; width: 48px; left: 927px; top: 102px; z-index: 2147483647; position: absolute;" src="https://gc.kis.v2.scr.kaspersky-labs.com/E3E8934C-235A-4B0E-825A-35A08381A191/kpm/kpm_promo_balloon.html?cssSrc=https%3A%2F%2Fgc.kis.v2.scr.kaspersky-labs.com%2FE3E8934C-235A-4B0E-825A-35A08381A191%2Fkpm%2Ftooltip.css"></iframe> (Session info: chrome=114.0.5735.199) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1b83d619f7e42921f5e9eaf0ea589a58, clickElement {id=D61465E1D48CC603AFD5EF1931207C25_element_4}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		

#	Step / Hook Details	Status	Duration

	114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kiran\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57300}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57300/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (1b83d619f7e42921f5e9eaf0ea589a58)] -> xpath: //input[@value='Login']] Session ID: 1b83d619f7e42921f5e9eaf0ea589a58
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78)
	  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:578)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	  at jdk.proxy2/jdk.proxy2.$Proxy40.click(Unknown Source)
	  at PageObjects.Loginpage.loginbtnclk(Loginpage.java:47)
	  at stepdefinitions.Loginsteps.click_login_button(Loginsteps.java:57)
	  at ?.click login button(file:///C:/Users/kiran/eclipse-workspace/ds_AlgoProject/src/test/resources/Features/4Loginpage.feature:7)
	* Not displayable characters are replaced by '?'.		

	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User on login page and login with inavalid and validinputs from Excel"Sheet1" and1	PASSED	0.385 s

User on login page and login with inavalid and validinputs from Excel"Sheet1" and2

PASSED	DURATION - 2.851 s

/ 11:51:57.502 AM // 11:52:00.353 AM /

User enter valid and invalid credentials for login

@login

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.605 s
2	When The user enter sheet"Sheet1" and 2	PASSED	0.284 s
3	Then click login button	PASSED	0.274 s

User on login page and login with inavalid and validinputs from Excel"Sheet1" and3

PASSED	DURATION - 2.917 s

/ 11:52:00.353 AM // 11:52:03.270 AM /

User enter valid and invalid credentials for login

@login

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.491 s
2	When The user enter sheet"Sheet1" and 3	PASSED	0.322 s
3	Then click login button	PASSED	0.381 s