Extraction evidence before probability calibration

A working diagnostic prototype using saved sponsor-document outputs.

STRONGER EVIDENCE

20/20

Observed development cells passing the strict contract.
2 development document(s).

WEAKER EVIDENCE

0/10

Observed development cells passing the strict contract.
1 development document(s).

Probability for a new cell: not yet estimated.

These counts describe this sample. They are not individual correctness probabilities.

Numeric correctness and association are different

NUMERIC TRANSCRIPTION

Are the digits, decimal and sign right?

45/50 sampled cells preserve numeric content.

STRUCTURED FINANCIAL CELL

Are the value, row, column and unit context usable?

30/50 pass this stricter contract.

A merged year header can fail the second test while the number itself is correct.

These are assistant-reviewed sample counts. Independent human verification is still needed.

Observable evidence can flag problems

VALUE

One well-formed numeric token in an unmerged value cell.

ROW

An unmerged label and one matching comparison row.

AGREEMENT

Matching values and individually bound column headers.

All checks pass: stronger evidence. Otherwise: weaker evidence.

These categories do not quantify probability. Unit correctness is reviewed but has no separate prediction feature here.

CVS: correct value with supporting evidence

Quarter Results In billions, except per share amounts	2Q 2025	2Q 2024
Total Revenues	$98.9	$91.2
Adjusted Operating Income	$3.81	$3.74
GAAP Earnings per Share	$0.80	$1.41
Adjusted Earnings per Share	$1.81	$1.83
Cash Flow from Operations	$1.9	$3.1

STRONGER EVIDENCE

Total Revenues
$98.9 billion
2Q 2025

Both parsers agree. Source review confirms value and context.

Probability:
not estimated

A reviewed correct example illustrates the checks; it does not establish a new-cell probability.

EDF: flag the reason for uncertainty

	Unit	Electricity supply		Gas supply		Aggregate supply business
		Domestic	Non Domestic	Domestic	Non Domestic	
Total revenue	**£'M**	**3,037.1**	**8,674.9**	**1,693.1**	**126.6**	**13,531.6**
Revenue from sale of electricity and gas	**£'M**	3,037.1	8,674.9	1,693.1	126.6	13,531.6
Other revenues	**£'M**	0.0	0.0	0.0	0.0	0.0

Merged row label: Total revenueRevenue from sale of electricity and gasOther revenues

Returned values: 3,037.1, then 3,037.10.0
A correct number can lack usable financial context.

WEAKER EVIDENCE

Merged context / values

Probability: not estimated

A retrospective structural check, not calibration

30 development cells; 20 separate-document replay cells. Both related Rolls-Royce documents stay together.

Presentation: stronger evidence — **10/10 pass**

Distinct values and period headers retained.

Release: weaker evidence — **0/10 pass**

All ten numbers are right; period bindings are unresolved.

Selected pages, shared table errors and previously known reports limit this evidence. No blind validation or numeric-error calibration has been completed.

Why we removed the earlier confidence percentages

The earlier calculation: add-one smoothing converted two group counts into percentages. It did not validate their applicability to individual values.

The correction: show evidence and reviewed counts; leave all per-cell probabilities unassigned.

A controlled test changes $98.9 to $89.9 in both parsers: agreement still passes. More output percentages would not fix this blind spot.

Peterborough: a collapsed one-column table cannot form bound cells and requires review. This example is outside the 50-cell counts.

Separate models are built; validation exposes gaps

Two models, individual features

Numeric transcription and row/column association are modeled separately.

Document-family tests

EDF numeric fold cannot train; Rolls-Royce association predictions struggle.

Calibration and inference are implemented

Independent reviews and errors across additional document families are still required.

Numeric validation scores 40/50 cells but zero of the five errors. The failed fold is preserved. We do not interpret the model outputs as validated correctness probabilities.